




# Plantation

Product Components

# Contents


Colour Guide	3
Plantation Tables and Bar Leaners	6
Plantation Desks	10
Components	20
Image Gallery	22





# Colour Guide

## Worktop Colours



White



New Oak

## AcoustiQ Panel Colours - 10mm/20mm/30mm



White



Marble Grey



Slate Grey



Grey



Charcoal Grey



Black



Light Beige



Dark Beige



Natural



Brown



Pink



Royal Pink



Coral Pink



Pacific Blue



Cobalt Blue



Sky Blue



Blue



Dark Blue



Purple



Yellow



Banana Green




Green



Dark Green



Peacock Green



Orange



Red



Maroon




Dark Maroon

# Colour Guide

## Fabric Colours

### Motion Felt

*Price on application*



### Splice



# Colour Guide

## Fabric Colours

### Breathe



Navy  
(CM509)




Steel Blue  
(CM513)



Royal Blue  
(CM508)



Sky Blue  
(CM507)



Baby Blue  
(CM506)



Fern Green  
(CM512)




Lime Green  
(CM503)



Plum  
(CM514)



Ruby Red  
(CM515)




Tomato Red  
(CM501)



Bright Orange  
(CM502)



Burnt Orange  
(CM511)




Black  
(CM516)



Slate Grey  
(CM510)



Alloy Grey  
(CM505)



Camel  
(CM504)

# Plantation

## Product Specifications

### Frames

Legs constructed with black powder coat top housing and natural finish solid oak.

3, 4, 6 and 8 leg configurations

Black powdercoat rails and connectors

Worktop height 720 mm

Leg Dimension 70 x 50 mm


### Worktops

Melamine - 25 mm E1 grade substrate finished in studio white with matching 2mm PVC edge



#### Plantation - 3 Leg (Typical Frame Dimensions)




#### Additional Frame Details



#### Plantation - 4 Leg (Typical Frame Dimensions)



#### Plantation - 6 Leg (Typical Frame Dimensions)



# Plantation

Product Specifications



## Components List for PLT3612\_W







1. **2 x AXT1812\_W** Axis Straight Desk Top W1800 x D1200 x H25 mm - White
2. **6 x MTTLEG695\_W** Plantation Table Leg - White
3. **1 x PLEL12S\_B** Plantation splayed end legs crossbar - set of 2
4. **1 x PLML12\_B** Plantation splayed mid legs crossbar
5. **4 x AXEXTRAIL109\_B**

## Plantation

Complete | Frame &amp; Worktop



Timber sourced from a FSC Certified Forest







Product	Description	Worktop	Code
	<b>Coffee Table</b> 450mm high	Ø 600 3 Leg Standard	OG_PLCT6R_W
	<b>Coffee Table</b> 450mm high	900 x 600 4 Leg Standard	OG_PLCT96_W
		1200 x 600 4 Leg Standard	OG_PLCT126_W
	<b>Meeting Table</b> 3 solid oak legs 720mm high	Ø 900	OG_PLT900R_W
	<b>Meeting Table</b> 4 solid oak legs 720mm high	Ø 1050	OG_PLT1050R_W
		Ø 1200	OG_PLT1200R_W
		1200 x 600	OG_PLT126_W
		1200 x 750	OG_PLT1275_W
		1500 x 600	OG_PLT156_W
		1500 x 750	OG_PLT1575_W
		1800 x 600	OG_PLT186_W
		1800 x 750	OG_PLT1875_W
	<b>Meeting Table</b> 4 solid oak legs w/ full frame 720mm high	1800 x 900	OG_PLT189_W
		1800 x 1200	OG_PLT1812_W
		2100 x 900	OG_PLT219_W
		2400 x 1200	OG_PLT2412_W
		3600 x 1200	OG_PLT3612_W
	<b>Meeting Table</b> 6 solid oak legs w/ full frame x 2 worktops 720mm high	4800 x 1200	OG_PLT4812_W







Timber sourced from a FSC Certified Forest

**Plantation**  
Complete | Frame & Worktop

Product	Description	Code	Lead Time
     	<b>Coffee Table Legs</b> 75 degree angle 70 x 50mm leg	425 mm OG_CTTLEG425_OAK	Set of 4
	<b>Meeting Table Legs</b> 75 degree angle 70 x 50mm leg	695 mm OG_MTTLEG695_OAK	Set of 4
	<b>Spreader Bars To Suit Splay Legs</b>	590mm (600) OG_PLEL6S_B	Packed in pairs
		740mm (750) OG_PLEL75S_B	
		890mm (900) OG_PLEL9S_B	
		1190mm (1200) OG_PLEL12S_B	
		1490mm (1500) OG_PLEL15S_B	
	<b>Double Sided Spreader bar To suit straight middle legs</b>	1790mm (1800) OG_PLEL18S_B	Packed in singles
		710mm (750) OG_PLML75_B	
		860mm (900) OG_PLML9_B	
1160mm (1200) OG_PLML12_B			
1460mm (1500) OG_PLML15_B			
<b>Extendable Desk Rails</b>	1560mm (1600) OG_PLML16_B	Packed in singles	
	1760mm (1800) OG_PLML18_B		
<b>Extendable Desk Rails</b>	adj (1200 - 1800) OG_AXEXTRAIL109_#	Packed in singles	
	adj (1800 - 2400) OG_AXEXTRAIL169_#		
<b>Removable Angle Bracket</b>	OG_AXKDBRAC_#	Packed in pairs	

Product	Description	Code	Lead Time
 	<b>Worktops</b> White	Ø900 OG_AXT900R_W	Packed in singles
		Ø1050 OG_AXT105R_W	
		Ø1200 OG_AXT120R_W	
		1200 x 600 OG_AXD126_W	
		1200 x 750 OG_AXD1275_W	
		1500 x 600 OG_AXD156_W	
		1500 x 750 OG_AXD1575_W	
		1600 x 600 OG_AXD166_W	
		1600 x 750 OG_AXD1675_W	
		1800 x 600 OG_AXD186_W	
		1800 x 750 OG_AXD1875_W	
		1800 x 900 OG_AXD189_W	
		1800 x 1200 OG_AXT1812_W	
		2100 x 900 OG_AXD219_W	
2400 x 1200 OG_AXT2412_W			

# Plantation

## Product Specifications

### Frames

Legs constructed with black powder coat top housing and natural finish solid oak.

Single desks & DSD configurations

Black powdercoat rails and connectors

Worktop height 720 mm

25mm Adjustable Foot

70 x 50mm leg

### Worktops

Melamine - 25 mm E1 grade substrate finished in studio white with matching 2 mm PVC edge


### Screens

Radius18 Screens (standard height 400mm above worktop)


Studio50 Screens (standard height 500mm above worktop)

AcoustiQ Screens (standard height 300mm above worktop)


### Plantation Single Desks (Typical Frame Dimensions)



### Plantation Desk & Return (Typical Frame Dimensions)



### Plantation Double Sided Desks (Typical Frame Dimensions)



**NOTE:** Legs are manufactured from pure solid oak and natural variations in tone may be present in supplied product.

# Plantation

## Product Specifications

### Cable Management

Prodigy Baskets 750/ 950/ 1250 mm

Cable Clutch

EXCLUDES: power/data

### Power Data (optional extra)

Below Desks in basket

Above Desk Pixel

### AcoustiQ Screens (clamp on)

10 mm AcoustiQ pinnable substrate

100% Polyester recycled PET

Cast aluminium clamps in white/ black powdercoat (3 types available)

Square finishing on bottom and 50 mm radius on top

### Radius18 Screens

Standard height 400 mm above desk (can be changed on request)

18 mm nominal thickness

Black Clamp Brackets

### Studio50 Screens

Standard height 500 mm above desk (can be changed on request)

50 mm thickness

Hidden Brackets

#### Breathe



#### Splice



#### Motion Felt (Price on application)



#### AcoustiQ Panel




Studio50  
Screens are  
Australian  
Made.

**Plantation Desking**  
Workspaces - Desks



Timber sourced from a FSC Certified Forest

Product	Description	Worktop	Code
 OG_PLSD1875_W	<b>Plantation Desk</b> Straight Splay with Full Frame	1200 x 750	OG_PLSD1275_W
		1500 x 750	OG_PLSD1575_W
		1500 x 800	OG_PLSD158_W
		1600 x 750	OG_PLSD1675_W
		1600 x 800	OG_PLSD168_W
		1800 x 750	OG_PLSD1875_W
		1800 x 800	OG_PLSD188_W
		1800 x 900	OG_PLSD189_W

Includes	Frame	Top(s)	Screens	Screen Duct	Softwire Mounting Plates	Softwire Cable & Outlets
	✓	✓	✗	✗	✗	✗






Timber sourced from a FSC Certified Forest

## Plantation Desking

Workspaces - Desks & Returns, Desk & Returns w/ Modesty



Product	Description	Worktop	Code
 <p><b>Plantation Desk &amp; Return</b> <i>Straight Splay with Full Frame (1200 x 750 Return)</i></p> <p>OG_PLSDR1875_W</p>		1500 x 750	OG_PLSDR1575_W
		1500 x 800	OG_PLSDR158_W
		1600 x 750	OG_PLSDR1675_W
		1600 x 800	OG_PLSDR168_W
		1800 x 750	OG_PLSDR1875_W
		1800 x 800	OG_PLSDR188_W
		1800 x 900	OG_PLSDR189_W

Includes	Frame	Top(s)	Screens	Trays	Softwire Mounting Plates	Softwire Cable & Outlets
	✓	✓	✗	✗	✗	✗

**Plantation Desking**  
Workspaces - Shared Desks



Timber sourced from a FSC Certified Forest


Product	Description	Worktop	Code
 OG_PL2DSD1875_W	<b>2 User Plantation Double-Sided Workspace</b>  <i>Straight Splay with Full Frame</i> <i>Excludes cable trays</i>	2@ 1200 x 600	OG_PL2DSD126_W
		2@ 1200 x 750	OG_PL2DSD1275_W
		2@ 1500 x 600	OG_PL2DSD156_W
		2@ 1500 x 750	OG_PL2DSD1575_W
		2@ 1500 x 800	OG_PL2DSD158_W
		2@ 1600 x 600	OG_PL2DSD166_W
		2@ 1600 x 750	OG_PL2DSD1675_W
		2@ 1600 x 800	OG_PL2DSD168_W
		2@ 1800 x 600	OG_PL2DSD186_W
		2@ 1800 x 750	OG_PL2DSD1875_W
		2@ 1800 x 800	OG_PL2DSD188_W
		 OG_PL4DSD1875_W	<b>4 User Plantation Double-Sided Workspace</b>  <i>Straight Splay with Full Frame</i> <i>Excludes cable trays</i>
4@ 1200 x 750	OG_PL4DSD1275_W		
4@ 1500 x 600	OG_PL4DSD156_W		
4@ 1500 x 750	OG_PL4DSD1575_W		
4@ 1500 x 800	OG_PL4DSD158_W		
4@ 1600 x 600	OG_PL4DSD166_W		
4@ 1600 x 750	OG_PL4DSD1675_W		
4@ 1600 x 800	OG_PL4DSD168_W		
4@ 1800 x 600	OG_PL4DSD186_W		
4@ 1800 x 750	OG_PL4DSD1875_W		
4@ 1800 x 800	OG_PL4DSD188_W		

Includes	Frame	Top(s)	Screens	Screen Duct	Softwire Mounting Plates	Softwire Cable & Outlets
	✓	✓	✗	✗	✗	✗



Timber sourced from a FSC Certified Forest

## Plantation Desking Workspaces - Shared Desks

Product	Description	Worktop	Code
 <p><b>OG_PL6DSD1875_W</b></p>	<p><b>6 User Plantation Double-Sided Workspace</b></p> <p><i>Straight Splay with Full Frame Excludes cable trays</i></p>	6@ 1200 x 600	OG_PL6DSD126_W
		6@ 1200 x 750	OG_PL6DSD1275_W
		6@ 1500 x 600	OG_PL6DSD156_W
		6@ 1500 x 750	OG_PL6DSD1575_W
		6@ 1500 x 800	OG_PL6DSD158_W
		6@ 1600 x 600	OG_PL6DSD166_W
		6@ 1600 x 750	OG_PL6DSD1675_W
		6@ 1600 x 800	OG_PL6DSD168_W
		6@ 1800 x 600	OG_PL6DSD186_W
		6@ 1800 x 750	OG_PL6DSD1875_W
6@ 1800 x 800	OG_PL6DSD188_W		

Includes	Frame	Top(s)	Screens	Trays	Softwire Mounting Plates	Softwire Cable & Outlets
	✓	✓	✗	✗	✗	✗

**Plantation Desking**  
Components



Product	Description	Code	Lead Time
	<b>Meeting Table Legs</b> <i>75 degree angle</i>	695 mm OG_MTTLEG695_OAK	Set of 4 
		710mm (750) OG_PLEL75_B	
	<b>Spreader Bars To Suit Straight Legs</b>	860mm (900) OG_PLEL9_B	Packed in pairs 
		1160mm (1200) OG_PLEL12_B	
		1460mm (1500) OG_PLEL15_B	
		1560mm (1600) OG_PLEL16_B	
	<b>Double Sided Spreader bar To suit straight middle legs</b>	710mm (750) OG_PLML75_B	Packed in singles 
		860mm (900) OG_PLML9_B	
		1160mm (1200) OG_PLML12_B	
		1460mm (1500) OG_PLML15_B	
		1560mm (1600) OG_PLML16_B	
		1760mm (1800) OG_PLML18_B	
	<b>Extendable Desk Rails</b>	adj (1200 - 1800) OG_AXEXTRAIL109_#	Packed in singles 
		adj (1800 - 2400) OG_AXEXTRAIL169_#	
	<b>Additional Brackets</b>	Plantation Return Bracket OG_PLRAILMOUNT_B	Packed in singles
		Removable Angle Bracket OG_AXKDBRAC_#	Packed in pairs 
		Worktop Joining Plate OG_AXTOPPLATE_W	Packed in pairs







## Plantation Desking Components

Product	Description	Code	Lead Time	
	1200 x 750	OG_AXD1275_W		
	1500 x 750	OG_AXD1575_W		
	<b>Worktops Standard</b> <i>White/New Oak</i>	1600 x 750	OG_AXD1675_W	Packed in singles
		1800 x 750	OG_AXD1875_W	
		1800 x 900	OG_AXD189_W	
		2100 x 900	OG_AXD219_W	
	<b>Worktops Scallop</b> <i>White/New Oak</i>	1500 x 800	OG_AXD1580S_W	Packed in singles
		1600 x 800	OG_AXD1680S_W	
		1800 x 800	OG_AXD1880S_W	
	<b>Studio50 Deskmount Screens</b> <i>White or Black Frame</i>	1200 mm	OG_STU50612_#_BR##	Packed per project
		1500 mm	OG_STU50615_#_BR##	
		1600 mm	OG_STU50616_#_BR##	
		1800 mm	OG_STU50618_#_BR##	
		Panel Finish	OG_STU50PFIN6_#	
		Brackets	OG_AXS50BKT_#	
	<b>Studio50 Return Screens</b> <i>White or Black Frame</i>	650 mm	OG_STU50606_#_BR##	Packed per project
		800 mm	OG_STU50608_#_BR##	
		Panel Finish	OG_STU50PFIN6_#	
	<b>Softwire Standard Kits</b> <i>White Only</i>	Ceiling Start + 4GPO	OG_530021	1 Per carton
		Wall Start + 4GPO	OG_530023	
		Desk Kit 4GPO	OG_530024	
	<b>Basket</b>	750mm	OG_294800	
		950mm	OG_294801	
		1250mm	OG_294802	
	<b>Radius18 Screens</b>	1200 mm	OG_AGR18CSI2_#	Packed per project
		1500 mm	OG_AGR18CSI5_#	
		1600 mm	OG_AGR18CSI6_#	
		1800 mm	OG_AGR18CSI8_#	
		Mid Pole Bracket for DSD	OG_OPCBSC1_E2_W	Packed in singles

\*All screen prices allow for breathe and splice











- **Boardroom Tables**
- **Meeting Room Tables**
- **Coffee Tables**
- **Double Sided Desking**
- **Executive Offices**
- **Barleaners**
- **Workstations**