

# Anvil

## Desking System



# Creative Design Possibilities

Combining alternate screen & drawer fronts with standard core ANVIL elements creates stunning aesthetic effects for your space.





\* Some finishes shown in this brochure are not currently available on OLG standard lead times.



## Natural Elegance

The ever-adaptable ANVIL system can be transformed by combining standard components with custom accents. Re-energise your workspace.



\* Some finishes shown in this brochure are not currently available on OLG standard lead times.







## Action Stations

Whether you need individual offices for concentrated work or team based work areas to enhance interaction, ANVIL workstations are a superb collection of desk and workstation elements. There is no reason why your office furniture should not be as architecturally appealing as your offices – ANVIL is a statement in style.





# High Density Desking

ANVIL is an intelligent approach to office system design. The modular structure of ANVIL guarantees adaptable layouts and solutions that support a multitude of ways of working, while providing concealed routing of services.







# Precision Design

Great office environments are shaped by clean furniture design. ANVIL gives you a framework that will support dynamic changes in workplace technologies and evolving work practices.







# Team Spaces

ANVIL frame systems give your collaboration areas a refreshing image that will encourage freedom of thought & inspired decision making.





# Comseal Cable Tidy System

## Simply Efficient

An efficient way of achieving concealed & practical routing of services. Comseal allows you to plug in at the desktop & still retain the ability to conceal all your power & data cables.

Plug in at the desktop.



Hide your cables all the way to where you need them.



Works with clamp on shelves  
& monitor arms.



*Shown with ANVIL 90° cluster.*



*Shown with AXIS straightline desk & offset screen.*



*Shown with AXIS height adjustable back to back.*



*Shown with ANVIL 120°.*

## Anvil Straightline

**Standard features**

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components.

**Standard worktop sizes**

1200w x 600d x 715h mm  
1200w x 750d x 715h mm  
1500w x 600d x 715h mm  
1500w x 750d x 715h mm  
1800w x 600d x 715h mm  
1800w x 750d x 715h mm



## Straightline Singles

**Standard features**

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components.

**Options**

- Clampon screens
- Cable management & data rails
- Modesty panels.



## Straightline Two Sided

**Standard features**

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



## Straightline Single Sided Double

**Standard features**

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components.

**Options**

- Clampon screens
- Cable management & data rails
- Modesty panels.



## Straightline Two Sided Double

**Standard features**

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



## Straightline Single Sided Triple

**Standard features**

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components.

**Options**

- Clampon screens
- Cable management & data rails
- Modesty panels.



## Straightline Two Sided Triple

**Standard features**

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



# Anvil 120 Degree

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components.

Standard worktop sizes

1200mm x 1200/600mm x 715h mm



## 120 Degree Singles

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components.

Options

- Clampon screens
- Cable management & data rails
- Modesty panels.



## 120 Degree Three Cluster

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



## 120 Degree 2/3

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



## 120 Degree Six Cluster

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



## Anvil 120 Degree Suggested Layout





# Anvil 90 Degree

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components.

Options

- Clampon screens
- Cable management & data rails
- Modesty panels.

Standard worktop sizes

1800 x 1800w x 750d x 715h mm  
1800 x 1800w x 600d x 715h mm



# Anvil 90 Degree Single

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components.

Options

- Clampon screens
- Cable management & data rails
- Modesty panels.



# Anvil 90 Degree Tee Cluster Two

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



# Anvil 90 Degree H Cluster Four

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



# Anvil 90 Degree Plus Cluster Four

Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



# Anvil 90 Degree Suggested Layouts



---

## Anvil 90 Degree Plus Cluster Six

### Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



---

## Anvil 90 Degree Plus Cluster Eight

### Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



---

## Anvil 90 Degree H Cluster Eight

### Standard features

- 50mm x 50mm x 50mm triangle end frames with flush ground weld finish
- 50mm x 25mm rails
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components
- Central deskmounted screens
- Concealed cable management
- Power & data rails.



## Anvil Caddy

### Standard features

- Studio White
- 18mm, flush-joined construction
- 5 white castors
- 640h x 993w x 460d mm
- Gang-lock to all drawers
- Height adjustable shelves
- Drawer units & tambours all interchangeable & lockable



Caddy

- One Drawer / Tambour LH



Caddy

- Double Bookcase



Caddy

- One Drawer / Tambour RH



Caddy

- One Drawer / Bookcase RH



Caddy

- Two Tambours



Caddy

- One Drawer / Bookcase LH



Caddy

- Tambour / Bookcase LH



Caddy

- Two Drawers



Caddy

- Tambour / Bookcase RH

## Seat Toppas

### Standard features

- Fits on Caddy mobile or Melamine mobile
- 27h x 467w x 467w mm
- Selected fabrics only



## Anvil Tower

### Standard features

- Studio White
- 25mm tops and base, 18mm sides and shelves
- Arctic White steel feet
- 1250h x 506w x 460d mm
- Drawer units
- Height adjustable shelves
- Flush joined construction



Tower

- Bookcase



Tower

- Bookcase + Drawers



Tower

- Tambour + Drawers

## Softwiring Options - also see Comseal page 15

### Above Desk

- Concealed cable trays have solid power/data segregation.
- Above desk power/data rail fits up to 4x data bezels and 4x GPO.
- Above desk rail fits to all back-to-back shared spaces.



### Below Desk

- Under desk fixed cable trays have solid power/data segregation
- Under desk power/data rail fixes to underside of worktop in location of choice. Fits up to 4x data bezels and 4x GPO



## Screens, Deskselves & Accessories

- Clamp-on screens are set at 500mm above desk, 400mm below
- All screens come with e-panel and translucent twinwall options
- A4 paper trays and pen holders hook to the central transom
- Desk mounted filing shelves clamp to the rear of any shared or single workspaces. 600mm x 300mm with 4x chromed bookend hoops.



## Melamine Mobiles

- 18mm construction - Studio White E1 grade board
- 640h x 467w x 460d
- Gang-locks all drawers
- Fifth wheel for stability



4 Drawer or 2 Drawer + File

## Steel Mobiles

- 2 Drawer & File with curved front
- Pen tray included
- 565h x 392w x 500d
- Gang-locks all drawers
- Fifth wheel for stability



White or Silver Powdercoat



## Tambours

**Standard features**

- Locking, space-saving roller doors
- Arctic White powdercoated feet
- 25mm tops and base, 18mm sides and shelves
- Silver doors
- Flush-joined construction



3 Levels

- 1250h x 900w x 450d mm



3 Levels + Planter

- 1250h x 900w x 450d mm
- Planter 150h x 900w x 450d

## Cupboards

**Standard features**

- Locking doors
- Arctic White powdercoated feet with leveling glides
- 25mm tops and base, 18mm sides and shelves
- Flush-joined construction



1250 High - 3 Levels

- 1250h x 900w x 400d mm



1800 High - 5 Levels

- 1800h x 900w x 400d mm

## Bookshelves

**Standard features**

- Arctic White powdercoated feet
- 25mm tops and base, 18mm sides and shelves
- Flush-joined construction



1250 High - 3 Levels

- 1250h x 900w x 300d mm



1800 High - 5 Levels

- 1800h x 900w x 300d mm

## Credenzas

**Standard features**

- Locking doors
- Arctic White powdercoated feet with leveling glides
- 25mm tops and base, 18mm sides and shelves
- Flush-joined construction



1200 Long - 2 Levels

- 900h x 1200w x 400d mm



1800 Long - 2 Levels

- 900h x 1800w x 400d mm

## Axis Tables

**Standard features**

- 50mm x 50mm end frames with flush ground weld finish
- 50mm x 25mm rails
- 80mm height adjustment in each foot
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components.

**Standard worktop sizes**

1200w x 600d x 715h mm  
1200w x 750d x 715h mm  
1500w x 600d x 715h mm  
1500w x 750d x 715h mm  
1800w x 600d x 715h mm  
1800w x 750d x 715h mm

1800w x 900d x 715h mm  
1800w x 1200d x 715h mm  
2400w x 1200d x 715h mm - **Shown**  
1000w x 1000d x 715h mm  
ø 1050mm



## Anvil Reception

**Standard features**

- Studio White melamine
- Chrome beading detail on front
- 18mm, flush-joined construction
- Straight or 90° options

**Standard sizes**

90° Corner:  
1226 x 1842w x 300d x mm

Straight:  
1226 x 1842w x 300d x mm



Straight Reception with Top



Straight Reception without Top



Corner Reception with Top



Corner Reception without Top

## Filing Cabinets

**Standard features**

- Locking doors
- 25mm tops and base, 18mm sides and shelves
- Flush-joined construction
- Gang-locks all drawers
- 1250h x 481w x 500d mm



## Axis Coffee Tables

**Standard features**

- 50mm x 50mm end frames with flush ground weld finish
- 50mm x 25mm rails
- 80mm height adjustment in each foot
- Worksurfaces are Studio White melamine on E1 grade substrate with matching SPVC edge
- Arctic White powdercoat to all steel components.

**Standard worktop sizes**

600w x 600d x 450h mm  
600w x 1200d x 450h mm - **Shown**



---

## Axis Height Adjustable Desk

### *Standard features*

- 60mm x 60mm end frames with flush ground weld finish
- 70mm x 40mm base rail
- Height adjustable 660mm - 1060mm
- Arctic white powdercoat & chrome finish
- Retractable handle

### *Standard frame sizes fit worktops*

1200mm - 2200mm x 700 - 800mm



---

## Axis Height Adjustable 90 Degree Workstation

### *Standard features*

- 60mm x 60mm end frames with flush ground weld finish
- 70mm x 40mm base rail
- Height adjustable 660mm - 1060mm
- Arctic white powdercoat & chrome finish
- Retractable handle

### *Standard frame sizes fit worktops*

1200mm - 2200mm x 1200mm - 2200mm x  
700 - 800mm deep



---

## Axis Height Adjustable Double Sided Desk

### *Standard features*

- 60mm x 60mm end frames with flush ground weld finish
- 70mm x 40mm base rail
- Height adjustable 660mm - 1060mm
- Arctic white powdercoat & chrome finish
- Retractable handle

### *Standard frame sizes fit worktops*

1200mm - 2200mm x 700 - 800mm




---

## Axis Height Adjustable Suggested Layouts




# Anvil System Size Guide


## Single Desks




## Single Workstations




## 90 Degree Workstations




## 120 Degree Workstations



## Shared Desks



## Anvil Leg





**DELIVERY**  
**AUSTRALIA WIDE**  
[myolgoffice.com](http://myolgoffice.com)



**OLG**