



Ascend Tech Adjust Flip Table

Product Data Specification

Ascend Tech Adjust Flip Table

Product Data Specification

Standard Features

Height adjustable for all age groups-

height adjustable in 40mm increments from 570mm to 840mm (includes measuring worktop thickness)

Eco Friendly powdercoat finish

in black to legs, pullbar and feet

Fast assembly- comes mostly assembled - less than 5 minutes per frame install time

Easy use flipping mechanism- one handed pull bar with just the right tension for ease of use

Safety locking- when tilted upright, the mechanism has locking stays on each mechanism to prevent accidental return to horizontal. To return to level, simply pull the pullbar to release

Space saving when not required for a table- when you want a clear room, the tables fold and nest together to give 80% more space for other activities.

Heavy Duty tops and hard- wearing edges- 25mm environmentally friendly EO grade worksurfaces in melamine, with matching hardcore edging to take the knocks.


Mobility for easy shifting: 4 x Large easy-roll locking castors with locking function to make the table easy to move. When you have located the table where you need it, the castors can be locked to make non-mobile.

Joining tables is easy- Easily butt tops together and lock together using the top joiner provided with the frame.

Sizing: Frames to suit top lengths of 800-2100mm, and top widths of 600-750mm

No-wobble tilt mechanism- there is nothing worse than a table with wobble-this is a precision mechanism that locks in the horizontal super tight so there is zero wobble in the top.

Long Life frames- durable welded steel construction designed to last a minimum 20 years.



Ascend Tech Adjust Flip Table

Product Data Specification

Worktops Available In

- 1200mm x 600mm
- 1200mm x 750mm
- 1500mm x 600mm
- 1500mm x 750mm
- 1600mm x 600mm
- 1600mm x 750mm
- 1800mm x 600mm
- 1800mm x 750mm

Frames Available In

- 800mm - 800mm x 600 - 750mm
- 1100mm - 1500mm x 600 - 750mm
- 1400mm - 1800mm x 600 - 750mm
- 1700mm - 2100mm x 600 - 750mm

Worktops

Melamine - 25 mm E1 grade substrate finished in studio white or new oak with matching 2 mm PVC edge

New Oak

- OG_ASCFLIP126B_NO
- OG_ASCFLIP1275B_NO
- OG_ASCFLIP156B_NO
- OG_ASCFLIP1575B_NO
- OG_ASCFLIP166B_NO
- OG_ASCFLIP1675B_NO
- OG_ASCFLIP186B_NO
- OG_ASCFLIP1875B_NO

White

- OG_ASCFLIP126B_W
- OG_ASCFLIP1275B_W
- OG_ASCFLIP156B_W
- OG_ASCFLIP1575B_W
- OG_ASCFLIP166B_W
- OG_ASCFLIP1675B_W
- OG_ASCFLIP186B_W
- OG_ASCFLIP1875B_W

Frames Only

- OG_ASCFLIP050_B
- OG_ASCFLIP080_B
- OG_ASCFLIP110_B
- OG_ASCFLIP140_B

Frames

Black powdercoat finish to legs, rails, pullbar and feet

Worktop height 840 mm

Worktop Colour Options

- W **White**
- NO **New Oak**

Frame Colour Options

- B **Black**



Ascend Tech Adjust Flip Table

Product Data Specification

SPACE SAVING WHEN NOT REQUIRED FOR A TABLE

When you want a clear room, the tables fold and nest together to give 80% more space for other activities

Fast Assembly: Comes mostly assembly- less than 5 minutes per frame install time

No Wobble Tilt Mechanism: There's nothing worse than a table with wobble- this is a precision mechanism that locks in the horizontal super tight so there is zero wobble in the top

HEAVY DUTY TOPS AND HARD-WEARING EDGES

25mm environmentally friendly EO grade worksurfaces in melamine, with matching hardcore edging to take the knocks.

EASY USE FLIPPING MECHANISM

One handed pull bar with just the right tension for ease of use

SAFETY LOCKING

When tilted upright, the mechanism has locking stays on each mechanism to prevent accidental return to horizontal. To return to level, simply pull the pullbar to release

JOINING TABLES IS EASY

Easily butt tops together and lock together using the top joiner provided with the frame


Eco Friendly powder coat finish: In black to legs, pull bar and feet

HEIGHT ADJUSTABLE FOR ALL AGE GROUPS

Height adjustable in 40mm increments from 600mm to 840mm (includes measuring worktop thickness)

MOBILITY FOR EASY SHIFTING

Large easy-roll castors with locking function to make the table easy to move. When you have located the table where you need it, the castors can be locked to make non-mobile.



Standard Worktop Sizes: Frames to suit top lengths of 800-2100mm, and top widths of 600-750mm

