

The OLG logo is displayed in white text on a red rectangular background in the top-left corner of the collage.

Product Selector

July 2023

myolg.online | olgooffice.com | myolgpricelist.online



Search

Delivery Services	4
Metro Postcodes	7
Dispatch Times	8
Warranties	9
Certification	10
Colour Guide	335

Storage & Receptions

 Receptions	15
 Axis	16
 Agile	19
 EkoSystem	20

Accessories

 Desk Mount Accessories	24
 Cable Management	24
 Modesties	25

Epanel Acoustic Solutions

 Hanging Panels	28
 Sound Clouds	29
 Wall Art	30
 Epanel Standing Wall	30

Seating

 Balance Range	34
 Urban Mesh	36
 Scroll	36

 Optic	36
 Motion Sync	37
 Adapta	37
 Mode	38
 Metro	38
 Luna	39
 Otto	39
 Game	40
 Smooth	42
 Boston	42
 Stax	42
 Venice Range	43
 Logic Training Chair	44
 Evo	44
 Zipp	44

Flip Tables

 Agile Flip	47
 Modulus Flip	51
 Modulus All Black Flip	56
 Uni Flip	59
 Axis Flip	62
 Ascend Tech Adjust Flip	65

Tables

	Modulus	69
	Modulus All Black	85
	Plantation	93
	Team	99
	Axis	105
	EkoSystem	113
	Flare	119

Bar Leaners

	Anvil	127
	Axis	127
	Axis Mobile	128
	Trestle	128
	Plantation	129
	Flare Bar Leaner	135

Desking

	Quickstand	141
	Agile	145
	Plantation	173
	Axis	183
	Axis Trestle Benching	201
	Axis Stretch	209
	Anvil	217
	Modulus	235
	EkoSystem	241

Screens

	Studio50	247
	Screens for Agile	257
	Hung Screens	263
	Spine Screens	271
	Quick Clamp Screens	277
	Slide-on Screens	281

MotionOffice

	Individual	290
	Collaborative	293
	Flexible	303
	Upgrades	303
	Pixels Cutout Locations	307
	Dimensions	308

Phonebooth

	Qzone	317
	SpacePod	320

Components

	Worksurfaces	326
	Screen Brackets	328
	Cable Management	332
	Softwiring	333
	Workshop Jobs	334

Delivery Services



Pickup From
MARSDEN PARK

Total Freight Charge: Free



**SYDNEY
BRISBANE
MELBOURNE
CANBERRA
& ADELAIDE METRO**

YES

Total Freight Charge: FREE

NO

Total Freight Charge: \$30

Is the order over \$2,000?



OUTSIDE METRO
(include freight charge
from calculator)

Total Charge: Freight to be costed by OLG calculator on myolg website





Sydney. Metro. Freight.

OLG Delivery & Installation Prices

August 2022

Delivery Only Add-Ons – Sydney Metro Only

Mobile Assembly	\$15 per mobile
Chair Assembly	\$15 per chair

Delivery and Install – Sydney Metro Only

Minimum Charge	20% of Order Value or \$150
Orders Over \$10k	POA

Metro Postcodes

Sydney Metro Postcodes

2000	-	2011
2015	-	2050
2060	-	2077
2079		
2084	-	2090
2092	-	2097
2099	-	2122
2124	-	2125
2127	-	2138
2140	-	2148
2150	-	2155
2160	-	2168
2170	-	2171
2173	-	2177
2190	-	2200
2203	-	2214
2216	-	2234
2558	-	2560
2564	-	2567
2570		
2745		
2747	-	2750
2753	-	2756
2759	-	2763
2765	-	2770

Brisbane Metro Postcodes

4000		
4005	-	4014
4017	-	4022
4025		
4030	-	4032
4034	-	4037
4051		
4053	-	4055
4059	-	4061
4064	-	4070
4073	-	4078
4101	-	4125
4127	-	4133
4151	-	4161
4163	-	4165
4169	-	4174
4178	-	4179
4205		
4207	-	4208
4300	-	4301
4303	-	4306
4500	-	4506
4508	-	4509

Melbourne Metro Postcodes

3000	-	3004
3006		
3008		
3011	-	3013
3015	-	3016
3020		
3023		
3025	-	3026
3028	-	3033
3039	-	3044
3046	-	3047
3051	-	3053
3056	-	3058
3061	-	3068
3070	-	3076
3078	-	3079
3081	-	3085
3087	-	3090
3093	-	3095
3101	-	3111
3113	-	3116
3121	-	3138
3140	-	3153
3155	-	3156
3161	-	3175
3177	-	3202
3204	-	3207
3335		
3429		
3754		
3802	-	3803
3806		
3976	-	3977

Canberra Metro Postcodes

2600	-	2620
2900	-	2949

Adelaide Metro Postcodes

5000	-	5199
5900	-	5999

Standard Dispatch Times



Stocked product - usual transit time

- Dispatch next day if ordered before 11.00am

Custom product - usual transit time

- Small order dispatch 7 days from order
- Large order dispatch 15 days from order

- 3 Working days from dispatch of order
- 3-5 Working days from dispatch of order
- 7-10 Working days from dispatch of order

Receiving Deliveries

Check

- Thoroughly check all deliveries to confirm it has arrived undamaged.
- If there is signs of damage you can still receive the freight, but you must note the damage on the consignment note.
- Although drivers are keen to deliver the freight and depart, you have every right to ask them to wait. Drivers can be asked to wait up to 20 minutes until the receiver has completely checked the consignment.

Endorse

- If an item is damaged, note the damage (endorse) on the consignment note BEFORE before signing it.
- If the packaging is damaged and you are unsure whether the item is damaged or not, endorse the consignment note as 'damaged packaging': This will help with claim should the item be damaged.

- If any items are missing, note this on the consignment note with the correct quantity before signing it.
- OLG, understands larger orders can be difficult to check thoroughly at time of delivery. For orders over \$10,000 we will allow 24 hours from time of delivery for you to check the goods and inform us of anything untoward.

Advise

- If your order has arrived damaged, or been short-shipped, please contact the OLG Customer Care team immediately.
- Provided the consignment note is endorsed, OLG will arrange replacement parts to be dispatched expediently, usually within 24 hours.
- If the consignment note is not endorsed, OLG will supply the required replacement parts at your cost, and will ensure these are dispatched ASAP, usually within 24 hours.

Returns Policy

- See myolg.online/terms for Returns Policy

Pricing

- Wholesale Prepay (AUD\$) special discounted pricing applies only for online prepayment of goods at time of order.
- Wholesale Account (Net Account AUD\$) for approved purchasers, with payment due 20th month following invoice.
- Some pricing is for frame only.
- Project orders over \$20,000 require a 25% deposit prior to delivery.
- All prices exclude GST.

This price guide was updated in January 2023

We reserve the right to update or change the pricing in this price guide at any time.



Please note: Most product shown in this Price Guide requires onsite assembly.

Warranty



10 Year

Freeway seating, Flare, Modulus, Uni & Team table frames, Agile height adjustable desks & Axis height adjustable flip frames, Axis desking, Anvil desking, Agile desking, Cosmic desking, Studio50 screens, Monitor arms, Plantation, MotionOffice.

All OLG products are durable for long-term performance and value. Our range has been rigorously tested to the equivalent of 15 years average use, and our processes comply with internationally recognised certifications. We know the peace of mind a warranty like this can give when making a purchase. If you need to know any information about the legal terms of your warranty, you can find everything right here, or simply give one of our friendly account managers a call.

The 10 Year Warranty is valid on orders placed on or after 1st October 2018.

Warranty

OLG promises the original purchaser that it will repair or replace with the comparable product, at its option and free of charge (for material and components) any product, part or component which fails under **normal indoor use** over the duration of specified warranty term (taken from the date of purchase).

Normal indoor commercial use is defined as the equivalent of a single shift, 40-hour work-week.

A customer who requests services under this warranty must comply with directions from OLG staff if the warranty claim is to be investigated, and if OLG is to provide repairs and/or spare parts and/or replacement solutions (where applicable). The customer will usually be required to provide a detailed description of the warranty service they are requesting, accompanied by any relevant photos or videos.

If the customer does not comply with the directions aforementioned, OLG is not required to provide services in accordance with this warranty. Without the description and images, OLG can neither investigate the claim nor provide an appropriate solution.

Goods purchased from OLG are covered by guarantees that cannot be excluded under Australian Consumer Law. The customer is entitled to a replacement or refund in a case of major fault. Goods will also be repaired or replaced if they fail to meet acceptable quality standards and the failure does not amount to a major failure.

Minor variations in dimensions, colour, grain, or finish in Goods received by a customer, when compared with images or descriptions on the Website, are not covered by this Warranty. The Warranty does not cover damage that affects only packaging. Goods will also be repaired or replaced if they fail to meet acceptable quality standards and the failure does not amount to a major failure.

Warranty Limitations

The particular product lines, materials and components listed below are covered according to the following schedule from the date of sale:

- Five Years - Laminates, veneer finishes, adjustable work surface mechanisms, electric motors, electrical components, all components of cafeteria tables, glides, casters, seating controls, seating upholstery foam and stacking chairs.

Warranty Exclusions

This warranty does not apply and no other warranty applies to:

- Products that were not installed, used or maintained in accordance with OLG instructions
- Normal wear and tear, which is to be expected over the course of ownership
- High-wear items such as glides and textiles
- Abuse, misuse, or accident
- Alteration or modification of the product including substitution of OLG components with any unauthorised non-OLG components
- Products considered consumables, Customer's Own Material (COM) or non-standard textiles and materials
- Variations occurring in surface materials (e.g. colour-fastness or matching grains, textures and colours across dissimilar lots)
- Products used for rental purposes

Replacement Parts

A supply of all replacement parts for OLG products as are sold will be available in such quantities as to meet the reasonable anticipated demand for such replacement parts from the purchasers of OLG products.

Replacement parts will be available for the reasonable useful life of the product and will be available for use in a timely manner.

To the extent allowed by law, OLG makes no other warranty, either express or implied, including any warranty of merchantability or fitness for a particular purpose. OLG will not be liable for any consequential or incidental damages.

Certification

Specific product in this pricebook comes with some of these certifications, or can be manufactured to qualify. Please phone the OLG Office help desk to discuss.



Warranty

OLG Warranty promises the original purchaser that it will repair or replace with comparable product, at its option and free of charge (for material and components), any product, part or component which fails under normal use over the duration of the specified warranty term (taken from the date of purchase). Normal commercial usage is defined as the equivalent of a single shift, 40 hour work-week.



ISO 14001

ISO 14001 Certification is the international standard that specifies requirements for an effective Environmental Management System (EMS). It provides a framework that OLG as an organization can follow. At OLG we are using this framework as an approach to continuous improvement across all environmental aspects of our business.



ISO 9001

ISO 9001 Certification is the world's most widely recognized Quality Management System (QMS). At OLG its our guiding principle to meet the expectations and needs of our customers through quality management systems that continually monitor and manage quality across all operations to deliver consistent performance and service.



AS/NZS 4801

AS/NZS 4801 is the benchmark to assess Occupational Health & Safety Management systems for organisations. This standard contains vital information about meeting legal requirements and invaluable guidance on how to establish sustained improvement in health and safety performance in your business.



GECA

GECA (The Good Environmental Choice Australia) Ecolabelling Program, operates a national third-party, independently verified ecolabel, in conformance with Environmental labels and declarations (ISO 14024), that can be applied to a wide range of products and services. This certification gives you an independent, reliable and convenient way to select OLG products and services that are certified by GECA to deliver better environmental outcomes. **Anvil and Axis (available to GECA specification by special request). EkoSystem approved as EKO Brand.**



AFRDI

AFRDI Certification is a set of standards covering strength, durability, stability and safety (and ergonomics in the case of desks and workstations). This means that OLG are accountable for maintaining the quality of our products, submitting them for regular auditing to ensure they meet the highest standards for commercial use. **Applies to: Urban Mesh (Level 6 – Severe Commercial), Modulus Flip Table (Level 3 – Severe Commercial, tested with 1500 x 750 top and Agile+ Single Sided Dual Motor Electric Desk).**



BIFMA

BIFMA Certification focuses on safety and performance standards developed by the BIFMA Engineering Committee. The standards provide manufacturers, specifiers, and users with a common basis for evaluating safety, durability, and the structural adequacy of the specified furniture, independent of construction materials. The standards define specific tests, laboratory equipment to be used, the conditions of test, and the minimum acceptance levels to be used in evaluating these products.

Applies to: Balance Executive, Balance Task, Optic Chair, Adapta Chair, Game Chair 4 leg, Game Chair 4 leg with seat and back pads, Game Sled, Game Sled with seat and back pads, Agile+, Agile Electric 2-Column single motor, Motion Sync



AUSTRALIAN TRUSTED TRADER

Australian Trusted Trader Certification is a standard that rewards companies showing compliant behaviour, secure supply chain with strong security practices, to enjoy a wide range of trade facilitation benefits. OLG have held this status since 2017.



FSC

FSC is the leading catalyst and defining force for improved forest management and market transformation, shifting the global forest trend toward sustainable use, conservation, restoration, and respect for all. **Applies to: Plantation timber legs**



GREENGUARD

A GREENGUARD Certification ensures that a product has met some of the world's most rigorous and comprehensive standards for low emissions of volatile organic compounds (VOCs) into indoor air. GREENGUARD Gold Certification offers certification criteria that considers safety factors to account for sensitive individuals (such as children and the elderly), and ensures that a product is acceptable for use in environments such as schools and healthcare facilities. **Game, Balance Executive, Balance Project**



*Changing the way
Australia buys office furniture.*



*Office solutions that
make an impression.*

Storage & Receptions



Specifications	14
Receptions & Planter Walls	15
Axis Mobiles & Caddy Mobiles	16
Axis Towers Storage, Tambours & Planters	17
Agile Steel Storage	18
Axis Cupboards & Bookshelves	19
EkoSystem	20

Storage & Receptions

Product Specifications

Axis Reception

18 mm, flush-joined construction

E1 grade substrate finished in studio white melamine with matching 2 mm PVC edge

Aluminium beading detail on front reception main only

Straight or 90° options

Anvil Reception





18 mm, flush-joined construction

E1 grade substrate finished in studio white melamine with matching 2 mm PVC edge

Silver centre feature panel

Concealed telescopic chassis adjusts to suit worktop size (adjustable in 50 mm increments)

Receptions



Axis Personal Storage

18 mm flush-joined construction

Studio white melamine on E1 grade substrate with matching PVC edge

All mobile drawers keyed different as standard (keyed alike option available on request)

Fifth wheel for stability

Heavy duty ball bearing extension runners

Height adjustable shelves

Optional seat topna upholstered in Breathe fabric for standard mobiles and caddies

Axis Shared Storage

25 mm tops and base, 18 mm sides and shelves studio white melamine on E1 grade substrate with matching PVC edge

Flush-joined construction

Arctic white powdercoat 50 x 50 mm steel feet

Locking doors on Cupboards, Tambours, Credenzas, Lockers and Towers with tambour doors

Height adjustable shelves

Gang-locking drawers on Towers and Filing Cabinets

Tambours - space-saving roller doors in white PVC

Eko System Storage

25 mm tops and base, 18 mm sides and shelves, 5 mm backs white or new oak/charcoal melamine on E1 grade substrate with matching PVC edge

New oak shelves in cupboards and credenzas only

Stylish metal handles

Height adjustable shelves

Fifth wheel for stability on caddies

Non-locking

Fast install



Axis/Anvil

Receptions & Planter Walls

Product	Description	Dimensions (W x D x H)	Code
	Anvil Reception Counter with Silver Front Panel <i>(Excludes Desk)</i>	External 1810 x 943 x 1200	OG_ANRC_WS
	Axis Reception Counter with Poptop Façade <i>(Excludes Desk)</i>	1842 x 1200 x 300	OG_AXRPDI83_W
	Axis Reception Counter Façade <i>(Excludes Desk)</i>	1842 x 1130 x 300	OG_AXRDI83_W
	Axis Corner Reception Counter with Poptop Façade <i>Excludes Axis Desk</i>	1842/1842 x 1200 x 300	OG_AXRPW18183_W
	Axis Corner Reception Counter <i>Excludes Axis Desk</i>	1842/1842 x 1200 x 300	OG_AXRW18183_W

Product	Description	Code
	2000 x 1000 x 200 includes standard plants, pots and stones for base	OG_PLANTWALL_COMPLETE
	2000 x 1000 x 200 excludes standard plants, pots and stones for base	OG_PLANTWALL_B

Axis

Mobiles & Caddy Mobiles



Product	Description	Dimensions (H x W x D)	Code
	Mobile Drawers Two Box Drawers + One File Drawer - Gang Locking	640 x 470 x 460	OG_AXM2F_W
	Mobile Drawers Four Box Drawers Gang Locking	640 x 470 x 460	OG_AXM4_W
	Caddy Mobile Bookcase 2 x Adjustable Shelves	640 x 994 x 460	OG_AXFCMB_W
	Caddy Mobile Bookcase 1 x Drawer Insert Left or Right Handed Configuration	640 x 994 x 460	OG_AXCMI_W
	Caddy Mobile 2 x Drawer Insert	640 x 994 x 460	OG_AXCM2_W
	Caddy Mobile Bookcase 1 x Tambour Insert Left or Right Handed Configuration	640 x 994 x 460	OG_AXCMT1_W
	Caddy Mobile Bookcase 1 x Tambour Insert 1 x Drawer Insert Left or Right Handed Configuration	640 x 994 x 460	OG_AXCMTD_W
	Caddy Mobile 2 x Tambour Insert	640 x 994 x 460	OG_AXCMT2_W

**Axis**

Tower Storage | Tambours & Planters

Product	Description	Dimensions (H x W x D)	Code
	Tower Bookcase <i>2 x Adjustable Shelves</i>	1250 x 506 x 460	OG_AXBSTI2_W
	Tower Bookcase <i>1 x Drawer Insert</i>	1250 x 506 x 460	OG_AXBSTD_W
	Tower Bookcase <i>1 x Tambour Insert</i>	1250 x 506 x 460	OG_AXBSTT_W
	Filing Cabinet 4 Drawer <i>Anti-tilt Safety and Locking</i>	1250 x 481 x 500	OG_AXFC4_W
	Tambour Two Levels <i>1 x 18 mm adjustable shelf Locking</i>	900 x 900 x 450	OG_AXFT9_W
	Tambour Three Levels <i>2 x 18 mm adjustable shelves Locking</i>	1250 x 900 x 450	OG_AXFT12_W
Optional Add on			
	Planter Box <i>(excludes plants)</i>	150 x 900 x 450	OG_AXFPBOX_W
	Planter Box with Insert Tray <i>for real plants (excludes plants)</i>	150 x 900 x 450	OG_AXPBOXT_W

Axis

Cupboards & Bookshelves



Product	Description	Dimensions (H x W x D)	Code
	Bookshelf Three Levels <i>2 x 25 mm adjustable shelves</i>	1250 x 900 x 300	OG_AXFB12_W
	Bookshelf Five Levels <i>3 x 25 mm adjustable shelves 1 x fixed shelf</i>	1800 x 900 x 300	OG_AXFB18_W
	Cupboard Locking Three Levels <i>2 x 18 mm adjustable shelves</i>	1250 x 900 x 400	OG_AXFC12_W
	Cupboard Locking Five Levels <i>3 x 18 mm adjustable shelves 1 x fixed shelf</i>	1800 x 900 x 400	OG_AXFC18_W
	Credenza 1200 Two Levels <i>1 x 18 mm adjustable shelves 2x hinged locking doors</i>	900 x 1200 x 400	OG_AXFCZ12_W
	Credenza 1800 Two Levels <i>1 x 18 mm adjustable shelves 4x hinged locking doors</i>	900 x 1800 x 400	OG_AXFCZ18_W
	Locker Single Three Door	1800 x 380 x 450	OG_AXFLOC1_W
	Locker Double Six Door	1800 x 738 x 450	OG_AXFLOC2_W



Agile Steel Storage

Tambours, Planters & Mobiles

Product	Description	Dimensions (H x W x D)	Code
	Agile Tambour <i>Available in 2 Powdercoats</i>	1200 x 900 x 450	OG_TC_01_#
	Agile Planter Box <i>Available in 2 Powdercoats</i>	200 x 900 x 450	OG_PB_01_#
	Regular Steel Mobile <i>Metal mobile drawer unit with 2 drawers and 1 file. Available in 2 Powdercoats</i>	600 x 390 x 450	OG_MP_01_SQD_#
	Narrow Steel Mobile <i>Metal mobile drawer unit with 2 drawers and 1 file. Available in 2 Powdercoats</i>	600 x 300 x 450	OG_MP_01_SQN_#
	Steel Caddy L/H <i>Metal caddy unit with tambour and 3 drawers. Available in 2 Powdercoats</i> <i>*Only available in NSW, VIC, ACT and QLD</i>	560 x 1060 x 460	OG_FWCADLH_#
	Steel Caddy R/H <i>Metal caddy unit with tambour and 3 drawers. Available in 2 Powdercoats</i> <i>*Only available in NSW, VIC, ACT and QLD</i>	560 x 1060 x 460	OG_FWCADRH_#

Storage - Powdercoat



= W (White)



= B (Black)

EkoSystem

Bulk Storage



Product	Description	Dimensions (H x W x D)	Code
	Credenza	720 x 1200 x 400	OG_EKCZ127_W
			OG_EKCZ127_NOC
	Credenza	720 x 1600 x 400	OG_EKCZ167_W
			OG_EKCZ167_NOC
	Cupboard	1200 x 800 x 400	OG_EKC812_W
			OG_EKC812_NOC
	Cupboard	1800 x 800 x 400	OG_EKC818_W
			OG_EKC818_NOC
	Bookcase	720 x 1600 x 300	OG_EKB167_W
			OG_EKB167_NOC
	Bookcase	1200 x 800 x 300	OG_EKB812_W
			OG_EKB812_NOC
	Bookcase	1800 x 800 x 300	OG_EKB818_W
			OG_EKB818_NOC



EkoSystem

Personal Storage

Product	Description	Dimensions (H x W x D)	Code
	Mobile Drawer Unit 4 Box Drawers	600 x 400 x 460	OG_EKM4_W
			OG_EKM4_C
	Mobile Drawer Unit 1 File & 2 Box Drawers	600 x 400 x 500	OG_EKM2F_W
			OG_EKM2F_C
	Mobile Bookcase Caddy Unit 1 Adjustable Shelf	600 x 858 x 500	OG_EKCB_W
			OG_EKCB_C
	Mobile Bookcase Drawer Unit Non-Locking	100 x 400 x 470	OG_EKCD_W
			OG_EKCD_C
	Desktop Shelf	600 mm W	OG_EKSH_W
			OG_EKSH_C



*Complete your office solutions
with the perfect accessories
and components.*

Accessories







Desk Mount & Cable Management	24
Modesties	25

Accessories

Desk Mount Accessories & Cable Management



Product	Description	Code
	Dual Gas Monitor Arm Black	OG_TWINGASARM_B
	Laptop Riser Black	OG_SNLAP_RISER_B
	Axis/Anvil Deskmount Shelf Studio White - 243 high x 600 wide x 300 deep, 4 x chromed bookend hoops.	OG_AXDSH6_W
	Axis/Anvil Complete Shelf Studio White - 243 high x 600 wide x 300 deep, 4 x chromed bookend hoops, arctic white powdercoat to brackets. Clamps over 25mm worktop plus 50mm rail	OG_AXDSH6C_W OG_AXBDSH6C_W
	Aero Deskmount Shelf Studio White, 243 high x 600 wide x 300 deep, 4 x chromed bookend hoops, Arctic White Powdercoat to brackets. Clamps over. Clamps over 25mm worktop only	OG_AEDSH6_W OG_AEBDSH6C_W
	Studio50 Screen Adjustable Shelf Complete with 600 x 300 mm shelf and 4 hoops	OG_STU50SH6_#

Product	Description	Code
 Stocked in white	Prodigy Cable Basket No brackets required Black/White	750 mm White OG_294800
		750 mm Black OG_294810
		950 mm White OG_294801
		950 mm Black OG_294811
		1250 mm White OG_294802
		1250 mm Black OG_294812
	Cable Cobra 1.08 m length - can be combined together for longer lengths Black/White	White OG_CABCOBRA_W Black OG_CABCOBRA_B
	Cable Clutch Set of 5	White OG_CABCLUTCH_W
	Cable Port Extra hole for standard cable entry - 80 mm Please specify your chosen location for cable ports and/or pixels when ordering	White OG_CABLEPORT_W
		Black OG_CABLEPORT_B




Accessories

Modesties

Product	Description	Code	Lead Time
	Metal Modesty Panel Worktop Hung To fit 1800 mm side of Anvil Desk (will also work with Axis & Agile)	White OG_AXMMOD18_W	
		Black OG_AXMMOD18_B	
	Radius18 Modesty To fit 1800 mm x 400 mm See Agile section Pricing includes brackets	Breathe/ Splice OG_R18MOD18_#	
		Felt OG_R18MOD18_#	
	Melamine Modesty Panel Rail Mounted To fit 1500 side of Axis desk 1380W x 300D mm	White OG_AXM15_W	
		New Oak OG_AXM15_NO	
	Melamine Modesty Panel Rail Mounted To fit 1800 side of Axis desk 1680W x 300D mm	White OG_AXM18_W	
		New Oak OG_AXM18_NO	
	Melamine Modesty Panel Worktop Hung To fit 1500 mm side of Agile Desk *Includes 60 mm angle bracket	White OG_AGM15_W	
		New Oak OG_AGM15_NO	
	Melamine Modesty Panel Worktop Hung To fit 1800 mm side of Agile Desk *Includes 60 mm angle bracket	White OG_AGM18_W	
		New Oak OG_AGM18_NO	

AcoustiQ To request alternative colours contact quotes@olgooffice.com

= AcoustiQ
(10mm)



Fabric Please specify your chosen fabric colour when ordering.

= Motion Felt



= Breathe




= Splice





*Creating barriers between
you and unwanted noise.*

Epanel Acoustic Solutions




Hanging Panels	28
Sound Clouds	29
Wall Art	30
Freestanding Screens	30

Acoustic & Room Divider Solutions
Hanging Panels



Triangle



Hex



Slots




Swirl




Pebble



Design to Order

Product	Description	Design	Code	Lead Time
 10mm Hanging kit	10mm Room divider panels with hanging kit <i>2 x 1000mm connectors per panel</i>	Triangle	OG_AQ_TRI_HP2412_##	 Made to order (10 days)
		Hex	OG_AQ_HEX_HP2412_##	
		Slots	OG_AQ_SLT_HP2412_##	
		Swirl	OG_AQ_SWL_HP2412_##	
		Pebble	OG_AQ_PBL_HP2412_##	
		Acoustiq	OG_AQ_ACQ_HP2412_##	

= AcoustiQ Panel





Acoustic & Room Divider Solutions


Sound Clouds



Oval Shaped Sound Cloud





Oval Shaped Sound Cloud




Square Shaped Sound Cloud



Square Shaped Sound Cloud

Product	Description	Design	Code	Lead Time
 Hanging kit	Oval shaped Sound Clouds with hanging kit 4-10 x 1000mm connectors per panel	Oval	OG_AQ_OVSC_912_##	 Made to order (10 days)
			OG_AQ_OVSC_918_##	
			OG_AQ_OVSC_1212_##	
			OG_AQ_OVSC_1218_##	
			OG_AQ_OVSC_1224_##	
 Hanging kit	Square shaped Sound Clouds with hanging kit 4-10 x 1000mm connectors per panel	Square	OG_AQ_SQSC_912_##	 Made to order (10 days)
			OG_AQ_SQSC_918_##	
			OG_AQ_SQSC_1212_##	
			OG_AQ_SQSC_1218_##	
			OG_AQ_SQSC_1224_##	

= AcoustiQ Panel



Acoustic & Room Divider Solutions


Wall Art & Freestanding Screens




Product	Description	Design	Code	Lead Time
	10mm hexagon tiles <i>Pack of 12</i>	300mm Hexagon	OG_AQ_HEX312_##	Made to order (10 days)
	10mm square tiles <i>Pack of 8</i>	600mm Square	OG_AQ_SQ668_##	Made to order (10 days)
	10mm crescent tiles <i>Pack of 12</i>	400mm Crescent	OG_AQ_CRES4R12_##	Made to order (10 days)
	10mm plank tiles <i>Pack of 24</i>	800 x 150mm	OG_AQ_PLK824_##	Made to order (10 days)

Product	Description	Code
	Epanel Standing Wall Silver Grey wall and Charcoal Base	OG_ESTANDANGLE_CHSG

= AcustiQ Panel





*Intelligent acoustic solutions
to improve productivity
and well-being.*



*An extensive range of
seating that exemplifies
quality, form and function.*

Seating



Balance Range	34
Urban Mesh	36
Scroll	36
Optic	36
Motion Sync	37
Adapta	37
Mode	38
Metro	38
Luna	39
Otto	39
Game	40
Smooth	42
Boston	42
Venice Range	43
Logic	44

Balance Seating

Project & Executive



Product	Description	Code	Qty Per Carton
	Balance Project Black Fabric Seat/Nylon Base/ No Adjustable Arms Seat height 445-560 mm	OG_BALN_BF	1
	Balance Project with Arms Black Fabric Seat/Nylon Base/ Adjustable Arms Seat height 445-560 mm	OG_BALMN_BF	1
	Balance Project with Lumbar Black Fabric Seat/Nylon Base/ Seat height 445-560 mm	OG_BALNL_BF	1
	Balance Project with Lumbar & Armrests Black Fabric Seat/Nylon Base/ Adjustable Arms & Lumbar Seat height 445-560 mm	OG_BALMNL_BF	1
	Balance Executive with Arms Black Fabric Seat/Polished Alloy Base/ Adjustable Arms Seat height 445-555 mm	OG_BALM_BF	1
	Balance Executive w/ Lumbar and Arms Black Fabric Seat/Polished Alloy Base/ Adjustable Arms Seat height 445-555 mm	OG_BALML_BF	1
	Optional Upgrade Drafting Upgrade Chrome Footring works for Balance Project, Executive and Task Approx. Height w/ Upgrade: Balance Project: 570 - 820 mm Balance Executive: 565 - 815 mm	OG_DC_UP	1 Pair



Balance Seating

Visitor, Cantilever & Task

Product	Description	Code	Qty Per Carton
	Balance Visitor Black Frame/Black Mesh/ Black Fabric Seat/With Arms (Does not have removable seat cover) Seat height 475 mm	OG_BALVIS_BF	2
	Balance Visitor Black Frame/Black Mesh/ Black Fabric Seat/No Arms (Does not have removable seat cover) Seat height 475 mm	OG_BALVISNA_BF	2
	Optional Upgrade Tablet Arm kit Chrome mounting connection & arm, black plastic tablet	OG_BALVTAB_B	1
	Basket Chrome finish	OG_BALVBASKET_C	1
	Balance Cantilever Black Frame/Black Mesh/Black Fabric Seat (Does not have removable seat cover) Seat height 440 mm	OG_BALV_BF	1
	Balance Task Black Frame/Black Mesh/ Black Fabric Seat/No Arms Seat height 430-520 mm	OG_BALNT_BF	1
	Optional Upgrade Balance Task - Adjustable Arm Set	OG_BALNT_ADJARM	1 Pair

Urban Mesh, Scroll & Optic Seating



Tested and certified to AFRDI Level 6 - Severe Commercial Use. Urban Mesh Only



Scroll & Optic



Urban Mesh



Product	Description	Code	Qty Per Carton
	Urban Mesh Black Breathe Fabric Seat & Black Nylon Base Seat height 440-535 mm	OG_URBN_B	1
	Urban Mesh Motion Felt Seat Cover (choose your colour option code below) & Black Nylon Base Seat height 440-535 mm	OG_URBN_##	1
	Urban Mesh Black Breathe Fabric Seat & Alloy Base Seat height 440-535 mm	OG_URBA_B	1
	Urban Mesh Motion Felt Seat Cover (choose your colour option code below) & Alloy Base Seat height 440-535 mm	OG_URBA_##	1
	Optional Upgrade Height Adjustable Arm Pair - Black	OG_URB_ARM	1 Pair
	Optional Upgrade Drafting Upgrade Chrome Footring Approx Height w/ Upgrade: 545 - 795 mm	OG_DC_UP	1

Fabric - Seat Covers

= Motion Felt



Product	Description	Code	Qty Per Carton
	Scroll Black Mesh/Black Nylon Base Standard with Removable Arms Seat height 440-560 mm	OG_SCROLLR_B	2
	Scroll Grey Mesh/Alloy Base Standard with Removable Arms Seat height 440-560 mm	OG_SCROLLR_G	2
	Optional Upgrade Polished base and Gas Lift Upgrade for black chair	OG_SCROLLBASE_ALL	1
		OG_SCROLLGAS_C	1

Product	Description	Code	Qty Per Carton
	Optic Black Mesh/Breathe Fabric Seat/ Black Nylon Base (Excludes Arms) Seat height 400-480 mm	OG_OPTIC_B	1
	Optional Upgrade Height Adjustable Arm Pair - Black	OG_OPTIC_ARM	1



Motion Sync

Adapta

motionoffice®**Motion Sync & Adapta**
Seating**Product****Description****Code****Qty Per Carton****Motion Sync w/ Lumbar**
Black Fabric Seat
Seat height 480-590 mm

OG_MSYNCR_LUM_B

1

**Motion Sync w/ Lumbar**
with Motion Felt Seat Cover
Seat height 480-590 mm

OG_MSYNCR_LUM_##

1

**Optional Upgrade**
Height Adjustable Arm Pair - Black

OG_MSYNCR_ARM

1 pair

**Optional Upgrade**
Drafting Upgrade
Chrome Footring
Approx Height w/ Upgrade: 600 - 850 mm

OG_DC_UP

1

Fabric - Seat Covers

= Motion Felt

**Product****Description****Code****Qty Per Carton****Adapta**
Armrests/Chrome Frame - Black Back
and Black Breathe Fabric Seat
Seat height 450 mm

OG_ADASBC

2

**Adapta**
Armrests/Black Frame - Black Back
and Black Breathe Fabric Seat
Seat height 450 mm

OG_ADABBB

2

Optional Upgrade
Armless Change Kit

OG_ADAWOARM

Set of 2

**Optional Upgrade**
Tablet Arm kit
Chrome mounting connection & arm,
Black Plastic Tablet.

OG_BALVTAB_B

1

**Basket**
Chrome finish

OG_BALVBASKET_C

1

Mode & Metro

Seating



Product	Description	Code	Qty Per Carton
	Mode Highback Black/White Eurotex PU Seat height 430-510 mm	OG_MODH_PU	1
	Mode Midback Black/White Eurotex PU Seat height 430-510 mm	OG_MODM_PU	1
	Mode Guest Black/White Eurotex PU Seat height 480 mm	OG_MODV_PU	1
	Mode Boardroom Black/White Eurotex PU Seat height 430 - 510 mm	OG_MODMB_PU	1
	Metro Midback Black Eurotex PU Seat height 480-560 mm	OG_METM_PU	1
	Metro Guest Black Eurotex PU Seat height 460 mm	OG_METV_PU	1
	Metro Boardroom Black Eurotex PU Seat height 480-560 mm	OG_METMB_PU	1
	Optional Upgrade Zipped Leather Arm Covers - Black	OG_METARM_PAD	Pair
	Black Metro Camel PU Seat height 480-560 mm	OG_BMETM_CPU	1
	Black Metro Black PU Seat height 480-560 mm	OG_BMETM_BPU	1


motionoffice®
Luna & Otto
Seating

Product	Description	Code	Qty Per Carton
	Motion Otto Colour of choice - see swatches below Includes Castors Seat height 440 mm * 2 tone: +\$80	OG_MOSTOOL_#	1
	Luna Chair with Castor Base Upholstered Cushion Black/White Shell Seat height 465 mm	OG_LUNAB_CAS_##	6
		OG_LUNAW_CAS_##	6
	Luna Barstool with Oak Base Upholstered Cushion Black/White Shell Seat height 755 mm	OG_LUNAB_BAR_##	6
		OG_LUNAW_BAR_##	6

Fabric - Cushions - Luna Chair/Motion Otto

= Motion Felt

AS

ST

CL

DB

IC

EM

BB

AV

SO

CR

= Eurotex PU

WPU

BPU

Game Seating



Product	Description	Code	Qty Per Carton
	Game (Non Upholstered) - Sled or 4 Leg Powdercoat Stacks 10 High/Sled Stacks 25 High on Trolley Seat height 470 mm	Configure your Game @ myolg.online	10
	Game (Upholstered Seat) - Sled or 4 Leg Powdercoat Seat height 470 mm	Configure your Game @ myolg.online	10
	Game (Fully Upholstered) - Sled or 4 Leg Powdercoat Seat height 470 mm	Configure your Game @ myolg.online	10
	Game (Non Upholstered) - Sled or 4 Leg Chrome Stacks 10 High/Stacks 25 High on Trolley Seat height 470 mm	Configure your Game @ myolg.online	10
	Game (Upholstered Seat) - Sled or 4 Leg Chrome Seat height 470 mm	Configure your Game @ myolg.online	10
	Game (Fully Upholstered) - Sled or 4 Leg Chrome Seat height 470 mm	Configure your Game @ myolg.online	10
	Game Trolley Black Powdercoat (Game Sled Stacks 25 High on Trolley)	OG_LK_TLY	1
	Game Barstool (Non Upholstered) Chrome Seat height 750 mm	Configure your Game @ myolg.online	10
	Game Barstool (Upholstered Seat) Chrome Seat height 750 mm	Configure your Game @ myolg.online	10
	Game Barstool (Fully Upholstered) Chrome Seat height 750 mm	Configure your Game @ myolg.online	10



Game Code Selector

1. Start with Game model code 'GM'

Game = **GM**

2. Add your frame type code



4 Leg = **4L**



Sled = **SL**



Bar Stool = **BS** (Chrome Only)

3. Add your frame finish code



Black
Powdercoat



White
Powdercoat



Silver
Powdercoat



Chrome

4. Add your shell colour code



Charcoal
SC



White
SW



Daffodil*
SY



Aqua*
SA



Indigo*
SI



Red*
SR



Pistachio*
SP

5. Add your upholstered option code - applies to white or charcoal shell only*



None = **N**



Seat Only = **S**



Fully Upholstered = **F**

5. Add your fabric colour code



Breathe
Black



Breathe
Slate Grey



Breathe
Sky Blue



Breathe
Plum



Breathe
Tomato
Red



Breathe
Bright
Orange



Breathe
Lime
Green

Game Code Examples



GMSLWTSWFB7



GM4LSLSAN



GMBSRSCSB6

Seating

Smooth, Boston & Stax



Smooth & Boston

Product	Description	Code	Qty Per Carton
	Smooth Sled Seat Height: 450mm 400D x 475W x 735H	OG_SMOOTHSL	4
	Smooth 4 point Seat Height: 495mm 400D x 475W x 805H	OG_SMOOTHFG	4
	Smooth Swivel Seat Height: 485mm 400D x 475W x 785H *These images don't do this chair justice. Call to arrange a sample.	OG_SMOOTHNC	4
	Boston Upholstered in charcoal Yuna fabric 4 star aluminum base 360 degree seat rotation Seat height 475 mm	OG_BOSTON_YCH	1
	Stax Chair in Black no Arms Ergonomically contoured polypropolene shell Black powdercoated solid rod frame Stacks up to 30 chairs high 140kg Weight Rating Seat height 440mm	OG_STAX_B	
	Stax Chair in Grey no Arms Ergonomically contoured polypropolene shell Black powdercoated solid rod frame Stacks up to 30 chairs high 140kg Weight Rating Seat height 440mm	OG_STAX_G	
	Stax Chair in Black with Arms Ergonomically contoured polypropolene shell Black powdercoated solid rod frame Stacks up to 30 chairs high 140kg Weight Rating Seat height 440mm	OG_STAX_A_B	
	Stax Chair in Grey with Arms Ergonomically contoured polypropolene shell Black powdercoated solid rod frame Stacks up to 30 chairs high 140kg Weight Rating Seat height 440mm	OG_STAX_A_G	

Fabric - Cushion - Smooth & BostonUpholstered in house
charcoal fabric



Seating

Venice

Product	Description	Code	Qty Per Carton
	Venice YM Oak Legs, Seat Upholstered, Outer Shell Plastic Seat Height: 440mm	OG_LAYER_YM	1
	Venice YK 4 Point castor base, Seat Upholstered, Outer Shell Plastic Seat Height: 420mm	OG_LAYER_YK	1
	Venice YD 4 Point fixed base, Seat Upholstered, Outer Shell Plastic Seat Height: 420mm	OG_LAYER_YD	1
	Venice QM Oak 4 leg base, Fully upholstered without armrests Seat Height: 420mm	OG_LAYER_QM	1

*Custom Configuration Options: Full Range of fabrics/shell variations/base types available on a made to order basis. MOQ of 50 chairs will apply.



Stock Fabric - Venice

Upholstered in SD27



Non Standard Fabric



Seating

Logic, Evo and Zipp



Product	Description	Code	Qty Per Carton
	Logic Training Chair with Castors Seat Height: 465mm 420D x 488W x 874H (Black/Black)	OG_LOGIC_B	1
	Logic Training Chair with Castors and Arms Seat Height: 465mm 420D x 488W x 874 (Black/Black)	OG_LOGIC_ARM_B	1
	Optional Upgrade Logic Tablet Arm to suit Logic Training Chair Length: 400mm Width: 200mm Thickness: 5mm (Black)	OG_LOGIC_TAB_B	1
	Evo Black Fabric with Castor 60-Sec Install 160kg Weight Rating (Black/Black)	OG_EVOM_BF	1
	Evo Black PU with Castor 60-Sec Install 160kg Weight Rating (Black/Black)	OG_EVOM_PU	1
	Optional Upgrade Height Adjustable Arm - Pair (Black)	OG_URB_ARM	1
	Zipp Chair in Black Ergonomic padded seat and backrest with Black Breathe Fabric Black Powdercoated frame 160kg Weight Rating Seat Height 435mm	OG_ZIPP_BF	1
	Zipp Chair in Black with Arms Ergonomic padded seat and backrest with Black Breathe Fabric Black Powdercoated frame with arms 160kg Weight Rating Seat Height 435mm	OG_ZIPPA_BF	1



A modern meeting room with long wooden tables, colorful chairs, and a wood-slatted ceiling with recessed lighting. The room is designed for flexibility, with tables and chairs that can be reconfigured. The ceiling features horizontal wood slats and several rectangular recessed light fixtures. The walls are a mix of white and wood slats, with a white door visible in the background. The floor is a neutral grey carpet.

*Creating more flexible
solutions for your workplace.*

Agile Flip Tables



Specifications	48
Flip Complete	49
Flip Frame Only	49

Agile Flip

Product Specifications

Frames

Black powdercoat finish to legs, rails, pullbar and feet

Worktop height 720 mm

Worktops

Melamine – 25 mm E1 grade substrate finished in studio white or new oak with matching 2 mm PVC edge

Features

Swiveling castors (2x lockable)


Strong flip mechanism has safety stay upright locks

Includes optional/ movable worktop supports


2 FREE pairs of table links included

 Alloy Flip Table Link
MFLINKA


Flip - Small



Flip - Large



Additional Frame Details



TOP SHAPE	TOP SIZE	TABLE LEG CONFIGURATION	BEAM & RAIL OPTIONS
RECTANGULAR	1000 - 2400mm LENGTH	 590 mm Flip Leg Set Suits 600 - 900 mm Top Width AGFLIP590_B  790 mm Flip Leg Set Suits 800 - 1200 mm Top Width AGFLIP790_B	AGFLRAIL80_B = 800 mm (Suits 950 - 1300 mm length top) AGFLRAIL110_B = 1100 mm (Suits 1250 - 1600 mm length top) AGFLRAIL140_B = 1400 mm (Suits 1550 - 1900 mm length top) AGFLRAIL170_B = 1700mm (Suits 1850 - 2400 mm length top) Smallest Size: 600 x 970 mm

**Agile Flip**

Complete | Frame & Worktop; Frame Only

Product	Description	Worktop	Code
 AGFLIP1875B_NO	Black Posts and Rails	Ø 1200	AGFLIP120RB_#
		1200 x 600	AGFLIP126B_#
		1500 x 600	AGFLIP156B_#
		1600 x 600	AGFLIP166B_#
		1800 x 600	AGFLIP186B_#
		1200 x 750	AGFLIP1275B_#
		1500 x 750	AGFLIP1575B_#
		1600 x 750	AGFLIP1675B_#
		1800 x 750	AGFLIP1875B_#
		1800 x 900	AGFLIP189B_#
		1800 x 1200	AGFLIP1812B_#
		2100 x 900	AGFLIP219B_#
		2400 x 1200	AGFLIP2412B_#

Product	Description	To Suit Worktop Length	Code
 AGFLIP140_B	Black Posts & Rails <i>Suits worksurface depth 600-900 mm</i> <i>Includes 2 FREE pairs of links with each flip table!</i>	1000 - 1300, Standard	AGFLIP080_B
		1300 - 1600, Standard	AGFLIP110_B
		1600 - 1900, Standard	AGFLIP140_B
		1900 - 2400, Standard	AGFLIP170_B
 AGFLIPL170_B	Black Posts & Rails <i>Suits worksurface depth 800-1200 mm</i> <i>Includes 2 FREE pairs of links with each flip table!</i>	1000 - 1300, Large	AGFLIPL080_B
		1300 - 1600, Large	AGFLIPL110_B
		1600 - 1900, Large	AGFLIPL140_B
		1900 - 2400, Large	AGFLIPL170_B

Worktops - Melamine# = **W (White)** - Select top colour when ordering.# = **NO (New Oak)** - Select top colour when ordering.



*High functionality combined
with ultimate mobility.*

Modulus Flip Tables



Modulus Flip Specifications	52
Modulus Flip Complete	53
Modulus Flip Frame Only	53
Accessories	54
Modulus All Black Flip Complete	56
Modulus All Black Flip Frame Only	56

Modulus Flip

Product Specifications

Frames

Matt black or arctic white powdercoat finish to the posts, rails and pull bars

Polished alloy feet

Worktop height 720 mm

Worktops

Melamine – 25 mm E1 grade substrate finished in studio white or new oak with matching 2 mm PVC edge


Features

Swivelling castors (2x lockable)


Strong flip mechanism has safety stay upright locks

Tested and certified to AFRDI Level 3 – Severe Commercial Use (tested with 1500 x 750 top)


2 FREE pairs of table links included




Flip – Small



Flip – Large



Additional Frame Details



TOP SHAPE	TOP SIZE	TABLE LEG CONFIGURATION	BEAM & RAIL OPTIONS
RECTANGULAR	900 – 2200 mm LENGTH	 580 mm Flip Leg Set Suits 600 – 900 mm Width Top AU_FWFLIPLK_01_BLK # = White (W), Black (B)  705 mm Flip Leg Set Suits 900 – 1050 mm Width Top AU_FWFLIPLK_02_BLK # = White (W), Black (B)	AU_FWFLRAIL050_BLK (Suits 900 – 1300 mm length top) AU_FWFLRAIL080_BLK (Suits 1200 – 1600 mm length top) AU_FWFLRAIL110_BLK (Suits 1500 – 1900 mm length top) AU_FWFLRAIL140_BLK (Suits 1800 – 2200 mm length top) # = White (W), Black (B)



Tested and certified to
AFRDI Level 3 - Severe
Commercial Use (tested
with 1500 x 750 top)

Modulus Flip

Complete | Frame Only

Product	Description	Worktop	Code
 MFLIP1875B_NO	Black / White Posts and Rails	Ø1200	MFLIP120R##_#
		1200 x 600	MFLIP126##_#
		1500 x 600	MFLIP156##_#
		1600 x 600	MFLIP166##_#
		1800 x 600	MFLIP186##_#
1200 x 750		MFLIP1275##_#	
1500 x 750		MFLIP1575##_#	
1600 x 750		MFLIP1675##_#	
1800 x 750		MFLIP1875##_#	
1800 x 900		MFLIP189##_#	
2100 x 900		MFLIP219##_#	
 MFLIP1875W_W			

Product	Description	To Suit Worktop Length	Code
	Black / White Posts & Rails with Polished Alloy Feet <i>Suits worktop depth 600-900 mm</i> <i>Includes 2 FREE pairs of links with each flip table!</i>	900 - 1300, Standard	MFLIP050_##
		1200 - 1600, Standard	MFLIP080_##
		1500 - 1900, Standard	MFLIP110_##
		1800 - 2200, Standard	MFLIP140_##
	Black / White Posts & Rails with Polished Alloy Feet <i>Suits worktop depth 800-1050 mm</i> <i>Includes 2 FREE pairs of links with each flip table!</i>	900 - 1300, Large	MFLIPL050_##
		1200 - 1600, Large	MFLIPL080_##
		1500 - 1900, Large	MFLIPL110_##
		1800 - 2200, Large	MFLIPL140_##

Optional Upgrade

Modulus Flip Post Only
to make post height 875mm, Black

MODZA22875FL_BLK

Frame assembly time 5 minutes per table

Worktops - Melamine



= W (White) - Select top colour when ordering.



= NO (New Oak) - Select top colour when ordering.

Post and Rail - Powdercoat



= W (White) - Select post and rail colour when ordering.




= B (Black) - Select post and rail colour when ordering.

Modulus Flip

Tested and certified to
AFRDI Level 3 - Severe
Commercial Use (tested
with 1500 x 750 top)



Product	Description	Code	Qty Per Carton
 	Optional Heavy Duty table Link <i>BLACK</i>	HOOCONNECT	Pair

Product	Description	Code	Qty Per Carton
	Modulus Flip Table Modesty <i>Suits rail size 1100 mm</i> <i>26 Colour Options Available AcoustiQ Panel</i> <i>1450 x 350 mm depth</i>	MFEMOD145_#	Kit
	Modulus Flip Table Modesty <i>Suits rail size 1400 mm</i> <i>26 Colour Options Available AcoustiQ Panel</i> <i>1650 x 350 mm depth</i>	MFEMOD165_#	Kit
	Modulus Flip Table Plastic Modesty <i>Suits rail size 1100 mm</i> <i>Standard Silver or White</i> <i>1450 x 350 mm depth</i>	MFMOD145_S	Kit
		MFMOD145_W	Kit
	Modulus Flip Table Plastic Modesty <i>Suits rail size 1400 mm</i> <i>Standard Silver or White</i> <i>1650 x 350 mm depth</i>	MFMOD165_S	Kit
		MFMOD165_W	Kit



Flip Table Modesty Panel




Flipped



Modesty Bracket

AcoustiQ To request alternative colours contact quotes@olgoffice.com

= AcoustiQ
(10mm)





Versatility for any office.

Modulus All Black Flip

Complete | Frame Only

Tested and certified to
AFRDI Level 3 - Severe
Commercial Use (tested
with 1500 x 750 top)



Product	Description	Worktop	Code
 MFLIP1875ALLBLK_NO	Black Posts and Rails	Ø1200	MFLIP120RALLBLK_#
		1200 x 600	MFLIP126ALLBLK_#
		1500 x 600	MFLIP156ALLBLK_#
		1600 x 600	MFLIP166ALLBLK_#
		1800 x 600	MFLIP186ALLBLK_#
		1200 x 750	MFLIP1275ALLBLK_#
		1500 x 750	MFLIP1575ALLBLK_#
		1600 x 750	MFLIP1675ALLBLK_#
		1800 x 750	MFLIP1875ALLBLK_#
		1800 x 900	MFLIP189ALLBLK_#
		2100 x 900	MFLIP219ALLBLK_#

Product	Description	To Suit Worktop Length	Code
	Black Posts & Rails with Black Alloy Feet <i>Suits worktop depth 600-900 mm</i> <i>Includes 2 FREE pairs of links with each flip table!</i>	900 - 1300, Standard	MFLIP050_ALLBLK
		1200 - 1600, Standard	MFLIP080_ALLBLK
		1500 - 1900, Standard	MFLIP110_ALLBLK
		1800 - 2200, Standard	MFLIP140_ALLBLK

Frame assembly time 5 minutes per table

Worktops - Melamine



= W (White) - Select top colour when ordering.



= NO (New Oak) - Select top colour when ordering.



*Strength meets
contemporary styling.*



*Creating efficiencies
within your workspace.*

Uni Flip Tables




Specifications	60
Complete	61
Frame Only	61

Uni Flip


Product Specifications

Frames	Worktops	Features
Includes posts, rails & pull bars	Melamine – 25 mm E1 grade substrate finished in studio white or new oak with matching 2 mm PVC edge	Swivelling castors (2x lockable)
Black 70 mm castors make for easy moving		Strong flip mechanism has safety stay upright locks
Arctic white, black, silver powdercoat or chrome finish		Extra fast assembly time
Worktop height 720 mm		2 FREE pairs of table links included
		 Alloy Flip Table Link MFLINKA

Flip – Standard Foot



Additional Frame Details



Total Frame Length
AU_FWFLRAIL50 = 800 mm
AU_FWFLRAIL80 = 1100 mm
AU_FWFLRAIL110 = 1400 mm
AU_FWFLRAIL140 = 1700 mm

Smallest Size: 600 x 900 mm

TOP SHAPE	TOP SIZE	TABLE LEG CONFIGURATION	BEAM & RAIL OPTIONS
RECTANGULAR	900 – 2200mm LENGTH	 590 mm Flip Leg Set Suits 600 – 900 mm Top Width AU_UNIFLIPLK_# AU_UNIFLIPLK_CR # = Silver (S), White (W), Black (B) Powdercoat CR = Chrome	AU_FWFLRAIL50_# (Suits 900 – 1300 mm length top) AU_FWFLRAIL80_# (Suits 1200 – 1600 mm length top) AU_FWFLRAIL110_# (Suits 1500 – 1900 mm length top) AU_FWFLRAIL140_# (Suits 1800 – 2200 mm length top) # = Silver (S), White (W), Black (B) Powdercoat, Chrome (CR)

**Uni Flip**

Complete | Frame & Worktop

Product	Description	Worktop	Code
 UNIFLIP1875S_W	White/Black/Silver Powdercoated Frame	Ø 1200	UNIFLIP120R##_#
		1200 x 600	UNIFLIP126##_#
		1500 x 600	UNIFLIP156##_#
		1600 x 600	UNIFLIP166##_#
		1800 x 600	UNIFLIP186##_#
		1200 x 750	UNIFLIP1275##_#
		1500 x 750	UNIFLIP1575##_#
		1600 x 750	UNIFLIP1675##_#
		1800 x 750	UNIFLIP1875##_#
		1800 x 900	UNIFLIP189##_#
 UNIFLIP1875C_W	Chrome Frame	2100 x 900	UNIFLIP219##_#
		Ø 1200	UNIFLIP120RC_#
		1200 x 600	UNIFLIP126C_#
		1500 x 600	UNIFLIP156C_#
		1600 x 600	UNIFLIP166C_#
		1800 x 600	UNIFLIP186C_#
		1200 x 750	UNIFLIP1275C_#
		1500 x 750	UNIFLIP1575C_#
		1600 x 750	UNIFLIP1675C_#
		1800 x 750	UNIFLIP1875C_#
		1800 x 900	UNIFLIP189C_#

Product	Description	To Suit Worktop Length	Code
	White/Black/Silver Powdercoated Legs & Rails <i>Suits worksurface depth of 600-900 mm</i>	900 - 1300	UNIFLIP050_##
		1200 - 1600	UNIFLIP080_##
		1500 - 1900	UNIFLIP110_##
		1800 - 2200	UNIFLIP140_##
	Chrome Legs & Rails (Black Pull Bar) <i>Suits worksurface depth of 600-900 mm</i>	900 - 1300	UNIFLIP050_C
		1200 - 1600	UNIFLIP080_C
		1500 - 1900	UNIFLIP110_C

Worktops - Melamine# = **W (White)** - Select top colour when ordering.# = **NO (New Oak)** - Select top colour when ordering.**Frame - Powdercoat**## = **W (White)** - Select frame colour when ordering.## = **B (Black)** - Select frame colour when ordering.## = **S (Silver)** - Select frame colour when ordering.

Axis Flip Tables



TOP SHAPE	TOP SIZE	TABLE LEG CONFIGURATION	BEAM & RAIL OPTIONS
RECTANGULAR	1500 X 750mm 1800 X 750mm	 590 mm Flip Leg Set Suits 700 - 900 mm Top Width OG_HAFLIP1500-950_B_B OG_HAFLIP1800-950_B_B # = Black (B) Powdercoat	OG_HAFLIP1500-950_B_A (Suits 1500 - 1800 mm length top) OG_HAFLIP1800-950_B_A (Suits 1500 - 1800 mm length top) # = Black (B) Powdercoat



Axis Flip

Complete | Frame & Worktop

Product	Description	Worktop	Code
	HA Flip Table <i>Black Powdercoated Frame</i>	1500 x 750	OG_AXHAFLIP1575_B_#
		1800 x 750	OG_AXHAFLIP1875_B_#
		1800 x 900	OG_AXHAFLIP189_B_#



Worktops - Melamine



= **W (White)** - Select top colour when ordering.



= **NO (New Oak)** - Select top colour when ordering.

Frame - Powdercoat



= **B (Black)** - Select frame colour when ordering.



Ascend Tech Adjust Flip Tables






Complete	66
Frame Only	67

Ascend Tech Adjust Flip Complete



Product	Description	Worktop	Code
 MFLIP1875ALLBLK_NO	Black powdercoat finish to legs, rail, pullbar and feet <i>Easy-use, no-wobble flipping mechanism</i> <i>Height adjustable in 40mm increments from 600mm to 840mm (incl 25mm worktop)</i> <i>Includes 2 FREE pairs of links with each flip table!</i>	1200 x 600	OG_ASCFLIP126B_##
		1200 x 750	OG_ASCFLIP1275B_##
		1500 x 600	OG_ASCFLIP156B_##
		1500 x 750	OG_ASCFLIP1575B_##
		1600 x 600	OG_ASCFLIP166B_##
		1600 x 750	OG_ASCFLIP1675B_##
		1800 x 600	OG_ASCFLIP186B_##
		1800 x 750	OG_ASCFLIP1875B_##

Additional Frame Details



Worktops - Melamine



= W (White) - Select top colour when ordering.



= NO (New Oak) - Select top colour when ordering.



Ascend Tech Adjust Flip

Frame Only

Product	Description	To Suit Worktop Length	Code
	Black powdercoat finish to legs, rail, pullbar and feet <i>Easy-use, no-wobble flipping mechanism</i> <i>Height adjustable in 40mm increments from 600mm to 840mm (incl 25mm worktop)</i> <i>Includes 2 FREE pairs of links with each flip table!</i>	(800mm - 1200mm) x (600mm - 750mm)	OG_ASCFLIP050_B
		(1100mm - 1500mm) x (600mm - 750mm)	OG_ASCFLIP080_B
		(1400mm - 1800mm) x (600mm - 750mm)	OG_ASCFLIP110_B
		(1700mm - 2100mm) x (600mm - 750mm)	OG_ASCFLIP140_B

Frame assembly time 5 minutes per table

Frame - Powdercoat

B

= **B (Black)** - Select frame colour when ordering.

A modern office interior featuring a large white conference table with a silver base, surrounded by red chairs. In the background, there is a wooden staircase with a glass railing, large windows, and a white pillar. The floor is covered in dark grey carpeting.

*We love great designs
that transform workspaces.*

Modulus Tables



Specifications	70
Meeting Complete	76
Boardroom Complete	76
Solid Beech Top Meeting Tables	77
Meeting Tables Frame Only	78
Boardroom Tables Frame Only	80



Modulus Meeting

Product Specifications

Frames

Includes matt black powdercoated posts and rails

Polished alloy feet and worktop supports

Levelling glides



Worktop height 720 mm

Worktops



Melamine - 25 mm E1 grade substrate finished in studio white or new oak with matching 2 mm PVC edge

Solid Beech - 25 mm with shark-nose edge (selected sizes only)

600 mm Wide Fixed Leg



800 mm Wide Fixed Leg



Top Rail Length

AU_FWTOPRAIL850 = 1000 mm	AU_FWTOPRAIL1600 = 1750 mm
AU_FWTOPRAIL1100 = 1250 mm	AU_FWTOPRAIL1900 = 2050 mm
AU_FWTOPRAIL1300 = 1450 mm	AU_FWTOPRAIL2200 = 2350 mm

Modulus Fixed Leg Detail 1 Piece Foot



Modulus Boardroom

Product Specifications

Frames

Includes matt black powdercoated posts and rails

Polished alloy feet and worktop supports

Levelling glides

Worktop height 720 mm

Worktops


Melamine – 25 mm E1 grade substrate finished in studio white or new oak with matching 2 mm PVC edge

Solid Beech – 25 mm with shark-nose edge (selected sizes only)


Power & Data

Compatible with most standard in desk modules

Single Post Legs with Collar



Top Rail Length (each span) ONE BEAM PER SPAN
AU_FWTOPRAIL850 = 1000 mm
AU_FWTOPRAIL1100 = 1250 mm
AU_FWTOPRAIL1300 = 1450 mm
AU_FWTOPRAIL1600 = 1750 mm
AU_FWTOPRAIL1900 = 2050 mm
AU_FWTOPRAIL2200 = 2350 mm
AU_FWTOPRAILPBOX2200_B = 2350 mm



Modulus Single Post Collar Leg Details



Plastic table support



Two piece foot attaches to collar



Modulus Boardroom

Product Specifications

Frames

Includes matt black powdercoated posts and rails

Polished alloy feet and worktop supports

Levelling glides

Worktop height 720 mm

Worktops


Melamine – 25 mm E1 grade substrate finished in studio white or new oak with matching 2 mm PVC edge

Solid Beech – 25 mm with shark-nose edge (selected sizes only)

Power & Data

Compatible with most standard in desk modules

Twin Post Legs with Collar




Top Rail Length (each span) TWO BEAMS PER SPAN

AU_FWTOPRAIL1100 = 1250 mm
 AU_FWTOPRAIL1300 = 1450 mm
 AU_FWTOPRAIL1600 = 1750 mm
 AU_FWTOPRAIL1900 = 2050 mm
 AU_FWTOPRAIL2200 = 2350 mm

Lower Beam Length (each span) ONE BEAM PER SPAN

AU_FWBOTRAIL1100 = 1100 mm
 AU_FWBOTRAIL1300 = 1300 mm
 AU_FWBOTRAIL1600 = 1600 mm
 AU_FWBOTRAIL1900 = 1900 mm
 AU_FWBOTRAIL2200 = 2200 mm

Leg Width Kit	End Leg	Centre Leg	Between Top Sprockets Alloy	Between Top Rails
AU_FW1200	1140 mm	1260 mm	180 mm	280 mm
AU_FW1400	1255 mm	1375 mm	295 mm	395 mm
AU_FW1600	1455 mm	1575 mm	495 mm	595 mm
AU_FW1800	1675 mm	1775 mm	695 mm	795 mm



Modulus Twin Post Collar Leg Details



2 piece foot attaches to collar



Top plate can be removed without affecting table stability (power box position)



Modulus Boardroom

Product Specifications

Modulus Tables

Components Included in Frame Build | [Example Only](#)



Worksurface size of 5600 x 1800 mm

Below is the frame only component breakdown of MT5218CC3_B

Stockcode/Packs	Description	Quantity
AU_FWMOD_04END_BLK	Twin Post End Leg Pair with Collar	1
AU_FWI800SET_BLK	Width Connector Beam	2
AU_FWMOD_04MID_BLK	Twin Post Centre Leg with Collar	2
AU_FWTOPRAIL1600_BLK	Upper Rails	6
AU_FWBOTRAIL1600_BLK	Lower Beam Set	3



Standard Features

- Black powdercoated posts and rails, polished alloy feet, collars and connectors.
- Levelling glides.
- 25 mm Studio White melamine with matching 2 mm ABS edge.
- Compatible with in-desk power and data boxes.
- Worksurface height of 720 mm including 25 mm worktop.



Modulus Tables

Specifications Overview

TOP SHAPE	TOP SIZE	TABLE LEG CONFIGURATION		BEAM & RAIL OPTIONS
RECTANGULAR	900 – 2200 mm LENGTH	 580 mm Flip Leg Set Suits 600 – 900 mm Width Top AU_FWFLIPLK_01_BLK # = White (W), Black (B) 705 mm Flip Leg Set Suits 900 – 1050 mm Width Top AU_FWFLIPLK_02_BLK # = White (W), Black (B)		AU_FWFLRAILO50_BLK (Suits 900 – 1300 mm length top) AU_FWFLRAILO80_BLK (Suits 1200 – 1600 mm length top) AU_FWFLRAIL110_BLK (Suits 1500 – 1900 mm length top) AU_FWFLRAIL140_BLK (Suits 1800 – 2200 mm length top) # = White (W), Black (B)
		 600 mm Fixed Castor Leg Set AU_FWMOD_01END_B_C Add 1 upper beam to fit the length of your table top (Table top length 3000 mm max) 600 mm Fixed Leg Set AU_FWMOD_01END_BLK Add 1 upper beam to fit the length of your table top (Table top length 3000 mm max)		UPPER BEAMS One Beam Per Span Single Post Two Beams Per Span Twin Post AU_FWTOPRAIL850_BLK AU_FWTOPRAIL1100_BLK AU_FWTOPRAIL1300_BLK AU_FWTOPRAIL1600_BLK AU_FWTOPRAIL1900_BLK AU_FWTOPRAIL2200_BLK AU_FWTOPRAILPBOX2200_B Is your table top longer? Use a combination of beams to suit LOWER BEAMS (TWIN POST FRAMES ONLY) AU_FWBOTRAIL1100_BLK AU_FWBOTRAIL1300_BLK AU_FWBOTRAIL1600_BLK AU_FWBOTRAIL1900_BLK AU_FWBOTRAIL2200_BLK
RECTANGULAR	600 – 900 mm LENGTH	 600 mm Fixed Castor Leg Set AU_FWMOD_01END_B_C Add 1 upper beam to fit the length of your table top (Table top length 3000 mm max) 600 mm Fixed Leg Set AU_FWMOD_01END_BLK Add 1 upper beam to fit the length of your table top (Table top length 3000 mm max)		UPPER BEAMS One Beam Per Span Single Post Two Beams Per Span Twin Post AU_FWTOPRAIL850_BLK AU_FWTOPRAIL1100_BLK AU_FWTOPRAIL1300_BLK AU_FWTOPRAIL1600_BLK AU_FWTOPRAIL1900_BLK AU_FWTOPRAIL2200_BLK AU_FWTOPRAILPBOX2200_B Is your table top longer? Use a combination of beams to suit LOWER BEAMS (TWIN POST FRAMES ONLY) AU_FWBOTRAIL1100_BLK AU_FWBOTRAIL1300_BLK AU_FWBOTRAIL1600_BLK AU_FWBOTRAIL1900_BLK AU_FWBOTRAIL2200_BLK
	900 – 1100 mm LENGTH	1500 – 3000 LENGTH	 800 mm Fixed Leg Set AU_FWMOD_02END_BLK Add 1 upper beam to fit the length of your table top (Table top length 3000 mm max)	
OR	900 – 1100 mm LENGTH	OVER 3000 LENGTH	 Single Post Leg Set with Collar End Legs AU_FWMOD_03END_BLK Centre Legs AU_FWMOD_03MID_BLK Add upper beams to fit the length of your table top (each section) (Table top can be an infinite length)	LOWER BEAMS (TWIN POST FRAMES ONLY) AU_FWBOTRAIL1100_BLK AU_FWBOTRAIL1300_BLK AU_FWBOTRAIL1600_BLK AU_FWBOTRAIL1900_BLK AU_FWBOTRAIL2200_BLK
		1200 – 1900 mm LENGTH	 Twin Post Legs with Collar End Leg Pair AU_FWMOD_04END_BLK Centre Leg AU_FWMOD_04MID_BLK Add 2 upper and 1 lower beams to fit the length of your table top (each section). Add width kit to suit width of your table. (Table top can be an infinite length)	
CUSTOM POA	Your choice of custom table shape and finish to an infinite length.	 Twin Post Legs with Collar End Leg Pair AU_FWMOD_04END_BLK Centre Leg AU_FWMOD_04MID_BLK Add 2 upper and 1 lower beams to fit the length of your table top (each section). Add width kit to suit width of your table. (Table top can be an infinite length)		WIDTH KITS (PER LEG – TWIN POST FRAMES ONLY) AU_FW1200SET_BLK (1200 – 1300 mm wide) AU_FW1400SET_BLK (1400 – 1500 mm wide) AU_FW1600SET_BLK (1600 – 1900 mm wide) AU_FW1800SET_BLK (1800 – 2000 mm wide)
ROUND	450 – 700 mm DIAMETER OR 400 mm SQUARE WIDTH	  452 mm Single Post Pedestal Base Suits 450 – 700 mm Diameter Round Top Suits 400 mm Square Top AUFWMOD11-15R_B	N/A	N/A
	700 – 900 mm DIAMETER	  695 mm Single Post Pedestal Base Suits 700 – 900 mm Diameter Round Top MOD1_B		
	900 – 1200 mm DIAMETER OR 700 – 800 mm SQUARE WIDTH	  916 mm Single Post Pedestal Base Suits 900 – 1200 mm Diameter Round Top Suits 700 – 800 mm Square Top AUFWMOD11-1R_BLK		
ROUND	1000 – 1300 mm DIAMETER OR 900 – 1200 mm SQUARE WIDTH	  896 mm Four Post Pedestal Base Suits 1000 – 1300 mm Diameter Round Top Suits 900 – 1200 mm Square Top AUFWMOD11-4R_B	N/A	N/A
	1400 – 1800 mm DIAMETER OR 1200 – 1600 mm SQUARE WIDTH	  1360 mm Four Post Pedestal Base Suits 1400 – 1800 mm Diameter Round Top Suits 1200 – 1600 mm Square Top AUFWMOD11-2R_BLK		

Modulus

Meeting / Boardroom Tables

See bottom of page on the
frames only sections

Product	Description	Worktop	Code
	Single Post Fixed Leg 720 mm high	Ø 900 with 5 starbase	MT9R_#
		Ø 1050 with 4 starbase	MT105R_#
		Ø 1200 with 4 starbase	MT120R_#
	Single Span Fixed Foot 720 mm high	1500 x 750	MT1575_#
		1800 x 750	MT1875_#
		1800 x 900	MT189_#
		2100 x 900	MT219_#
	Single Span Small with Castor Fixed Leg 720 mm high	1500 x 750	MT1575M_#
		1800 x 750	MT1875M_#
		1800 x 900	MT189M_#
	Twin Post, Collar Leg 1 Piece Top 720 mm high	1800 x 1200	MT1812_#
		2400 x 1200	MT2412_#
	Twin Post, Collar Leg 2 Piece Top 720 mm high	3600 x 1200	MT3612_#
	Twin Post, Collar Leg 3 Piece Top 720 mm high	5400 x 1200	MT5412_#
	Twin Post, Collar Leg 5 Piece Top 720 mm high	6000 x 1800 (New Oak cross-grain)	MT6018_#

*Boardroom table power boxes available in softwire section

Worktops - Melamine

W

= W (White) - Select top colour when ordering.

NO

= NO (New Oak) - Select top colour when ordering.



Modulus
Meeting / Boardroom Tables | Solid Beech Top

Product	Description	Worktop	Code
	Solid Beech Single Post Fixed Leg <i>720 mm high</i>	Ø 1050	MT105_B_SB
		1060 x 1000	MTWM1075_B_SB
	Solid Beech Wall Mount Collaboration Table <i>720 mm / 1000 mm high</i>		
		1060 x 1000	MTWM1010_B_SB

Modulus

Meeting Tables | Frame Only



Product	Description	Code
	Single Post 5 Star Meeting Table Black post, polished alloy feet. Suits top size 760-900 mm round/700-800 mm square	MOD1_B
	Volume Buy SET OF 5 MOD1 Tables Black post, polished alloy feet. Suits top size 760-900 mm round/700-800 mm square	MOD1SET5_B
	Single Post Small Side Table Black post, polished alloy feet. Suits top size 400-700 mm round/400-600 mm square. Frame height 425 mm	AUFWMOD11-16R_B
	Single Post Small Table Black post, polished alloy feet. Suits top size 400-700 mm round/400-600 mm square. Frame height 695 mm	AUFWMOD11-15R_B
	Single Post Table Black post, polished alloy feet. Suits top size 900-1200 mm round/700-1000 mm square. Frame height 695 mm	AUFWMOD11-1R_BLK
	Four Post Table Black post, polished alloy feet. Suits top size 1400-1800 mm round/1200-1600 mm square. Frame height 695 mm	AUFWMOD11-2R_BLK
	Four Post Table Black post, smaller polished alloy feet. Suits top size 1000-1300 mm round/900-1200 mm square. Frame height 695 mm	AUFWMOD11-4R_B
Height Upgrades For Collar Legs Only		
	Modulus Post suit 03/04 legs 1000 mm High Frame Height	MODZA22_1000
	Modulus Pole suit 03/04 legs 900 mm High Frame Height	MODZA22_900
	Modulus 1000 mm High Pedestal Table Posts	MODZA22-1000P
	Modulus 900 mm High Pedestal Table Posts	MODZA22-900P
Chrome Upgrades For Collar Legs Only		
	Modulus Single Chrome Post Upgrade	AU-FWMOD11.1R_B-UP Note: 1x MODZA22-695P_CR
	Modulus Four Chrome Post Upgrade	AU-FWMOD11.2R_B-UP Note: 4x MODZA22-695_CR

**Modulus**

Meeting Tables | Single Post - Single Span Small | Frame Only

Product	Description	Worktop Length	Code
	Single Span Small <i>Fixed Leg</i> <i>Suits worksurface depth of 600-900 mm</i>	1400 - 1900	MT1406F_B
		1600 - 2100	MT1606F_B
		1900 - 2400	MT1906F_B
		2200 - 2700	MT2106F_B
		2500 - 3000	MT2506F_B
	Single Span Small with Castor <i>Fixed Leg</i> <i>Suits worksurface depth of 600-900 mm</i>	1400 - 1900	MT1406M_B
		1600 - 2100	MT1606M_B
		1900 - 2400	MT1906M_B
		2200 - 2700	MT2106M_B
		2500 - 3000	MT2506M_B
	Single Span Large <i>Fixed Leg</i> <i>Suits worksurface depth of 800-1100 mm</i>	1400 - 1900	MT1408F_B
		1600 - 2100	MT1608F_B
		1900 - 2400	MT1908F_B
		2200 - 2700	MT2108F_B
		2500 - 3000	MT2508F_B
	2350 mm Long Post for Single Post Table <i>Suits powerboxes up to 510 x 310 mm</i> <i>Note: Can be cut down to suit shorter tops</i>	AU_FWTOPRAILPBOX2200_B	

Fixed leg frame assembly time 10 minutes per table - does not include top fixings or linking system.

Modulus

Boardroom Tables | Single Post - Single/Double/Triple Span | Frame Only



Product	Description	Worktop Length	Code
	Single Span Powerbox Collar Leg Suits worksurface depth of 900-1100 mm	900 – 1200	MT908CP_B
		1200 – 1500	MT1208CP_B
		1500 – 1800	MT1508CP_B
		1800 – 2100	MT1808CP_B
	Single Span Collar Leg Suits worksurface depth of 900-1100 mm	1400 – 1900	MT1408C_B
		1600 – 2100	MT1608C_B
		1900 – 2400	MT1908C_B
		2200 – 2700	MT2108C_B
		2500 – 3000	MT2508C_B
	Double Span Collar Leg Suits worksurface depth of 900-1100 mm	2600 – 3000	MT2608C2_B
		3000 – 3400	MT3008C2_B
		3600 – 4000	MT3608C2_B
		4200 – 4600	MT4208C2_B
		4800 – 5200	MT4808C2_B
	Triple Span Collar Leg Suits worksurface depth of 900-1100 mm	3700 – 4200	MT3708C3_B
		4300 – 4800	MT4308C3_B
		5200 – 5600	MT5208C3_B
		6100 – 6500	MT6108C3_B
		7000 – 7400	MT7008C3_B
Height Upgrades For Collar Legs Only			
	Modulus Post suit 03/04 legs 1000 mm high frame height <i>Single post only - allow one post per upright</i>		MODZA22_1000
	Modulus Post suit 03/04 legs 900 mm high frame height <i>Single post only - allow one post per upright</i>		MODZA22_900
	Modulus Post suit 03/04 legs with castors 695 mm high frame height <i>Single post only - allow one post per upright</i>		MODZA22_695_CAS
	Castors to suit MODZA22_695_CAS <i>Priced per Castor</i>		FLIPCAST
	2350 mm Long Top Rail for Single Post Table <i>Suits powerboxes up to 510 x 310 mm</i> <i>Note - Can be cut down to suit shorter tops</i>		AU_FWTOPRAILPBOX2200_B

Single collar leg (1 span) frame assembly time 20 minutes per table - does not include top fixings or linking system.

Single collar leg (2 spans) frame assembly time 25 minutes per table - does not include top fixings or linking system.

Single collar leg (3 spans) frame assembly time 30 minutes per table - does not include top fixings or linking system.

**Modulus**

Boardroom Tables | Twin Post - Single Span | Frame Only

Product	Description	Worktop Depth	Code
	Suits top length 1700-2100 mm <i>Collar Leg</i>	1200 - 1350	MT1412CC_B
		1400 - 1550	MT1414CC_B
		1600 - 1750	MT1416CC_B
		1800 - 2000	MT1418CC_B
	Suits top length 1900-2400 mm <i>Collar Leg</i>	1200 - 1350	MT1612CC_B
		1400 - 1550	MT1614CC_B
		1600 - 1750	MT1616CC_B
		1800 - 2000	MT1618CC_B
	Suits top length 2200-2700 mm <i>Collar Leg</i>	1200 - 1350	MT1912CC_B
		1400 - 1550	MT1914CC_B
		1600 - 1750	MT1916CC_B
		1800 - 2000	MT1918CC_B
	Suits top length 2500- 3000 mm <i>Collar Leg</i>	1200 - 1350	MT2112CC_B
		1400 - 1550	MT2114CC_B
		1600 - 1750	MT2116CC_B
		1800 - 2000	MT2118CC_B
	Suits top length 2800- 3300 mm <i>Collar Leg</i>	1200 - 1350	MT2512CC_B
		1400 - 1550	MT2514CC_B
		1600 - 1750	MT2516CC_B
		1800 - 2000	MT2518CC_B
Height Upgrades For Collar Legs Only			
Modulus Post suit 03/04 legs 1000 mm high frame height <i>Single post only - allow one post per upright</i>			MODZA22_1000
Modulus Post suit 03/04 legs 900 mm high frame height <i>Single post only - allow one post per upright</i>			MODZA22_900
Modulus Post suit 03/04 legs with castors 695 mm high frame height <i>Single post only - allow one post per upright</i>			MODZA22_695_CAS
Castors to suit MODZA22_695_CAS <i>Priced per Castor</i>			FLIPCAST
Chrome Upgrades For Collar Legs Only			
Modulus Chrome Post Upgrade - 03/04 legs <i>Priced per upright</i>			MODZA22_695_CR

Twin collar leg (1 span) frame assembly time 25 minutes per table - does not include top fixings or linking system.

Modulus

Boardroom Tables | Twin Post - Double Span | Frame Only



Product	Description	Worktop Depth	Code
	Suits top length 2900-3300 mm <i>Collar Leg</i>	1200 - 1350	MT2612CC2_B
		1400 - 1550	MT2614CC2_B
		1600 - 1750	MT2616CC2_B
		1800 - 2000	MT2618CC2_B
	Suits top length 3300-3700 mm <i>Collar Leg</i>	1200 - 1350	MT3012CC2_B
		1400 - 1550	MT3014CC2_B
		1600 - 1750	MT3016CC2_B
		1800 - 2000	MT3018CC2_B
	Suits top length 3900-4300 mm <i>Collar Leg</i>	1200 - 1350	MT3612CC2_B
		1400 - 1550	MT3614CC2_B
		1600 - 1750	MT3616CC2_B
		1800 - 2000	MT3618CC2_B
	Suits top length 4500-4900 mm <i>Collar Leg</i>	1200 - 1350	MT4212CC2_B
		1400 - 1550	MT4214CC2_B
		1600 - 1750	MT4216CC2_B
		1800 - 2000	MT4218CC2_B
	Suits top length 5100-5500 mm <i>Collar Leg</i>	1200 - 1350	MT4812CC2_B
		1400 - 1550	MT4814CC2_B
		1600 - 1750	MT4816CC2_B
		1800 - 2000	MT4818CC2_B
Height Upgrades For Collar Legs Only			
Modulus Post suit 03/04 legs 1000 mm high frame height <i>Single post only - allow one post per upright</i>			MODZA22_1000
Modulus Post suit 03/04 legs 900 mm high frame height <i>Single post only - allow one post per upright</i>			MODZA22_900
Modulus Post suit 03/04 legs with castors 695 mm high frame height <i>Single post only - allow one post per upright</i>			MODZA22_695_CAS
Castors to suit MODZA22_695_CAS <i>Priced per Castor</i>			FLIPCAST
Chrome Upgrades For Collar Legs Only			
Modulus Chrome Post Upgrade - 03/04 legs <i>Priced per upright</i>			MODZA22_695_CR

Twin collar leg (2 spans) frame assembly time 30 minutes per table - does not include top fixings or linking system.

**Modulus**

Boardroom Tables | Twin Post - Triple Span | Frame Only

Product	Description	Worktop Depth	Code
	Suits top length 4000-4500 mm <i>Collar Leg</i>	1200 - 1350	MT3712CC3_B
		1400 - 1550	MT3714CC3_B
		1600 - 1750	MT3716CC3_B
		1800 - 2000	MT3718CC3_B
	Suits top length 4600-5100 mm <i>Collar Leg</i>	1200 - 1350	MT4312CC3_B
		1400 - 1550	MT4314CC3_B
		1600 - 1750	MT4316CC3_B
		1800 - 2000	MT4318CC3_B
	Suits top length 4900-5400 mm <i>Collar Leg</i>	1200 - 1350	MT4612CC3_B
		1400 - 1550	MT4614CC3_B
		1600 - 1750	MT4616CC3_B
		1800 - 2000	MT4618CC3_B
	Suits top length 5500-5900 mm <i>Collar Leg</i>	1200 - 1350	MT5212CC3_B
		1400 - 1550	MT5214CC3_B
		1600 - 1750	MT5216CC3_B
		1800 - 2000	MT5218CC3_B
	Suits top length 5800-6200 mm <i>Collar Leg</i>	1200 - 1350	MT5512CC3_B
		1400 - 1550	MT5514CC3_B
		1600 - 1750	MT5516CC3_B
		1800 - 2000	MT5518CC3_B
	Suits top length 6400-6800 mm <i>Collar Leg</i>	1200 - 1350	MT6112CC3_B
		1400 - 1550	MT6114CC3_B
		1600 - 1750	MT6116CC3_B
		1800 - 2000	MT6118CC3_B
	Suits top length 6700-7100 mm <i>Collar Leg</i>	1200 - 1350	MT6412CC3_B
		1400 - 1550	MT6414CC3_B
		1600 - 1750	MT6416CC3_B
		1800 - 2000	MT6418CC3_B
	Suits top length 7300-7700 mm <i>Collar Leg</i>	1200 - 1350	MT7012CC3_B
		1400 - 1550	MT7014CC3_B
		1600 - 1750	MT7016CC3_B
		1800 - 2000	MT7018CC3_B

Twin collar leg (3 span) frame assembly time 40 minutes per table - does not include top fixings or linking system.

A photograph of a modern office interior. In the foreground, several black mesh office chairs with five-star bases and casters are arranged. Behind them is a long, light-colored wooden table. On the table, there is a white coffee cup, a clear water bottle, and some papers. The background is a plain, light-colored wall, and the floor is made of light wood planks.

*When there is only one true choice
for your frame colour... black.*

Modulus All Black Tables



Meeting Complete	86
Boardroom Complete	86
Meeting Frame Only	87
Boardroom Frame Only	89

Modulus All Black

Meeting / Boardroom Tables



Product	Description	Worktop	Code
	Single Post Four Star Leg 720 mm high	Ø 1050 with 4 starbase	MT105RALLBLK_#
		Ø 1200 with 4 starbase	MT120RALLBLK_#
	Single Post Collar Leg 720 mm high	1800 x 900	MT189ALLBLK_#
		2100 x 900	MT219ALLBLK_#
	Twin Post, Collar Leg 1 Piece Top 720 mm high	1800 x 1200	MT1812ALLBLK_#
		2400 x 1200	MT2412ALLBLK_#
	Twin Post, Collar Leg 2 Piece Top 720 mm high	3600 x 1200	MT3612ALLBLK_#
	Twin Post, Collar Leg 3 Piece Top 720 mm high	5400 x 1200	MT5412ALLBLK_#
	Twin Post, Collar Leg 5 Piece Top 720 mm high	6000 x 1800 New Oak cross-grain	MT6018ALLBLK_#

*Boardroom table power boxes available in software section



Modulus All Black

Frame Only

Product	Description	Code
	Single Post Table Black post, black alloy feet. Suits top size 900-1200 mm round/700-1000 mm square. Frame height 695 mm	AU-FWMOD111R_ALLBLK

Product	Description	Worktop Length	Code
	Single Span Collar Leg Suits worksurface depth of 900-1100 mm	1400 - 1900	MT1408C_ALLBLK
		1600 - 2100	MT1608C_ALLBLK
		1900 - 2400	MT1908C_ALLBLK
		2200 - 2700	MT2108C_ALLBLK
		2500 - 3000	MT2508C_ALLBLK
	Double Span Collar Leg Suits worksurface depth of 900-1100 mm	2600 - 3000	MT2608C2_ALLBLK
		3000 - 3400	MT3008C2_ALLBLK
		3600 - 4000	MT3608C2_ALLBLK
		4200 - 4600	MT4208C2_ALLBLK
		4800 - 5200	MT4808C2_ALLBLK
	Triple Span Collar Leg Suits worksurface depth of 900-1100 mm	3700 - 4200	MT3708C3_ALLBLK
		4300 - 4800	MT4308C3_ALLBLK
		5200 - 5600	MT5208C3_ALLBLK
		6100 - 6500	MT6108C3_ALLBLK
		7000 - 7400	MT7008C3_ALLBLK

Height Upgrades | For Collar Legs Only

	Modulus Post suit 03/04 legs 1000 mm high frame height Single post only - allow one post per upright	MODZA22_1000
	Modulus Post suit 03/04 legs 900 mm high frame height Single post only - allow one post per upright	MODZA22_900
	2350 mm Long Top Rail for Single Post Table Suits powerboxes up to 510 x 310 mm Note - Can be cut down to suit shorter tops	AU_FWTOPRAILPBOX2200_B

Modulus All Black

Frame Only



Product	Description	Worktop Depth	Code
	Suits top length 1700-2100 mm <i>Collar Leg</i>	1200 - 1350	MT1412CC_ALLBLK
		1400 - 1550	MT1414CC_ALLBLK
		1600 - 1750	MT1416CC_ALLBLK
		1800 - 2000	MT1418CC_ALLBLK
	Suits top length 1900-2400 mm <i>Collar Leg</i>	1200 - 1350	MT1612CC_ALLBLK
		1400 - 1550	MT1614CC_ALLBLK
		1600 - 1750	MT1616CC_ALLBLK
		1800 - 2000	MT1618CC_ALLBLK
	Suits top length 2200-2700 mm <i>Collar Leg</i>	1200 - 1350	MT1912CC_ALLBLK
		1400 - 1550	MT1914CC_ALLBLK
		1600 - 1750	MT1916CC_ALLBLK
		1800 - 2000	MT1918CC_ALLBLK
	Suits top length 2500-3000 mm <i>Collar Leg</i>	1200 - 1350	MT2112CC_ALLBLK
		1400 - 1550	MT2114CC_ALLBLK
		1600 - 1750	MT2116CC_ALLBLK
		1800 - 2000	MT2118CC_ALLBLK
	Suits top length 2800-3300 mm <i>Collar Leg</i>	1200 - 1350	MT2512CC_ALLBLK
		1400 - 1550	MT2514CC_ALLBLK
		1600 - 1750	MT2516CC_ALLBLK
		1800 - 2000	MT2518CC_ALLBLK

Height Upgrades | For Collar Legs Only

Modulus Post suit 03/04 legs
1000 mm high frame height
Single post only - allow one post per upright

MODZA22_1000

Modulus Post suit 03/04 legs
900 mm high frame height
Single post only - allow one post per upright

MODZA22_900

Chrome Upgrades | For Collar Legs Only

Modulus Chrome Post Upgrade - 03/04 legs
Priced per upright

MODZA22_695_CR

Twin collar leg (1 span) frame assembly time 25 minutes per table - does not include top fixings or linking system.



Modulus All Black Frame Only

Product	Description	Worktop Depth	Code
	Suits top length 2900-3300 mm <i>Collar Leg</i>	1200 - 1350	MT2612CC2_ALLBLK
		1400 - 1550	MT2614CC2_ALLBLK
		1600 - 1750	MT2616CC2_ALLBLK
		1800 - 2000	MT2618CC2_ALLBLK
	Suits top length 3300-3700 mm <i>Collar Leg</i>	1200 - 1350	MT3012CC2_ALLBLK
		1400 - 1550	MT3014CC2_ALLBLK
		1600 - 1750	MT3016CC2_ALLBLK
		1800 - 2000	MT3018CC2_ALLBLK
	Suits top length 3900-4300 mm <i>Collar Leg</i>	1200 - 1350	MT3612CC2_ALLBLK
		1400 - 1550	MT3614CC2_ALLBLK
		1600 - 1750	MT3616CC2_ALLBLK
		1800 - 2000	MT3618CC2_ALLBLK
	Suits top length 4500-4900 mm <i>Collar Leg</i>	1200 - 1350	MT4212CC2_ALLBLK
		1400 - 1550	MT4214CC2_ALLBLK
		1600 - 1750	MT4216CC2_ALLBLK
		1800 - 2000	MT4218CC2_ALLBLK
	Suits top length 5100-5500 mm <i>Collar Leg</i>	1200 - 1350	MT4812CC2_ALLBLK
		1400 - 1550	MT4814CC2_ALLBLK
		1600 - 1750	MT4816CC2_ALLBLK
		1800 - 2000	MT4818CC2_ALLBLK
Height Upgrades For Collar Legs Only			
Modulus Post suit 03/04 legs 1000 mm high frame height <i>Single post only - allow one post per upright</i>			MODZA22_1000
Modulus Post suit 03/04 legs 900 mm high frame height <i>Single post only - allow one post per upright</i>			MODZA22_900
Chrome Upgrades For Collar Legs Only			
Modulus Chrome Post Upgrade - 03/04 legs <i>Priced per upright</i>			MODZA22_695_CR

Modulus All Black

Frame Only



Product	Description	Worktop Depth	Code
	Suits top length 4000-4500 mm <i>Collar Leg</i>	1200 - 1350	MT3712CC3_ALLBLK
		1400 - 1550	MT3714CC3_ALLBLK
		1600 - 1750	MT3716CC3_ALLBLK
		1800 - 2000	MT3718CC3_ALLBLK
	Suits top length 4600-5100 mm <i>Collar Leg</i>	1200 - 1350	MT4312CC3_ALLBLK
		1400 - 1550	MT4314CC3_ALLBLK
		1600 - 1750	MT4316CC3_ALLBLK
		1800 - 2000	MT4318CC3_ALLBLK
	Suits top length 4900-5400 mm <i>Collar Leg</i>	1200 - 1350	MT4612CC3_ALLBLK
		1400 - 1550	MT4614CC3_ALLBLK
		1600 - 1750	MT4616CC3_ALLBLK
		1800 - 2000	MT4618CC3_ALLBLK
	Suits top length 5500-5900 mm <i>Collar Leg</i>	1200 - 1350	MT5212CC3_ALLBLK
		1400 - 1550	MT5214CC3_ALLBLK
		1600 - 1750	MT5216CC3_ALLBLK
		1800 - 2000	MT5218CC3_ALLBLK
	Suits top length 5800-6200 mm <i>Collar Leg</i>	1200 - 1350	MT5512CC3_ALLBLK
		1400 - 1550	MT5514CC3_ALLBLK
		1600 - 1750	MT5516CC3_ALLBLK
		1800 - 2000	MT5518CC3_ALLBLK
	Suits top length 6400-6800 mm <i>Collar Leg</i>	1200 - 1350	MT6112CC3_ALLBLK
		1400 - 1550	MT6114CC3_ALLBLK
		1600 - 1750	MT6116CC3_ALLBLK
		1800 - 2000	MT6118CC3_ALLBLK
	Suits top length 6700-7100 mm <i>Collar Leg</i>	1200 - 1350	MT6412CC3_ALLBLK
		1400 - 1550	MT6414CC3_ALLBLK
		1600 - 1750	MT6416CC3_ALLBLK
		1800 - 2000	MT6418CC3_ALLBLK
	Suits top length 7300-7700 mm <i>Collar Leg</i>	1200 - 1350	MT7012CC3_ALLBLK
		1400 - 1550	MT7014CC3_ALLBLK
		1600 - 1750	MT7016CC3_ALLBLK
		1800 - 2000	MT7018CC3_ALLBLK

Twin collar leg (2 spans) frame assembly time 30 minutes per table - does not include top fixings or linking system.



*Strength meets
contemporary styling.*



*Products which satisfy the needs
of everyone without causing harm
to our environment.*

Plantation Tables



Specifications	94
Complete Frame & Worktop	96
Select by Component	97

Plantation

Product Specifications

Frames

Legs constructed with black powder coat top housing and natural finish solid oak.

3, 4, 6 and 8 leg configurations

Black powdercoat rails and connectors

Worktop height 720 mm

Leg Dimension 70 x 50 mm


Worktops

Melamine - 25 mm E1 grade substrate finished in studio white with matching 2mm PVC edge



Plantation - 3 Leg (Typical Frame Dimensions)





Additional Frame Details



Plantation - 4 Leg (Typical Frame Dimensions)



Plantation - 6 Leg (Typical Frame Dimensions)



Plantation

Product Specifications



Components List for PLT3612_W

1. **2 x AXT1812_W** Axis Straight Desk Top W1800 x D1200 x H25 mm - White
2. **6 x MTTLEG695_W** Plantation Table Leg - White
3. **1 x PLEL12S_B** Plantation splayed end legs crossbar - set of 2
4. **1 x PLML12_B** Plantation splayed mid legs crossbar
5. **4 x AXEXTRAIL109_B**

Plantation

Complete | Frame & Worktop



Timber sourced from a FSC Certified Forest







Product	Description	Worktop	Code
	Coffee Table 450mm high	Ø 600 3 Leg Standard	OG_PLCT6R_W
		900 x 600 4 Leg Standard	OG_PLCT96_W
	Coffee Table 450mm high	1200 x 600 4 Leg Standard	OG_PLCT126_W
	Meeting Table 3 solid oak legs 720mm high	Ø 900	OG_PLT900R_W
	Meeting Table 4 solid oak legs 720mm high	Ø 1050	OG_PLT1050R_W
		Ø 1200	OG_PLT1200R_W
	Meeting Table 4 solid oak legs w/ full frame 720mm high	1200 x 600	OG_PLT126_W
		1200 x 750	OG_PLT1275_W
	Meeting Table 4 solid oak legs w/ full frame 720mm high	1500 x 600	OG_PLT156_W
		1500 x 750	OG_PLT1575_W
	Meeting Table 4 solid oak legs w/ full frame 720mm high	1800 x 600	OG_PLT186_W
		1800 x 750	OG_PLT1875_W
	Meeting Table 4 solid oak legs w/ full frame 720mm high	1800 x 900	OG_PLT189_W
		1800 x 1200	OG_PLT1812_W
	Meeting Table 4 solid oak legs w/ full frame 720mm high	2100 x 900	OG_PLT219_W
		2400 x 1200	OG_PLT2412_W
	Meeting Table 6 solid oak legs w/ full frame x 2 worktops 720mm high	3600 x 1200	OG_PLT3612_W
		4800 x 1200	OG_PLT4812_W



Plantation

Select by Component

Product	Description	Code	Lead Time
     	Coffee Table Legs 75 degree angle 70 x 50mm leg	425 mm	OG_CTTLEG425_OAK
	Meeting Table Legs 75 degree angle 70 x 50mm leg	695 mm	OG_MTTLEG695_OAK
	Spreader Bars To Suit Splay Legs	590mm (600)	OG_PLEL6S_B
		740mm (750)	OG_PLEL75S_B
		890mm (900)	OG_PLEL9S_B
		1190mm (1200)	OG_PLEL12S_B
		1490mm (1500)	OG_PLEL15S_B
		1790mm (1800)	OG_PLEL18S_B
	Double Sided Spreader bar To suit straight middle legs	710mm (750)	OG_PLML75_B
		860mm (900)	OG_PLML9_B
		1160mm (1200)	OG_PLML12_B
		1460mm (1500)	OG_PLML15_B
		1560mm (1600)	OG_PLML16_B
		1760mm (1800)	OG_PLML18_B
	Extendable Desk Rails	adj (1200 - 1800)	OG_AXEXTRAIL109_#
		adj (1800 - 2400)	OG_AXEXTRAIL169_#
	Removable Angle Bracket	OG_AXKDBRAC_#	

Product	Description	Code
	Ø900	OG_AXT900R_W
	Ø1050	OG_AXT105R_W
	Ø1200	OG_AXT120R_W
	1200 x 600	OG_AXD126_W
	1200 x 750	OG_AXD1275_W
	1500 x 600	OG_AXD156_W
	1500 x 750	OG_AXD1575_W
	1600 x 600	OG_AXD166_W
	1600 x 750	OG_AXD1675_W
	1800 x 600	OG_AXD186_W
	1800 x 750	OG_AXD1875_W
	1800 x 900	OG_AXD189_W
	1800 x 1200	OG_AXT1812_W
	2100 x 900	OG_AXD219_W
	2400 x 1200	OG_AXT2412_W



*Designed and built
for team creativity.*

Team Tables



Specifications	100
Complete	102

Team

Product Specifications

Frames

Black powdercoat rails and connectors

3, 4, 6 and 8 leg configurations

Legs finished in polished alloy or black and white powdercoat


Worktop height 750 mm

Worktops


Melamine - 25 mm E1 grade substrate finished in studio white or new oak with matching 2 mm PVC edge

Solid Beech - 25 mm with shark-nose edge (selected sizes only)


Team - 3 Leg (Typical Frame Dimensions)



Additional Frame Details




Team - 4 Leg (Typical Frame Dimensions)





Note : extra worktop support from rail- worktop will be provided for any rail that is over 650mm wide

Team - 6 Leg (Typical Frame Dimensions)



Team - 8 Leg (Typical Frame Dimensions)





Components List for TT3612_B

1. **2 x AXT1812_W** Axis Straight Desk Top W1800 x D1200 x H25 mm - White
2. **6 x FW-TTL_B** Team Table Leg - Black
3. **7 x FW-TTPB** Team Table Plastic Bracket - Black
4. **1 x FW-TT3WC** Team Table 3 Way Connector - Black (Pair)
5. **4 x FW-TT2WC** Team Table 2 Way Connector - Black (Single)
6. **3 x FW-TT480B** Team Table Rail 480 mm - Black
7. **4 x FW-TT1509B** Team Table Rail 1509 mm - Black

Team

Complete | Frame & Worktop



Product	Description	Worktop	Code
 TM909_W	Square Table Powdercoat Frame White Worktop Only	900 x 900 4 Leg Standard	TT909_##_W
 TM909_PA	Square Table Polished Alloy Frame White Worktop Only	900 x 900 4 Leg Standard	TT909_PA_W
 TM105R_B_NO	Round Table Powdercoat Frame	Ø 900 3 Leg Standard	TT900R_##_#
		Ø 1050 4 Leg Standard	TT105R_##_#
		Ø 1200 4 Leg Standard	TT120R_##_#
 TM120R_PA	Round Table Polished Alloy Frame	Ø 900 3 Leg Standard	TT900R_PA_#
		Ø 1050 3 Leg Standard	TT105R_PA_#
		Ø 1200 4 Leg Standard	TT120R_PA_#
 TT189_W	4 Leg Boardroom Table Powdercoat Frame	1500 x 750	TT1575_##_#
		1800 x 750	TT1875_##_#
		1800 x 900	TT189_##_#
		1800 x 1200	TT1812_##_#
		2100 x 900	TT219_##_#
		2400 x 1200	TT2412_##_#
 TT189_PA	4 Leg Boardroom Table Polished Alloy Frame	1500 x 750	TT1575_PA_#
		1800 x 750	TT1875_PA_#
		1800 x 900	TT189_PA_#
		1800 x 1200	TT1812_PA_#
		2100 x 900	TT219_PA_#
		2400 x 1200	TT2412_PA_#

Worktops - Melamine



= W (White) - standard.



= NO (New Oak) - Select top colour when ordering.

Table Frames - Powdercoat



= W (White) - Select frame colour when ordering.



= B (Black) - Select frame colour when ordering.



Team

Complete | Frame & Worktop

Product	Description	Worktop	Code
 TT4812_B_NO	6 Leg Boardroom Table Powdercoat Frame (2 piece worktop)	3600 x 1200	TT3612_##_#
		4800 x 1200	TT4812_##_#
 TT3612_PA	6 Leg Boardroom Table Polished Alloy Frame (2 piece worktop)	3600 x 1200	TT3612_PA_#
		4800 x 1200	TT4812_PA_#
Product	Description	Worktop	Code
	Powdercoat Frame 3 Leg	Ø 900	TM900R_F#
	Polished Alloy Frame 3 Leg	Ø 900	TM900R_FPA

Worktops - Melamine



= **W (White)** - standard.



= **NO (New Oak)** - Select top colour when ordering.

Table Frames - Powdercoat



= **W (White)** - Select frame colour when ordering.



= **B (Black)** - Select frame colour when ordering.



*Enhancing workspaces to
increase productivity.*

Axis Tables



Specifications	106
Coffee Tables	107
Meeting Tables	107
Mobile Meeting Tables	108
Select by Component	110

Axis

Product Specifications

Frames

50 x 50 mm square legs with
50 x 25 mm rails

80 mm height adjustment in
each foot


Arctic white or black
powdercoat finish

Worktop height 715 mm (Meeting)
Worktop height 450 mm (Coffee)


Worktops

Melamine - 25 mm E1 grade
substrate finished in studio white or
new oak with matching 2 mm PVC
edge




Coffee Table



Meeting Table



See following page for available top options.





Axis

Coffee & Meeting

Product	Description	Worktop	Code
	Coffee Table <i>Rails to all four sides (450 mm high)</i>	600 x 600	OG_AXCT66_W
		900 x 600	OG_AXCT96_W
		1200 x 600	OG_AXCT126_#
 AXBTAB189_NO	Meeting Table <i>Rails to all four sides (715 mm high)</i>	1200 x 600	OG_AXTAB126_#
		1200 x 750	OG_AXTAB1275_#
		1500 x 600	OG_AXTAB156_#
		1600 x 600	OG_AXTAB166_#
		1500 x 750	OG_AXTAB1575_#
		1600 x 750	OG_AXTAB1675_#
		1800 x 600	OG_AXTAB186_#
		1800 x 750	OG_AXTAB1875_#
		1800 x 900	OG_AXTAB189_#
		1800 x 1200	OG_AXTAB1812_#
		2100 x 900	OG_AXTAB219_#
		2400 x 1200	OG_AXTAB2412_#
 AXTAB105R_NO	Meeting Table <i>Round (715 mm high)</i>	Ø 900	OG_AXTAB9R_#
		Ø 1050	OG_AXTAB105R_#
		Ø 1200	OG_AXTAB12R_#
 AXBTAB99_W	Meeting Table <i>Square (715 mm high)</i>	900 x 900	OG_AXTAB99_#

Worktops - Melamine



= **W (White)** - Select top colour when ordering.



= **NO (New Oak)** - Select top colour when ordering.

Table Frames - Powdercoat



White - standard.



Black - please replace the **AX** in the above codes with **AXB** when ordering.

Axis

Mobile Meeting Table - 720mm High

**Product****Description****Worktop****Code**

Mobile Meeting Table
 4 50 x 50mm legs
 w/ full frame
 4 heavy duty 80mm
 locking casters
 720mm high

1200 x 600

OG_AXMTAB126_#

1200 x 750

OG_AXMTAB1275_#

1500 x 600

OG_AXMTAB156_#

1600 x 600

OG_AXMTAB166_#

1500 x 750

OG_AXMTAB1575_#

1600 x 750

OG_AXMTAB1675_#

1800 x 600

OG_AXMTAB186_#

1800 x 750

OG_AXMTAB1875_#

1800 x 900

OG_AXMTAB189_#

1800 x 1200

OG_AXMTAB1812_#

2400 x 1200

OG_AXMTAB2412_#

2100 x 900

OG_AXMTAB219_#

Worktops - Melamine**White** - standard.**# = NO (New Oak)** - Select top colour when ordering.**Table Frames - Powdercoat****# = W (White)** - Select frame colour when ordering.**# = B (Black)** - Select frame colour when ordering.

A man with glasses and a beard, wearing a blue and white checkered shirt, is smiling broadly and giving a high-five to someone off-camera. A woman with dark hair, wearing a striped shirt, is smiling and looking towards the high-five. They are in an office environment with a wooden desk in the foreground. On the desk, there is a laptop, a smartphone, a notebook, and a disposable coffee cup. The background shows a window with blinds and a grey wall.

**Fun spaces
to create
a fun
culture.**

Axis

Select by Component

Select by Component

Select your product by components from the following pages using the key below for colours and finishes.

1. Select your frame components and colour

2. Select your worktop size and colour



= In-stock



= Made to Order



Worktops - Melamine

W

= W (White) - Select top colour when ordering.

NO

= NO (New Oak) - Select top colour when ordering.

Table Frames - Powdercoat

W

= W (White) - Select frame colour when ordering.

B

= B (Black) - Select frame colour when ordering.





Components List for AXBTAB1875_B

1. 1 x AXT1875_W Axis Straight Table Top W1800 x D750 x H25 mm - White
2. 2 x AXRAIL064A_B Axis Rail 640 - Black
3. 2 x AXRAIL169A_B Axis Rail 1690 - Black
4. 1 x AXLEGMT4KD_B Axis Meeting Table Leg Set 4 - Black

**Axis**

Select by Component

Product	Description	Code	Lead Time
	90 Degree Legs Black/White	Angles Only 690 mm OG_AXLEGMTIKD_#	Packed in singles
		OG_AXLEGMT4KD_#	Box of 4
		425 mm OG_AXLEGSETCOFKD_#	Box of 4
		Rail Connections Only 690 mm OG_AXILEG90KD_#	Packed in singles
		OG_AXILEG904KD_#	Box of 4
	Castor leg Set of 4	Rail connections only (690mm) OG_AXLEG_MOBILE_#	Box of 4
	Desk Rails Black/White	490 mm (600) OG_AXRAIL49A_#	Packed in singles
		640 mm (750) OG_AXRAIL64A_#	
		790 mm (900) OG_AXRAIL79A_#	
		1090 mm (1200) OG_AXRAIL109A_#	
		1390 mm (1500) OG_AXRAIL139A_#	
		1490 mm (1600) OG_AXRAIL149A_#	
		1690 mm (1800) OG_AXRAIL169A_#	
		1990 mm (2100) OG_AXRAIL199A_#	
		2290 mm (2400) OG_AXRAIL229A_#	
		adj (1200 - 1800) OG_AXEXTRAIL109_#	
		adj (1800 - 2400) OG_AXEXTRAIL169_#	

Product	Description	Code
	Worktops White/New Oak	600 x 600 OG_AXT066_#
		600 x 900 OG_AXT0609_#
		1200 x 600 OG_AXD126_#
		1200 x 750 OG_AXD1275_#
		1500 x 600 OG_AXD156_#
		1500 x 750 OG_AXD1575_#
		1600 x 600 OG_AXD166_#
		1600 x 750 OG_AXD1675_#
		1800 x 600 OG_AXD186_#
		1800 x 750 OG_AXD1875_#
		1800 x 900 OG_AXT189_#_T
		1800 x 1200 OG_AXT1812_#_T
		2100 x 900 OG_AXT219_#_T
		2400 x 1200 OG_AXT2412_#_T



*Inspiring spaces that
meet your every demand.*

EkoSystem Tables



Specifications	114
Meeting Tables	115
Disc Based Table	116
Canteen Tables	116

EkoSystem

Product Specifications

Frames / Bases

Meeting - 18 mm E1 grade substrate finished in studio white or charcoal melamine with matching 2 mm PVC edge

Canteen - Black powdercoat steel legs 25 x 25 mm

Worktop height 720 mm (Meeting)

Worktop height 730 mm (Round Meeting & Canteen)

Worktops

Melamine - 25 mm E1 grade substrate finished in studio white or new oak with matching 2 mm PVC edge

Features



Fast assembly system

BIFMA tested fittings


Meeting





900/1050/1200 mm



1800/2400 mm



900/1050/1200 mm



Canteen



1200/1500/1800 mm



**EkoSystem**

Meeting & Canteen Tables | White or New Oak/Charcoal

Product	Description	Worktop	Code
	Meeting Table White Worktop with White Base or New Oak Worktop with Charcoal Base	Ø900	OG_EKMT9_W
			OG_EKMT9_NOC
		Ø1200	OG_EKMT12_W
			OG_EKMT12_NOC
		1800 x 900	OG_EKMT189D_W
			OG_EKMT189D_NOC
		2400 x 1200	OG_EKMT2412D_W
			OG_EKMT2412D_NOC

EkoSystem

Meeting & Canteen Tables | White or New Oak/Charcoal



Product	Description	Worktop	Code
	Coffee Table White or New Oak Worktop with Black Powdercoat Base	Ø600	OG_EKDCT6_W
			OG_EKDCT6_NO
		Ø900	OG_EKDCT9_W
			OG_EKDCT9_NO
	Meeting Table White or New Oak Worktop with Black Powdercoat Base	Ø1050	OG_EKDMT105_W
			OG_EKDMT105_NO
		Ø1200	OG_EKDMT12_W
			OG_EKDMT12_NO
 25mm tube with rails all four sides 	Canteen Table White or New Oak Worktop with Black Powdercoat Legs	1200 x 600	OG_EKCT126B_W
			OG_EKCT126B_NO
		1200 x 750	OG_EKCT1275B_W
			OG_EKCT1275B_NO
		1500 x 600	OG_EKCT156B_W
			OG_EKCT156B_NO
		1500 x 750	OG_EKCT1575B_W
			OG_EKCT1575B_NO
		1800 x 600	OG_EKCT186B_W
			OG_EKCT186B_NO
		1800 x 750	OG_EKCT1875B_W
			OG_EKCT1875B_NO
1800 x 900	OG_EKCT189B_W		
	OG_EKCT189B_NO		

**Seamlessly
connecting
furniture
with people.**





*Simple and practical,
stylish and modern*

Flare Tables



Specifications	120
4 Leg Meeting Tables	121
6 Leg Meeting Tables	121

Flare

Product Specifications

Frames

Legs, top housing and rails in Black or White Powdercoat finish

25mm adjustable feet

80 x 40mm splayed legs. 50 x 25mm rails

Premium Fixings - additional fixings made from premium steel for added strength and stability

Adjustable size rails - custom length rails available to create infinite sized frames

Worktops

Melamine Worktop - 25mm E1 grade substrate finished in studio white or New Oak with matching 2mm PVC edge

Worktop Height 720mm - inclu. 25mm worktop

Screen Options

Radius18 Screens (standard height 400mm above worktop)


Studio50 Screens (standard height 500mm above worktop)

AcoustiQ Panel Screens (standard height 300mm above worktop)

Flare - 4 Leg (Typical Frame Dimensions)



Flare - 6 Leg (Typical Frame Dimensions)





Flare

Complete | Frame Only

Product	Description	Worktop	Code
	Flare 4 Leg Meeting Table Black or White Powdercoat Frame	1200 x 750	OG_FLTAB1275_#
		1500 x 750	OG_FLTAB1575_#
		1800 x 750	OG_FLTAB1875_#
		1800 x 900	OG_FLTAB189_#
		1800 x 1200	OG_FLTAB1812_#
		2100 x 900	OG_FLTAB219_#
		2400 x 1200	OG_FLTAB2412_#
	Flare 6 Leg Meeting Table Black or White Powdercoat Frame	3600 x 1200	OG_FLTAB3612_#
		4800 x 1200	OG_FLTAB4812_#

Worktops - Melamine



= **White** - standard.



= **NO (New Oak)** - Select top colour when ordering.

Table Frames - Powdercoat



= **W (White)** - Select frame colour when ordering.



= **B (Black)** - Select frame colour when ordering.

Flare

Select by Component

Select by Component

Select your product by components from the following pages using the key below for colours and finishes.

1. Select your frame components and colour

2. Select your worktop size and colour



= In-stock



= Made to Order



Worktops - Melamine

W

= W (White) - Select top colour when ordering.

NO

= NO (New Oak) - Select top colour when ordering.

Table Frames - Powdercoat

B

= B (Black) - Select frame colour when ordering.

W

= W (White) - Select top colour when ordering.






Components List for AXBTAB1875_B

1. 1x AXD1875_W Flare Straight Table Top W1800 x D750 x H25 mm - White
2. 2x AXRAIL34A_B Flare Rail 340 - Black
3. 2x AXRAIL139A_B Flare Rail 1390 - Black
4. 1x FLRENDSET_B Flare End Leg Set 4 - Black



Flare

Select by Component

Product	Description		Code		Lead Time
   	Set of 4 End Legs <i>Black/White</i>	End Legs	690 mm	OG_FLRENDSET_B	Packed in singles
	Set of 2 Mid Legs <i>Black/White</i>	Mid Legs	690 mm	OG_FLRMIDSET_B	Packed in singles
	End-to-end Desk Rails <i>Black/White</i>	340mm (750)	OG_AXRAIL34A_#		Packed in singles
		490 mm (900)	OG_AXRAIL49A_#		
		790 mm (1200)	OG_AXRAIL79A_#		
		1090 mm (1500)	OG_AXRAIL109A_#		
		1390 mm (1800)	OG_AXRAIL139A_#		
		1690 mm (2100)	OG_AXRAIL169A_#		
		1990 mm (2400)	OG_AXRAIL199A_#		
	Mid-to-end Desk Rails <i>Black/White</i>	2290 mm (2700)	OG_AXRAIL229A_#		Packed in singles
3600		OG_AXRAIL149A_#			
	4800	OG_AXRAIL209A_#			

Product	Description		Code
	Worktops <i>White/New Oak</i>	1200 x 750	OG_AXD1275_#
		1500 x 750	OG_AXD1575_#
		1600 x 750	OG_AXD1675_#
		1800 x 750	OG_AXD1875_#
		1800 x 900	OG_AXT189_#_T
		1800 x 1200	OG_AXT1812_#_T
		2100 x 900	OG_AXT219_#_T
		2400 x 1200	OG_AXT2412_#_T



*Lifting your workspace
to new heights.*

Bar Leaners



Specifications	126
Anvil	127
Axis	127
Axis Mobile	128
Plantation	129
Select by Component	130

Bar Leaners

Product Specifications

Frames

Anvil - 50 x 50 x 50 mm triangle frame with 50 x 25 mm rails

Trestle - 50 x 50 mm square frame with 50 x 25 mm rails

Axis - 50 x 50 mm square frame with 50 x 25 mm rails

Levelling glide adjustment in each leg

Arctic white or black powdercoat finish



Worktop height 1050 mm

Worktops



Melamine - 25 mm E1 grade substrate finished in studio white or new oak with matching 2 mm PVC edge

Solid Beech - 25 mm with shark-nose edge (Trestle only)



Anvil



Trestle



Axis





Anvil & Axis Bar Leaner

Product	Description	Worktop	Code
	Anvil Bar Leaner White / Black Powdercoat x 1 Worktop (1050 mm high)	1200 x 750	OG_ANVBL1275##_#
		1500 x 750	OG_ANVBL1575##_#
		1600 x 750	OG_ANVBL1675##_#
		1800 x 750	OG_ANVBL1875##_#
		1800 x 900	OG_ANVBL189##_#
		2100 x 900	OG_ANVBL219##_#

Product	Description	Worktop	Code
	Axis Bar Leaner x 1 Worktop (1050 mm high)	1200 x 600	OG_AXBL1260_##
		1200 x 750	OG_AXBL1275_##
		1500 x 600	OG_AXBL1560_##
		1600 x 600	OG_AXBL1660_##
		1500 x 750	OG_AXBL1575_##
		1600 x 750	OG_AXBL1675_##
		1800 x 600	OG_AXBL1860_##
		1800 x 750	OG_AXBL1875_##
		1800 x 900	OG_AXBL1890_##
		1800 x 1200	OG_AXBL1812_##
	Axis Bar Leaner x 2 Worktops (1050 mm high)	2100 x 900	OG_AXBL2190_##
		2400 x 1200	OG_AXBL2412_##
		2400 x 600	OG_AXBL2460_##
		2400 x 750	OG_AXBL2475_##
		3000 x 600	OG_AXBL3060_##
		3200 x 600	OG_AXBL3260_##
		3000 x 750	OG_AXBL3075_##
		3200 x 750	OG_AXBL3275_##
		3600 x 600	OG_AXBL3660_##
		3600 x 750	OG_AXBL3675_##
		3600 x 900	OG_AXBL3690_##
		3600 x 1200	OG_AXBL3612_##
		4200 x 900	OG_AXBL4290_##

Worktops - Melamine

# = **W (White)** - standard.# = **NO (New Oak)** - add **_NO** to the end of your code when ordering

Table Frames - Powdercoat

## = **W (White)** - Select frame colour when ordering.## = **B (Black)** - Select frame colour when ordering.

Axis Mobile & Trestle

Bar Leaner



Product	Description	Worktop	Code
	Mobile Bar Leaner 4 50 x 50mm legs w/ full frame 4 heavy duty 80mm locking casters 1050mm high	1200 x 600	OG_AXMBL1260_#
		1200 x 750	OG_AXMBL1275_#
		1500 x 600	OG_AXMBL1560_#
		1600 x 600	OG_AXMBL1660_#
		1500 x 750	OG_AXMBL1575_#
		1600 x 750	OG_AXMBL1675_#
		1800 x 600	OG_AXMBL1860_#
		1800 x 750	OG_AXMBL1875_#
		1800 x 900	OG_AXMBL1890_#
		1800 x 1200	OG_AXMBL1812_#
		2100 x 900	OG_AXMBL2190_#
		2400 x 1200	OG_AXMBL2412_#

Product	Description	Worktop	Code
	Trestle White Powdercoat x 1 Worktop (1050 mm high)	1800 x 900	OG_TRESTAB189W_#
		2100 x 900	OG_TRESTAB219W_#
	Trestle Black Powdercoat x 1 Worktop (1050 mm high)	1800 x 900	OG_TRESTAB189B_#
		2100 x 900	OG_TRESTAB219B_#

Worktops - Melamine



= W (White) - Select top colour when ordering.





= NO (New Oak) - Select top colour when ordering.



Trestle & Plantation

Bar Leaner

Product	Description	Worktop	Code
	Trestle White Powdercoat	3600 x 900	OG_TRESTAB369W_#
	x 2 Worktop (1050 mm high)	4200 x 900	OG_TRESTAB429W_#
	Trestle Black Powdercoat	3600 x 900	OG_TRESTAB369B_#
	x 2 Worktop (1050 mm high)	4200 x 900	OG_TRESTAB429B_#
	Plantation Round top Bar Leaner	Ø900 3 solid oak legs	OG_PLBL900R_W
		Ø1050 4 solid oak legs	OG_PLBL1050R_W
		Ø1200 4 solid oak legs	OG_PLBL1200R_W
	Plantation Bar Leaner 4 solid oak legs w/ full frame 1050mm high	1200 x 600	OG_PLBL126_W
		1200 x 750	OG_PLBL1275_W
		1500 x 600	OG_PLBL156_W
		1500 x 750	OG_PLBL1575_W
		1800 x 600	OG_PLBL186_W
		1800 x 750	OG_PLBL1875_W
		1800 x 900	OG_PLBL189_W
		1800 x 1200	OG_PLBL1812_W
		2100 x 900	OG_PLBL219_W



Bar Leaners

Select by Component

Select by Component

Select your product by components from the following pages using the key below for colours and finishes.

1. Select your frame components and colour

2. Select your worktop size and colour



= In-stock



= Made to Order



Worktops - Melamine

W

= W (White) - Select top colour when ordering.

NO

= NO (New Oak) - Select top colour when ordering.

Table Frames - Powdercoat

W

= W (White) - Select frame colour when ordering.

B

= B (Black) - Select frame colour when ordering.



Components List for TRESTAB219B_W

- 1. 1 x AXT219_W Axis Straight Table Top W2100 x D900 x H25 mm - White
- 3. 2 x AXRAIL169A_B Axis Rail 1690 - Black
- 3. 1 x AXBOTRAIL169A_B Axis Rail 1690 - Black
- 4. 1 x TRESBARLEGE_B Trestle Bar Leaner End Leg Set - Black



Bar Leaners


Select by Components


Product	Description	Code	Lead Time
	Anvil End Legs Black/White	Anvil 740 OG_ANVBARLEG740KD_#	Packed in pairs
		Anvil 890 OG_ANVBARLEG890KD_#	
	Trestle End Legs Black/White	Trestle OG_TRESBARLEGE_#	Packed in pairs
	Trestle Mid Leg Black/White	Trestle OG_TRESBARLEGM_#	Packed in singles
	Axis End Legs Black/White	Axis End Legs OG_AXBARLEGI025E_#	Pack of four
		Axis 490 End Rail OG_AXBARRAIL49E_#	Packed in 2x top & 2x bottom
		Axis 640 End Rail OG_AXBARRAIL64E_#	
		Axis 790 End Rail OG_AXBARRAIL79E_#	
		Axis 1090 End Rail OG_AXBARRAIL109E_#	
	Axis Shared Legs Black/White	Axis Mid Legs OG_AXBARLEGI025S_#	Pack of two
		Axis 490 Mid Rail OG_AXBARRAIL49S_#	Packed in 1x top & 1x bottom
		Axis 640 Mid Rail OG_AXBARRAIL64S_#	
		Axis 790 Mid Rail OG_AXBARRAIL79S_#	
		Axis 1090 Mid Rail OG_AXBARRAIL109S_#	
	Axis Bar Leaner Castor	Castor only upgrade OG_AXBARCASTUP	Set of 4
	Desk Top Rails Black/White	1090 mm (1200) OG_AXRAIL109A_#	Packed in singles
		1390 mm (1500) OG_AXRAIL139A_#	
		1490 mm (1600) OG_AXRAIL149A_#	
		1690 mm (1800) OG_AXRAIL169A_#	
		1990 mm (2100) OG_AXRAIL199A_#	
		2290 mm (2400) OG_AXRAIL229A_#	
		OG_AXEXTRAIL109_#	
	Barleaner Bottom Rails Black/White (No visible holes)	OG_AXEXTRAIL169_#	Packed in singles
		1090 mm (1200) OG_AXBOTRAIL109_#	
		1390 mm (1500) OG_AXBOTRAIL139_#	
		1490 mm (1600) OG_AXBOTRAIL149_#	
		1690 mm (1800) OG_AXBOTRAIL169_#	
		1990 mm (2100) OG_AXBOTRAIL199_#	
		2290 mm (2400) OG_AXBOTRAIL229_#	

Bar Leaners

Select by Component



Product	Description		Code	Lead Time
	Bar Leaner Legs 80 degree angle	1025 mm	OG_BLTLEG1025_OAK	Set of 4 
		590mm (600)	OG_PLEL6S_B	
	Spreader Bars To Suit Splay Legs	740mm (750)	OG_PLEL75S_B	
		890mm (900)	OG_PLEL9S_B	Packed in pairs 
		1190mm (1200)	OG_PLEL12S_B	
		1490mm (1500)	OG_PLEL15S_B	
		1790mm (1800)	OG_PLEL18S_B	

Product	Description		Code
	Worktops White/New Oak	Ø900	OG_AXT900R_#
		Ø1050	OG_AXT105R_#
		Ø1200	OG_AXT120R_#
		1200 x 600	OG_AXD126_#
		1200 x 750	OG_AXD1275_#
		1500 x 600	OG_AXD156_#
		1500 x 750	OG_AXD1575_#
		1600 x 600	OG_AXD166_#
		1600 x 750	OG_AXD1675_#
		1800 x 600	OG_AXD186_#
		1800 x 750	OG_AXD1875_#
		1800 x 900	OG_AXT189_#
		1800 x 1200	OG_AXT1812_#
		2100 x 900	OG_AXT219_#
		2400 x 1200	OG_AXT2412_#



*The perfect addition to raise
the bar in your office.*

*Simple and practical,
stylish and modern.*



Flare

Bar Leaner



Specifications	136
4 Leg Meeting Tables	137
6 Leg Meeting Tables	137
Select by Component	138

Flare Bar Leaner

Product Specifications

Frames

Legs, top housing and rails in Black or White Powdercoat finish

25mm adjustable feet

80 x 40mm splayed legs. 50 x 25mm rails

Premium Fixings - additional fixings made from premium steel for added strength and stability

Adjustable size rails - custom length rails available to create infinite sized frames

Worktops

Melamine Worktop - 25mm E1 grade substrate finished in studio white or New Oak with matching 2mm PVC edge

Worktop Height 1050mm - inclu. 25mm worktop


Screen Options

Radius18 Screens (standard height 400mm above worktop)

Studio50 Screens (standard height 500mm above worktop)

AcoustiQ Panel Screens (standard height 300mm above worktop)



Flare - 4 Leg Bar Leaner (Typical Frame Dimensions)



* Based on 1800 x 900 mm worktop



Flare - 6 Leg Bar Leaner (Typical Frame Dimensions)





Flare Bar Leaner

Product	Description	Worktop	Code
	Flare 4 Leg Bar Leaner <i>Black or White Powdercoat Frame</i>	1200 x 750	OG_FLBL1275_#
		1500 x 750	OG_FLBL1575_#
		1800 x 750	OG_FLBL1875_#
		1800 x 900	OG_FLBL189_#
		1800 x 1200	OG_FLBL1812_#
		2100 x 900	OG_FLBL219_#
		2400 x 1200	OG_FLBL2412_#
	Flare 6 Leg Bar Leaner <i>Black or White Powdercoat Frame</i>	3000 x 750	OG_FLBL3075_#
		3600 x 750	OG_FLBL3675_#
		3600 x 900	OG_FLBL369_#
		3600 x 1200	OG_FLBL3612_#
		4800 x 1200	OG_FLBL4812_#

Worktops - Melamine



= **White** - standard.



= **NO (New Oak)** - Select top colour when ordering.

Table Frames - Powdercoat



= **W (White)** - Select frame colour when ordering.



= **B (Black)** - Select frame colour when ordering.

Flare Bar Leaner

Select by Component

Select by Component

Select your product by components from the following pages using the key below for colours and finishes.

1. Select your frame components and colour

2. Select your worktop size and colour



= In-stock



= Made to Order



Worktops - Melamine



= **W (White)** - Select top colour when ordering.



= **NO (New Oak)** - Select top colour when ordering.

Table Frames - Powdercoat



= **B (Black)** - Select frame colour when ordering.



= **W (White)** - Select top colour when ordering.




Components List for AXBTAB1875_B

1. 1 x **AXD1875_W** Flare Straight Table Top W1800 x D750 x H25 mm - White
2. 2 x **AXRAIL34A_B** Flare Rail 340 - Black
3. 2 x **AXRAIL139A_B** Flare Rail 1390 - Black
4. 1 x **FLRBARENDSET_B** Flare Bar Leaner End Leg Set 4 - Black



Flare Bar Leaner

Select by Component

Product	Description	Code	Lead Time
   	Set of 4 End Legs Black/White	End Legs 1025 mm OG_FLRBARENDSET	Packed in singles 
	Set of 2 Mid Legs Black/White	Mid Legs 1025 mm OG_FLRBARMIDSET	Packed in singles
	End-to-end Desk Rails Black/White	340mm (750) OG_AXRAIL34A_#	Packed in singles 
		490 mm (900) OG_AXRAIL49A_#	
		790 mm (1200) OG_AXRAIL79A_#	
		1090 mm (1500) OG_AXRAIL109A_#	
		1390 mm (1800) OG_AXRAIL139A_#	
		1690 mm (2100) OG_AXRAIL169A_#	
	Mid-to-end Desk Rails Black/White	1990 mm (2400) OG_AXRAIL199A_#	Packed in singles 
		2290 mm (2700) OG_AXRAIL229A_#	
		3600 OG_AXRAIL149A_#	
		4800 OG_AXRAIL209A_#	

Product	Description	Code
	1200 x 750	OG_AXD1275_#
	1500 x 750	OG_AXD1575_#
	1600 x 750	OG_AXD1675_#
	1800 x 750	OG_AXD1875_#
	1800 x 900	OG_AXT189_#_T
	1800 x 1200	OG_AXT1812_#_T
	2100 x 900	OG_AXT219_#_T
	2400 x 1200	OG_AXT2412_#_T
	Worktops White/New Oak	Packed in singles



*Take control of your
workspace today.*

Quickstand Desking



Specifications	142
Complete	143

Quickstand

Product Specifications

Specifications

Height Range: 695 - 1175 (frame only)
Weight Capacity: 80kg on worktop (evenly distributed)
Speed: 25mm/s
Noise: ≤48dB
Power Type: 90-230V AC Duty
Cycle: Max 10%
CE Certification
Tested to European standards:
• EN 60335-1:2012+A11:2014 • EN 62233:2008

Features

Height adjustable leg
60 x 60mm leg profile
1100 - 1600 mm rail for frame only
600mm worktop fixing plate
680mm feet standard
4 x Memory setting on handset

Packing Size

Frame packing size:
1060L x 270W x 145H
Weight: 18kg

Handset



Worktops - Melamine

W	## = W (White) - Select top colour when ordering.
NO	## = NO (New Oak) - Select top colour when ordering.

Desk Frames - Powdercoat

W	# = W (White) - Select frame colour when ordering.
B	# = B (Black) - Select frame colour when ordering.




Quickstand

Single Sided Workspaces

Product	Description	Worktop	Code
	Single Sided Desks	1200 x 750	OG_QS1275#_##
	Standard Worktop <i>White/New Oak</i>	1500 x 750	OG_QS1575#_##
		1600 x 750	OG_QS1675#_##
	Single Sided Desks	1500 x 800	OG_QS158#_##
	Scallop Worktop <i>White/New Oak</i>	1600 x 800	OG_QS168#_##



Standard Worktop



Scallop Worktop

Worktops - Melamine



= W (White) - Select top colour when ordering.



= NO (New Oak) - Select top colour when ordering.

Desk Frames - Powdercoat



= W (White) - Select frame colour when ordering.



= B (Black) - Select frame colour when ordering.



*Flexible configurations
for home or office.*

Agile Desking



Specifications	146
Fixed Height	150
Winder Height Adjust	152
Electric 2 column Height Adjust	154
Electric 3 column Height Adjust	157
Agile+ Round Leg	161
Select by Component	164

Specifications

- Fixed height range: 715mm
- Winder height range: 655 - 1105mm
- 2 Column Electric
Height range: 655 - 1105mm
- 3 Column Electric
Height range: 620 - 1260mm
- 90 x 60 mm legs
- Flat foot design - Single desk
- H frame design - Double sided desk
- Available in Fixed, Winder,
Electric 2 Column or 3 Column
- White or black powdercoat finish
- Weight rating 160 kg (evenly distributed)
- Operating noise level: <45 dB

Worktops

- Melamine - 25 mm E1 grade
substrate finished in studio white or
new oak with matching 2 mm PVC
edge
- Scallop cut-out in rear centre 614w x
50d (only available in some sizes)
- 90° two piece worktop with a join at
1200 mm along the left or right hand
side
- 90° & 120° worktops include cable
ports


Power & Data

- In screen or integrated trays


Features




- Handset - Set restricted height range
- Handset - Digital readout
- Anti-collision control

Single Sided Desks - Single & Double Motor




Double Sided Desks - Single & Double Motor




Workstation 90° - Single Motor**Agile+ Workstation 90° / 120° - Triple Motor****Desk/Workstation Frame Heights** (excludes worktop)

Winder Adjust
(Speed 5 mm/turn)



2 Column Electric Adjust
Single Motor
(Speed 22 mm/sec)



3 Column Electric Adjust
Motor Per Leg
(Desk & Workstation)
(Speed 30 mm/sec)

Studio50 Screens

50 mm thickness

Breathe or Splice fabric all over


Light weight rigid core is pinnable

50 mm extruded aluminium frame


Frame finished in white or black powdercoat

Option for ducting with power data punch-outs to suit Elsafe/CMS cables/Sockets/GPO's/Data bezels

Breathe



Splice




Screen Glide Detail




DSD Mounting Detail



Single Sided Screens



Double Sided Screens



Power/Data Option 1

- Studio50 Screen ducting cable management including power/data cutouts
- EXCLUDES: soft wire & fittings

**Power/Data Option 2**

- Inframe cable ducting including power/data mounts
- EXCLUDES: soft wire & fittings

**Power/Data Option 3**

- Side of Tray mounting
- EXCLUDES: soft wire & fittings

**Power/Data Option 4**

- Underdesk basket option

**Return Screens**

- See Studio50 Screen Section - Select by Component

**Wrap Around AcoustiQ Screens**

Pinnable substrate

Left hand and right hand options

100% Polyester recycled PET

Nylon brackets


AcoustiQ



Charcoal Silver Grey



= AcoustiQ Panel



Agile

Desks - Fixed | 715 mm High



Product	Description	Worktop	Code	50+ Frame Only AUD\$
 AGFSSD1575W_NO	Single Sided Desks	1200 x 750	OG_AGFSSD1275#_##	 Contact the team for bulk pricing
		1500 x 750	OG_AGFSSD1575#_##	
		1500 x 800	OG_AGFSSD158#_##	
		1600 x 750	OG_AGFSSD1675#_##	
		1600 x 800	OG_AGFSSD168#_##	
		1800 x 750	OG_AGFSSD1875#_##	
		1800 x 800	OG_AGFSSD188#_##	
 AGFDSD1875B_W	Double Sided Desks* <i>Excludes DSD cable management trays</i>	2@ 1200 x 600	OG_AGFDSD126#_##	 Contact the team for bulk pricing
		2@ 1200 x 750	OG_AGFDSD1275#_##	
		2@ 1500 x 600	OG_AGFDSD156#_##	
		2@ 1500 x 750	OG_AGFDSD1575#_##	
		2@ 1500 x 800	OG_AGFDSD158#_##	
		2@ 1600 x 600	OG_AGFDSD166#_##	
		2@ 1600 x 750	OG_AGFDSD1675#_##	
		2@ 1600 x 800	OG_AGFDSD168#_##	
		2@ 1800 x 600	OG_AGFDSD186#_##	
		2@ 1800 x 750	OG_AGFDSD1875#_##	
		2@ 1800 x 800	OG_AGFDSD188#_##	

Worktops - Melamine



= W (White) - Select top colour when ordering.



= NO (New Oak) - Select top colour when ordering.

Desk Frames - Powdercoat



= W (White) - Select frame colour when ordering.



= B (Black) - Select frame colour when ordering.

Cable Management

* To add cable management trays to double sided desks, change "DSD" to "DSDCM".



DSD





DSDCM

**Agile**

Workstations 90° - Fixed | 715 mm High

Product	Description	Worktop	Code	50+ Frame Only AUD\$
 AGF90181875B_WLH	Single 90° Workstation 90° worktops come in two pieces	1800 x 1800 x 750	OG_AGF90181875#_##LH	 Contact the team for bulk pricing
			OG_AGF90181875#_##RH	
 AGF90D181875W_NO	Double 90° Workstation* Excludes DSD cable management trays 90° worktops come in two pieces	1800 x 1800 x 600	OG_AGF90D18186#_##	
		1800 x 1800 x 750	OG_AGF90D181875#_##	

90° Worktops come in two pieces

**Worktops - Melamine**

= W (White) - Select top colour when ordering.



= NO (New Oak) - Select top colour when ordering.

Desk Frames - Powdercoat

= W (White) - Select frame colour when ordering.



= B (Black) - Select frame colour when ordering.

Cable Management

* To add cable management trays to double sided desks, change "DSD" to "DSDCM".



DSD



DSDCM

Agile

Desks - Winder | 685-1130 mm High



Product	Description	Worktop	Code	50+ Frame Only AUD\$
 AGWSSD1875B_NO	Single Sided Desks	1200 x 750	OG_AGWSSD1275#_##	 Contact the team for bulk pricing
		1500 x 750	OG_AGWSSD1575#_##	
		1500 x 800	OG_AGWSSD158#_##	
		1600 x 750	OG_AGWSSD1675#_##	
		1600 x 800	OG_AGWSSD168#_##	
		1800 x 750	OG_AGWSSD1875#_##	
		1800 x 800	OG_AGWSSD188#_##	
 AGWDSD1875W_NO	Double Sided Desks* <i>Excludes DSD cable management trays</i>	2@ 1200 x 600	OG_AGWDSD126#_##	 Contact the team for bulk pricing
		2@ 1200 x 750	OG_AGWDSD1275#_##	
		2@ 1500 x 600	OG_AGWDSD156#_##	
		2@ 1500 x 750	OG_AGWDSD1575#_##	
		2@ 1500 x 800	OG_AGWDSD158#_##	
		2@ 1600 x 600	OG_AGWDSD166#_##	
		2@ 1600 x 750	OG_AGWDSD1675#_##	
		2@ 1600 x 800	OG_AGWDSD168#_##	
		2@ 1800 x 600	OG_AGWDSD186#_##	
		2@ 1800 x 750	OG_AGWDSD1875#_##	
		2@ 1800 x 800	OG_AGWDSD188#_##	

Worktops - Melamine



= W (White) - Select top colour when ordering.



= NO (New Oak) - Select top colour when ordering.

Desk Frames - Powdercoat



= W (White) - Select frame colour when ordering.



= B (Black) - Select frame colour when ordering.

Cable Management

* To add cable management trays to double sided desks, change "DSD" to "DSDCM".




DSD



DSDCM


**Agile**

Workstations 90° - Winder | 685-1130 mm High

Product	Description	Worktop	Code	50+ Frame Only AUD\$
 AGW90181875W_NOLH	Single 90° Workstation 90° worktops come in two pieces	1800 x 1800 x 750	OG_AGW90181875#_##LH	 Contact the team for bulk pricing
			OG_AGW90181875#_##RH	
 AGW90D181875B_W	Double 90° Workstation* Excludes DSD cable management trays 90° worktops come in two pieces	1800 x 1800 x 600	OG_AGW_W90D18186#_##	
		1800 x 1800 x 750	OG_AGW_W90D181875#_##	

90° Worktops come in two pieces**Frame Components for Right hand**

1 x AGWLEGS_#
 1 x AG2CRAIL1218_#
 1 x AGWLHRLEG_#

**Frame Components for Left hand**

1 x AGWLEGS_#
 1 x AG2CRAIL1218_#
 1 x AGWRHRLEG_#

Worktops - Melamine# = **W (White)** - Select top colour when ordering.# = **NO (New Oak)** - Select top colour when ordering.**Desk Frames - Powdercoat**# = **W (White)** - Select frame colour when ordering.# = **B (Black)** - Select frame colour when ordering.**Cable Management**

* To add cable management trays to double sided desks, change "DSD" to "DSDCM".



DSD



DSDCM

Agile

Desks - Electric 2 Column | Single Motor | 685-1130 mm High



Product	Description	Worktop	Code	50+ Frame Only AUD\$
 AGE2SSDI875W_W	Single Sided Desks	1200 x 750	OG_AGE2SSDI275#_##	 Contact the team for bulk pricing
		1500 x 750	OG_AGE2SSDI575#_##	
		1500 x 800	OG_AGE2SSDI58#_##	
		1600 x 750	OG_AGE2SSDI675#_##	
		1600 x 800	OG_AGE2SSDI68#_##	
		1800 x 750	OG_AGE2SSDI875#_##	
		1800 x 800	OG_AGE2SSDI88#_##	
 AGE2DSDI875B_W	Double Sided Desks* <i>Excludes DSD cable management trays</i>	2@ 1200 x 600	OG_AGE2DSDI26#_##	 Contact the team for bulk pricing
		2@ 1200 x 750	OG_AGE2DSDI275#_##	
		2@ 1500 x 600	OG_AGE2DSDI56#_##	
		2@ 1500 x 750	OG_AGE2DSDI575#_##	
		2@ 1500 x 800	OG_AGE2DSDI58#_##	
		2@ 1600 x 600	OG_AGE2DSDI66#_##	
		2@ 1600 x 750	OG_AGE2DSDI675#_##	
		2@ 1600 x 800	OG_AGE2DSDI68#_##	
		2@ 1800 x 600	OG_AGE2DSDI86#_##	
		2@ 1800 x 750	OG_AGE2DSDI875#_##	
		2@ 1800 x 800	OG_AGE2DSDI88#_##	

Worktops - Melamine

-  **## = W (White)** - Select top colour when ordering.
-  **## = NO (New Oak)** - Select top colour when ordering.

Desk Frames - Powdercoat

-  **# = W (White)** - Select frame colour when ordering.
-  **# = B (Black)** - Select frame colour when ordering.

Cable Management

* To add cable management trays to double sided desks, change "DSD" to "DSDCM".



DSD



DSDCM

**Agile**


Workstations 90° – Electric 2 Column | Single Motor | 685–1130 mm High

Product	Description	Worktop	Code	50+ Frame Only AUD\$
 AGE290181875B_WLH	Single 90° Workstation 90° worktops come in two pieces	1800 x 1800 x 750	OG_AGE290181875#_##LH	 Contact the team for bulk pricing
			OG_AGE290181875#_##RH	
 AGE290D181875B_NO	Double 90° Workstation* Excludes DSD cable management trays 90° worktops come in two pieces	1800 x 1800 x 600	OG_AGE290D18186#_##	
		1800 x 1800 x 750	OG_AGE290D181875#_##	

90° Worktops come in two pieces

Frame Components for Right hand

1 x AGE2LEGLH_#
 1 x AG2CRAIL1218_#
 1 x AGE2RHRLEG_#

**Frame Components for Left hand**

1 x AGE2LEGS_#
 1 x AG2CRAIL1218_#
 1 x AGE2LHRLEG_#

Worktops – Melamine# = **W (White)** – Select top colour when ordering.# = **NO (New Oak)** – Select top colour when ordering.**Desk Frames – Powdercoat**# = **W (White)** – Select frame colour when ordering.# = **B (Black)** – Select frame colour when ordering.**Cable Management**

* To add cable management trays to double sided desks, change "DSD" to "DSDCM".



DSD



DSDCM



*Technology provides
workspace flexibility.*



Tested and certified
to AFRDI standards.
Single Sided Desk Only

Agile+

Desks - Electric 3 Column | Double Motor | 635-1290 mm High

Product	Description	Worktop	Code	50+ Frame Only AUD\$
	Single Sided Desks	1200 x 750	OG_AG2MESSD1275#_##	 Contact the team for bulk pricing
		1500 x 750	OG_AG2MESSD1575#_##	
		1500 x 800	OG_AG2MESSD158#_##	
		1600 x 750	OG_AG2MESSD1675#_##	
		1600 x 800	OG_AG2MESSD168#_##	
		1800 x 750	OG_AG2MESSD1875#_##	
		1800 x 800	OG_AG2MESSD188#_##	
	Double Sided Desks* <i>Excludes DSD cable management trays</i>	2@ 1200 x 600	OG_AG2MEDSD126#_##	 Contact the team for bulk pricing
		2@ 1200 x 750	OG_AG2MEDSD1275#_##	
		2@ 1500 x 600	OG_AG2MEDSD156#_##	
		2@ 1500 x 750	OG_AG2MEDSD1575#_##	
		2@ 1500 x 800	OG_AG2MEDSD158#_##	
		2@ 1600 x 600	OG_AG2MEDSD166#_##	
		2@ 1600 x 750	OG_AG2MEDSD1675#_##	
		2@ 1600 x 800	OG_AG2MEDSD168#_##	
		2@ 1800 x 600	OG_AG2MEDSD186#_##	
		2@ 1800 x 750	OG_AG2MEDSD1875#_##	
		2@ 1800 x 800	OG_AG2MEDSD188#_##	

Worktops - Melamine


= W (White) - Select top colour when ordering.



= NO (New Oak) - Select top colour when ordering.

Desk Frames - Powdercoat


= W (White) - Select frame colour when ordering.



= B (Black) - Select frame colour when ordering.

Cable Management

* To add cable management trays to double sided desks, change "DSD" to "DSDCM".



DSD



DSDCM


Agile+

Workstations 90° & 120° - Electric 3 Column | Triple Motor | 635-1290 mm High



Product	Description	Worktop	Code	50+ Frame Only AUD\$
 AG3MEW181875W_NORH	Single 90° Workstation 90° worktops come in two pieces	1800 x 1800 x 750	OG_AG3MEW181875#_##LH	 Contact the team for bulk pricing
			OG_AG3MEW181875#_##RH	
 AG3ME121275B_W	Single 120° Workstation White Worktop Only	1200 x 1200 x 750	OG_AG3ME121275#_W	 Contact the team for bulk pricing

90° Worktops come in two pieces



Worktops - Melamine

-  ## = **W (White)** - Select top colour when ordering.
-  ## = **NO (New Oak)** - Select top colour when ordering.



Desk Frames - Powdercoat

-  # = **W (White)** - Select frame colour when ordering.
-  # = **B (Black)** - Select frame colour when ordering.



Agile+
Workstations 120° - Electric 3 Column | Triple Motor | 635-1290 mm High

Product	Description	Worktop	Code	50+ Frame Only AUD\$
 Includes Cable Management Trays	Triple 120° Workstation	3 x 1200 x 1200 x 750	OG_AG3MESW12127#_W	 Contact the team for bulk pricing



Worktops - Melamine

W ## = **W (White)** - Select top colour when ordering.

Desk Frames - Powdercoat

W # = **W (White)** - Select frame colour when ordering.
B # = **B (Black)** - Select frame colour when ordering.

A modern office interior featuring a row of white electric height-adjustable desks. Each desk is equipped with a computer monitor, a telephone, and a pencil holder. The desks are set against a concrete wall, and the floor is made of dark wood. A black ergonomic office chair is visible in the foreground. The lighting is provided by long, rectangular pendant lights hanging from the ceiling. The overall aesthetic is clean and professional.

*Fully optioned electric height
programmable desking system,
designed for modern, premium
office spaces.*



Tested and certified
to AFRDI standards.
Single Sided Desk Only

Agile+ Round Leg

Desks - Electric 3 Column | Double Motor | 635-1290 mm High

Product	Description	Worktop	Code	50+ Frame Only AUD\$
	Single Sided Desks	1200 x 750	OG_AG2ROSSD1275#_##	 Contact the team for bulk pricing
		1500 x 750	OG_AG2ROSSD1575#_##	
		1500 x 800	OG_AG2ROSSD158#_##	
		1600 x 750	OG_AG2ROSSD1675#_##	
		1600 x 800	OG_AG2ROSSD168#_##	
		1800 x 750	OG_AG2ROSSD1875#_##	
		1800 x 800	OG_AG2ROSSD188#_##	
	Double Sided Desks*	2@ 1200 x 600	OG_AG2RODSD126#_##	 Contact the team for bulk pricing
		2@ 1200 x 750	OG_AG2RODSD1275#_##	
		2@ 1500 x 600	OG_AG2RODSD156#_##	
		2@ 1500 x 750	OG_AG2RODSD1575#_##	
		2@ 1500 x 800	OG_AG2RODSD158#_##	
		2@ 1600 x 600	OG_AG2RODSD166#_##	
		2@ 1600 x 750	OG_AG2RODSD1675#_##	
		2@ 1600 x 800	OG_AG2RODSD168#_##	
		2@ 1800 x 600	OG_AG2RODSD186#_##	
		2@ 1800 x 750	OG_AG2RODSD1875#_##	
		2@ 1800 x 800	OG_AG2RODSD188#_##	

Worktops - Melamine



= W (White) - Select top colour when ordering.



= NO (New Oak) - Select top colour when ordering.

Desk Frames - Powdercoat



= W (White) - Select frame colour when ordering.



= B (Black) - Select frame colour when ordering.

Cable Management

* To add cable management trays to double sided desks, change "DSD" to "DSDCM".



DSD



DSDCM

1200 add \$120

1500 add \$130

1600 add \$140

1800 add \$150

2100 add \$160


Agile+ Round Leg

Workstations 90° & 120° - Electric 3 Column | Triple Motor | 635-1290 mm High



Product	Description	Worktop	Code	50+ Frame Only AUD\$
 AG3MEW181875W_NORH	Single 90° Workstation 90° worktops come in two pieces	1800 x 1800 x 750	OG_AG3ROW181875#_##LH	 Contact the team for bulk pricing
			OG_AG3ROW181875#_##RH	
 AG3ME121275B_W	Single 120° Workstation White Worktop Only	1200 x 1200 x 750	OG_AG3RO121275#_W	 Contact the team for bulk pricing

90° Worktops come in two pieces



Worktops - Melamine

- W

= W (White) - Select top colour when ordering.
- NO

= NO (New Oak) - Select top colour when ordering.

Desk Frames - Powdercoat

- W

= W (White) - Select frame colour when ordering.
- B

= B (Black) - Select frame colour when ordering.



Agile+

Select by Component

Select by Component

Select your product by components from the following pages using the key below for colours and finishes.

1. Select your frame components and colour

2. Select your worktop size and colour

3. Select your cable management

4. Select your screen type and finish

5. Select your softwire components




= In-stock




= Made to Order


Workspaces



Single Sided



Double Sided



Corners

Worktops - Melamine



= **W (White)** - Select top colour when ordering.



= **NO (New Oak)** - Select top colour when ordering.

Desk/Studio50 Frames - Powdercoat



= **W (White)** - Select frame colour when ordering.



= **B (Black)** - Select frame colour when ordering.

50 mm Studio Screens (White or Black Edge)

= Breathe




= Splice



Slide-on Return Screens

= AcoustiQ Panel









Components List for AGE2DSD1875W + AGCS18STU_W_BB + RETURN SCREENS

1. 1 x STU50918_W_BB Studio Screen 1800w - Breathe Baby Blue
2. 1 x STU50PFIN9_W Studio Panel Finish - White
3. 4 x STU50STAB_W Screen Stabiliser - White
4. 2 x AXD1875_W Axis Straight Desk Top W1800 x D750 x H25 mm
5. 2 x AGWRAIL15-21_W Agile Winder Rail Set 1500-2100 - White
6. 2 x AGDATA_B Agile Cable Tray Data Bracket - Black
7. 2 x AGDSDGPO4_B Agile DSD Cable Tray GPO Bracket - Black
8. 1 x AGDTRAY18_W Agile DSD Cable Tray & Cover 1800 mm - White
9. 2 x AGE2LEGD_W Agile Electric 2C Leg Double Side - White
10. 2 x STU5012075_W_BB Studio Screen 750w - Breathe Baby Blue
11. 1 x STU5093P1200_W Studio Post - White
12. 2 x STU50PFIN12_W Studio Panel Finish - White

Agile

Select by Component | Fixed/Winder/Single Motor



Product	Description	Code	50+ AUD\$	Lead Time
   	Single End Legs <i>Black/White</i>	580mm Foot Option	OG_AGFOOT580_#	Packed in pairs
		Fixed Height 690 mm	OG_AGFLEGS_#	
		Winder 660-1105 mm	OG_AGWLEGS_#	
		2C Electric 660-1105 mm	OG_AGE2LEGS_#	
	Double End Legs <i>Black/White</i> All prices are for one set of legs	Fixed Height 690 mm	OG_AGFLEGD_#	Packed in pairs (two pairs required per setting)
		Winder 660-1105 mm	OG_AGWLEGD_#	
		2C Electric 660-1105 mm	OG_AGE2LEGD_#	
	Beams <i>Black/White</i>	1180 mm (1200)	OG_AGBEAM12_#	Packed in singles (one required per B2B setting)
		1480 mm (1500)	OG_AGBEAM15_#	
		1580 mm (1600)	OG_AGBEAM16_#	
		1780 mm (1800)	OG_AGBEAM18_#	
		2080 mm (2100)	OG_AGBEAM21_#	
	Desk Rails <i>Black/White</i>	1200-1800 for Fixed/W/E2	OG_AG2CRAIL1218_#	Packed in singles (1 req. per seat)
		1800-2400 for Fixed/W/E2	OG_AG2CRAIL1824_#	



Contact the team for bulk pricing

Product	Description	Code		
	Worktops Standard <i>White/New Oak</i>	1200 x 600	OG_AXD126_#	Packed in singles
		1200 x 750	OG_AXD1275_#	
		1500 x 600	OG_AXD156_#	
		1500 x 750	OG_AXD1575_#	
		1600 x 600	OG_AXD166_#	
		1600 x 750	OG_AXD1675_#	
		1800 x 600	OG_AXD186_#	
		1800 x 750	OG_AXD1875_#	
	Worktops Scallop <i>White/New Oak</i>	1500 x 800	OG_AXD1580S_#	Packed in singles
		1600 x 800	OG_AXD1680S_#	
		1800 x 800	OG_AXD1880S_#	

**Agile**

Select by Component | Single Motor

Product	Description	Code	50+ AUD\$	Lead Time
	SSD Trays Black/White	SSD Brackets	OG_AGSSDBRAC_1_#	Packed in pairs
		SSD Tray Mounts	OG_AGTBRAC_#	
		Bridge	OG_AGSBRIDGE_#	
		1200 mm	OG_AGSTRAY12_#	Packed in singles (requires 2 x SSD brackets & 1 x tray bracket per tray)
		1500 mm	OG_AGSTRAY15_#	
		1600 mm	OG_AGSTRAY16_#	
		1800 mm	OG_AGSTRAY18_#	
		2100 mm	OG_AGSTRAY21_#	Packed in singles (one required per B2B setting, replaces the beam)
	DSD Trays Black/White	Bridge	OG_AGDBRIDGE_1_#	
		1200 mm	OG_AGDTRAY12_1_#	
		1500 mm	OG_AGDTRAY15_1_#	
		1600 mm	OG_AGDTRAY16_1_#	
		1800 mm	OG_AGDTRAY18_1_#	
		2100 mm	OG_AGDTRAY21_1_#	Singles
	Cable Management	Cable Cobra	OG_CABCOBRA_W OG_CABCOBRA_B	
		Cable Clutch	OG_CABCLUTCH_W	
		1 x 950 mm	OG_ELBSKT12_W	
		Basket 1 x 1250 mm	OG_ELBSKT15_W	
		2 x 750 mm	OG_ELBSKT18_W	Singles
	GPO & Data Plates Black Only	4 GPO - For SSD	OG_AGSSDGPO_B	
		4 GPO - For DSD	OG_AGDS DGPO4_B	
		4 Data	OG_AGDATA4_B	

Agile+

Select by Component | Double & Triple Motor



Product	Description	Code	50+ AUD\$	Lead Time
	Single End Legs Black/White	580mm Foot Option	OG_AGFOOT580_#	Packed in pairs
		3C 2M Electric 610-1265 mm Rails included in box	OG_AG2MES_#	1 box per desk frame
		3C 2M Electric 610-1265 mm Rails included in box	OG_AG2ROS_# Round Leg	1 box per desk frame
	Single End Legs + Corner Black/White 90° or 120°	580mm Foot Option	OG_AGFOOT580_#	Packed in pairs
		3C 3M Electric 610-1265 mm Rails included in box	OG_AG3ME3WA_# OG_AG3ME3WB_#	2 boxes per W/S frame
		3C 3M Electric 610-1265 mm Rails included in box	OG_AG3RO3WA_# OG_AG2ROD_# Round Leg	2 boxes per W/S frame
	Double End Legs Black/White	3C 2M Electric 610-1265 mm	OG_AG2MED_#	Packed in pairs (two pairs required per setting)
		3C 2M Electric 610-1265 mm	OG_AG3RO3WB_# Round Leg	Packed in pairs (two pairs required per setting)
	Beams Black/White	1180 mm (1200)	OG_AGBEAM12_#	Packed in singles (one required per B2B setting)
		1480 mm (1500)	OG_AGBEAM15_#	
		1580 mm (1600)	OG_AGBEAM16_#	
		1780 mm (1800)	OG_AGBEAM18_#	
		2080 mm (2100)	OG_AGBEAM21_#	
	Desk Rails Black/White	Included in leg boxes to suit 1250-2100 mm		



Contact the team for bulk pricing

**Agile+**

Select by Component | Double & Triple Motor

Product	Description	Code	
	Worktops Desk Standard <i>White/New Oak</i>	1200 x 600	OG_AXD126_#
		1200 x 750	OG_AXD1275_#
		1500 x 600	OG_AXD156_#
		1500 x 750	OG_AXD1575_#
		1600 x 600	OG_AXD166_#
		1600 x 750	OG_AXD1675_#
		1800 x 600	OG_AXD186_#
		1800 x 750	OG_AXD1875_#
	Worktops 90° W/S Standard <i>White/New Oak</i>	1800 x 1800 x 600 <i>Left or Right Hand</i>	OG_AX9W18186_#LH
			OG_AX9W18186_#RH
		1800 x 1800 x 750 <i>Left or Right Hand</i>	OG_AX9W181875_#_LHA
			OG_AX9W181875_#_RHA
			OG_AX9W181875_#_LHB
			OG_AX9W181875_#_RHB
		1200 x 1200 x 600	OG_AX12W12126_W
			OG_AX12W121275_W__T
	Worktops Scallop <i>White/New Oak</i>	1500 x 800	OG_AXD1580S_#
		1600 x 800	OG_AXD1680S_#
		1800 x 800	OG_AXD1880S_#

Packed in singles

Packed in singles

2 boxes per top





Packed in singles

Packed in singles

Agile+

Select by Component | Double & Triple Motor




Product	Description		Code	50+ AUD\$	Lead Time
   	Workstation Bracket	90° (600-750d worktop)	OG_AG90WBRAC_#	50+ AUD\$  Contact the team for bulk pricing	
		120° (600-650d worktop)	OG_AG12W6BRAC_#		
		120° (700-750d worktop)	OG_AG12W7BRAC_#		
	SSD Trays Black/White Trays not compatible with corner workstation frame	SSD Brackets	OG_AGSSDBRAC_1_#		Packed in pairs
		SSD Tray Mounts	OG_AGTBRAC_#		
		90 Degree Bridge	OG_AG90STRAYBRAC_#		Packed in singles
		Bridge	OG_AGSBRIDGE_#		
		1200 mm	OG_AGSTRAY12_#		Packed in singles (requires 2 x SSD brackets & 1 x tray bracket per tray)
		1500 mm	OG_AGSTRAY15_#		
		1600 mm	OG_AGSTRAY16_#		
		1800 mm	OG_AGSTRAY18_#		
		2100 mm	OG_AGSTRAY21_#		
	DSD Trays Black/White	Bridge	OG_AGDBRIDGE_1_#		Packed in singles (one required per B2B setting, replaces the beam)
		1200 mm	OG_AGDTRAY12_1_#		
		1500 mm	OG_AGDTRAY15_1_#		
		1600 mm	OG_AGDTRAY16_1_#		
		1800 mm	OG_AGDTRAY18_1_#		
	Cable Management	Cable Cobra	OG_CABCOBRA_W		Singles
			OG_CABCOBRA_B		
		Cable Clutch	OG_CABCLUTCH_W		Set of 5
		Basket	1 x 950mm OG_ELBSKT12_W		
			1 x 1250mm OG_ELBSKT15_W		
			2 x 750mm OG_ELBSKT18_W		
  	Studio50 Hung Screens Excludes SSD Mounting Brackets	1200 mm	OG_STU50912_#_##		Packed per job
		1500 mm	OG_STU50915_#_##		
		1600 mm	OG_STU50916_#_##		
		1800 mm	OG_STU50918_#_##		
	Standard 1250 mm AFL	Panel Finish	OG_STU50PFIN9_#		
		Stabiliser	OG_STU50STAB_#		
	GPO & Data Plates Black Only	4 GPO - For SSD	OG_AGSSDGPO_B		Singles
		4 GPO - For DSD	OG_AGDSGDGPO4_B		
		4 Data	OG_AGDATA4_B		



Agile+

Select by Component | Shared Triple Motor

Product	Description	Code			45+ AUD\$	Lead Time
	Shared 3 Leg Set Black/White Frame fits 1200-1350 mm	Leg	OG_A6LCL_#	3 per setting	 Contact the team for bulk pricing	
		Tray	OG_A6LCTRAY_#	3 per setting		
		Tray	OG_A6LCTRI_#	1 per setting		
		Leg	OG_A6LLEG_#	3 per setting		

Product	Description	Code	Lead Time
	Worktops 120° W/S Standard White	1200 x 1200 x 600 AX12W12126_W	Packed in singles
		1200 x 1200 x 750 AX12W121275_W_T	

Product	Description	Code	50+ AUD\$	Lead Time
	Cable Management	Cable Cobra OG_CABCOBRA_W OG_CABCOBRA_B	Singles	
		Cable Clutch	OG_CABCLUTCH_W	
		1 x 950 mm	OG_ELBSKT12_W	
		Basket 1 x 1250 mm	OG_ELBSKT15_W	
		2 x 750 mm	OG_ELBSKT18_W	
	Studio50 Hung Screens Excludes SSD Mounting Brackets Standard 1250 mm AFL	1200 mm	OG_STU50912_#_##	Contact the team for bulk pricing
		1500 mm	OG_STU50915_#_##	
		1600 mm	OG_STU50916_#_##	
		1800 mm	OG_STU50918_#_##	
		Panel Finish	OG_STU50PFIN9_#	
		Stabiliser	OG_STU50STAB_W	
	GPO & Data Plates Black Only	4 GPO - For SSD	OG_AGSSDGPO_B	
		4 GPO - For DSD	OG_AGDS DGPO4_B	
		4 Data	OG_AGDATA4_B	
	Radius18-screen Made to Order See more details in Agile Screen Section	1200 mm	OG_AGR18HS12_#_##	
		1500 mm	OG_AGR18HS15_#_##	

A modern office interior featuring a long white desk with several black ergonomic chairs with blue seats. The ceiling is dark with exposed wooden beams and several large, clear, industrial-style light bulbs hanging from it. On the wall, there are three vertical framed artworks made of yellow and green moss. A blue rug is on the floor, and a small potted plant sits on the desk. A laptop and some papers are on the desk on the left, and a computer monitor is on the desk on the right.

*We passionately believe in
providing products that are well
designed and will continue to
deliver now and into the future.*

Plantation

Desking



Specifications	174
Single Sided Desks	176
Desks & Returns	177
Shared Desks	178
Components	179

Plantation

Product Specifications

Cable Management

Prodigy Baskets 750/ 950/ 1250 mm

Cable Clutch

EXCLUDES: power/data

Power Data (optional extra)

Below Desks in basket

Above Desk Pixel

AcoustiQ Screens (clamp on)

10 mm AcoustiQ pinnable substrate

100% Polyester recycled PET

Cast aluminium clamps in white/
black powdercoat (3 types available)

Square finishing on bottom
and 50 mm radius on top

Radius18 Screens

Standard height 400 mm above desk
(can be changed on request)

18 mm nominal thickness

Black Clamp Brackets


Studio50 Screens

Standard height 500 mm above desk
(can be changed on request)


50 mm thickness

Hidden Brackets

Breathe



Splice



Motion Felt (Price on application)



AcoustiQ Panel



Plantation Desking
Workspaces - Desks



Timber sourced from a FSC Certified Forest



Product	Description	Worktop	Code
 OG_PLSD1875_W	Plantation Desk <i>Straight Splay with Full Frame</i>	1200 x 750	OG_PLSD1275_W
		1500 x 750	OG_PLSD1575_W
		1500 x 800	OG_PLSD158_W
		1600 x 750	OG_PLSD1675_W
		1600 x 800	OG_PLSD168_W
		1800 x 750	OG_PLSD1875_W
		1800 x 800	OG_PLSD188_W
		1800 x 900	OG_PLSD189_W

Includes	Frame	Top(s)	Screens	Screen Duct	Software Mounting Plates	Software Cable & Outlets
	✓	✓	✗	✗	✗	✗



Timber sourced from a FSC Certified Forest

Plantation Desking

Workspaces - Desks & Returns, Desk & Returns w/ Modesty

Product	Description	Worktop	Code
 OG_PLSDR1875_W	Plantation Desk & Return Straight Splay with Full Frame (1200 x 750 Return)	1500 x 750	OG_PLSDR1575_W
		1500 x 800	OG_PLSDR158_W
		1600 x 750	OG_PLSDR1675_W
		1600 x 800	OG_PLSDR168_W
		1800 x 750	OG_PLSDR1875_W
		1800 x 800	OG_PLSDR188_W
		1800 x 900	OG_PLSDR189_W

Includes

Frame



Top(s)



Screens



Trays

Softwire
Mounting PlatesSoftwire
Cable & Outlets

Plantation Desking

Workspaces - Shared Desks



Timber sourced from a FSC Certified Forest



Product	Description	Worktop	Code
 OG_PL2DSD1875_W	2 User Plantation Double-Sided Workspace <i>Straight Splay with Full Frame</i> <i>Excludes cable trays</i>	2@ 1200 x 600	OG_PL2DSD126_W
		2@ 1200 x 750	OG_PL2DSD1275_W
		2@ 1500 x 600	OG_PL2DSD156_W
		2@ 1500 x 750	OG_PL2DSD1575_W
		2@ 1500 x 800	OG_PL2DSD158_W
		2@ 1600 x 600	OG_PL2DSD166_W
		2@ 1600 x 750	OG_PL2DSD1675_W
		2@ 1600 x 800	OG_PL2DSD168_W
		2@ 1800 x 600	OG_PL2DSD186_W
		2@ 1800 x 750	OG_PL2DSD1875_W
		2@ 1800 x 800	OG_PL2DSD188_W
 OG_PL4DSD1875_W	4 User Plantation Double-Sided Workspace <i>Straight Splay with Full Frame</i> <i>Excludes cable trays</i>	4@ 1200 x 600	OG_PL4DSD126_W
		4@ 1200 x 750	OG_PL4DSD1275_W
		4@ 1500 x 600	OG_PL4DSD156_W
		4@ 1500 x 750	OG_PL4DSD1575_W
		4@ 1500 x 800	OG_PL4DSD158_W
		4@ 1600 x 600	OG_PL4DSD166_W
		4@ 1600 x 750	OG_PL4DSD1675_W
		4@ 1600 x 800	OG_PL4DSD168_W
		4@ 1800 x 600	OG_PL4DSD186_W
		4@ 1800 x 750	OG_PL4DSD1875_W
		4@ 1800 x 800	OG_PL4DSD188_W

Includes

Frame



Top(s)



Screens



Screen Duct



Softwire Mounting Plates



Softwire Cable & Outlets





Timber sourced from a FSC Certified Forest

Plantation Desking

Workspaces - Shared Desks

Product	Description	Worktop	Code
 OG_PL6DSD1875_W	6 User Plantation Double-Sided Workspace <i>Straight Splay with Full Frame</i> <i>Excludes cable trays</i>	6@ 1200 x 600	OG_PL6DSD126_W
		6@ 1200 x 750	OG_PL6DSD1275_W
		6@ 1500 x 600	OG_PL6DSD156_W
		6@ 1500 x 750	OG_PL6DSD1575_W
		6@ 1500 x 800	OG_PL6DSD158_W
		6@ 1600 x 600	OG_PL6DSD166_W
		6@ 1600 x 750	OG_PL6DSD1675_W
		6@ 1600 x 800	OG_PL6DSD168_W
		6@ 1800 x 600	OG_PL6DSD186_W
		6@ 1800 x 750	OG_PL6DSD1875_W
		6@ 1800 x 800	OG_PL6DSD188_W

Includes

Frame



Top(s)



Screens



Trays



Softwire Mounting Plates









Softwire Cable & Outlets



Plantation Desking

Components



Product	Description		Code		Lead Time
      	Meeting Table Legs 75 degree angle		695 mm	OG_MTTLEG695_OAK	Set of 4 
	Spreader Bars To Suit Straight Legs		710mm (750)	OG_PLEL75_B	Packed in pairs 
			860mm (900)	OG_PLEL9_B	
			1160mm (1200)	OG_PLEL12_B	
			1460mm (1500)	OG_PLEL15_B	
			1560mm (1600)	OG_PLEL16_B	
	Double Sided Spreader bar To suit straight middle legs		710mm (750)	OG_PLML75_B	Packed in singles 
			860mm (900)	OG_PLML9_B	
			1160mm (1200)	OG_PLML12_B	
			1460mm (1500)	OG_PLML15_B	
			1560mm (1600)	OG_PLML16_B	
	Extendable Desk Rails		adj (1200 - 1800)	OG_AXEXTRAIL109_#	Packed in singles 
			adj (1800 - 2400)	OG_AXEXTRAIL169_#	
	Additional Brackets		Plantation Return Bracket	OG_PLRAILMOUNT_B	Packed in singles
			Removable Angle Bracket	OG_AXKDBRAC_#	Packed in pairs 
			Worktop Joining Plate	OG_AXTOPPLATE_W	Packed in pairs



Plantation Desking Components

Product	Description	Code	
	Worktops Standard <i>White/New Oak</i>	1200 x 750	OG_AXD1275_W
		1500 x 750	OG_AXD1575_W
		1600 x 750	OG_AXD1675_W
		1800 x 750	OG_AXD1875_W
		1800 x 900	OG_AXD189_W
		2100 x 900	OG_AXD219_W
	Worktops Scallop <i>White/New Oak</i>	1500 x 800	OG_AXD1580S_W
		1600 x 800	OG_AXD1680S_W
		1800 x 800	OG_AXD1880S_W
	Studio50 Deskmount Screens <i>White or Black Frame</i>	1200 mm	OG_STU50612_#_BR##
		1500 mm	OG_STU50615_#_BR##
		1600 mm	OG_STU50616_#_BR##
		1800 mm	OG_STU50618_#_BR##
		Panel Finish	OG_STU50PFIN6_#
		Brackets	OG_AXS50BKT_#
	Studio50 Return Screens <i>White or Black Frame</i>	650 mm	OG_STU50606_#_BR##
		800 mm	OG_STU50608_#_BR##
		Panel Finish	OG_STU50PFIN6_#
	Softwire Standard Kits <i>White Only</i>	Ceiling Start + 4GPO	OG_530021
		Wall Start + 4GPO	OG_530023
		Desk Kit 4GPO	OG_530024
	Basket	750mm	OG_294800
		950mm	OG_294801
		1250mm	OG_294802
	Radius18 Screens	1200 mm	OG_AGR18CS12_#
		1500 mm	OG_AGR18CS15_#
		1600 mm	OG_AGR18CS16_#
		1800 mm	OG_AGR18CS18_#
		Mid Pole Bracket for DSD	OG_OPCBSCBR_M_W

*All screen prices allow for breathe and splice

A modern office setup featuring a black ergonomic mesh chair with a five-point base and casters. The chair is positioned in front of a light-colored wooden desk. On the desk, a large computer monitor displays a login page with the word "LOGIN" and a red button. To the right of the monitor, there is a small potted cactus and a pen holder with several pens. The background is a plain white wall, and the floor is made of light-colored wood planks.

*Adaptable options
that meet your needs.*

Axis Desking



Specifications	184
Single Desks & Workstations	186
Desk & Return	187
Single & Double Sided Shared - No Screens	188
Single Sided - Screens - Studio50	189
Double Sided - Screens - Studio50	191
Select by Component	192

Frames

50 x 50 mm square legs
50 x 25 mm rails

80 mm height adjustment in
each foot

Arctic white or black
powdercoat finish

Multiple rail positions on each frame

Worktop height 715 mm

Worktops

Melamine - 25 mm E1 grade
substrate finished in studio white or
new oak with matching 2 mm PVC
edge







90° two piece worktop with a join at
1200 mm along the left or right hand
side

90° & 120° worktops include cable
ports

Power & Data

Trays and plates are included with
all workstations priced with screens.
This includes:

- Solid metal segregated cable management trays
- Desktop level power & service mounting plates with cut outs (Cut outs fit Elsafe/CMS quad GPO & data bezels - excludes cable and software outlets)

Single & Double Sided Desks**90° Workstations****120° Workstations**

Studio50 Screens

50 mm thickness

Desktop Mounted500 mm above worktop (approx
1220 mm AFL) (can be modified)**Full Height**1200/1500/1800 mm standard height
options

Breathe or Splice fabric all over







Pinnable core

Screen to desktop brackets included

Powdercoat frame finished in white or
blackOption for ducting with power data
punch-outs to suit Elsafe/CMS cables/
Sockets/GPO's/Data bezels

Option for glazing upgrade

Made to order

Breathe**Splice****Motion Felt**
(Price on application)**Desk Hung Screens****Standard Bracket****Offset Bracket**For use when using
above desk power/
data &/or aligning
with back to back
settings.**Desk Mounted Screens****Return Screens** Split & Slide-on**Slide-on Return Screens**Only compatible with 750 mm
deep worktops and when inset
legs are used

Axis

Workspaces - Single Desks & Workstations



Product

Description

Worktop

Code



AXSD186_NO

Single Workspace

1200 x 600

OG_AXSD126_#

1200 x 750

OG_AXSD1275_#

1500 x 600

OG_AXSD156_#

1500 x 750

OG_AXSD1575_#

1600 x 600

OG_AXSD166_#

1600 x 750

OG_AXSD1675_#

1800 x 600

OG_AXSD186_#

1800 x 750

OG_AXSD1875_#

1800 x 900

OG_AXSD189_#

2100 x 900

OG_AXSD219_#



AXBSD1875M_W

Single Workspace
Includes Melamine
Modesty

1500 x 600

OG_AXSD156M_#

1500 x 750

OG_AXSD1575M_#

1800 x 600

OG_AXSD186M_#

1800 x 750

OG_AXSD1875M_#

1800 x 900


OG_AXSD189M_#



AX9W181875_W_RH

Single 90° Workspace

When ordering 90° workspace
select Right Hand (RH) or Left
Hand (LH) join



1800 x 1800/600

OG_AX9W18186_#_LH

OG_AX9W18186_#_RH

1800 x 1800/750

OG_AX9W181875_#_LH

OG_AX9W181875_#_RH



AXB12W121275_W

Single 120° Workspace

White Worktop Only

1200 x 1200/600



OG_AX12W12126_W


1200 x 1200/750

OG_AX12W121275_W



Axis Workspaces - Desk & Return

Product	Description	Worktop	Code
  AXDR1875126_W_RH	Desk with Left or Right Hand Return When ordering select Right Hand (RH) or Left Hand (LH) Return	1800 x 600/ 900 x 600	OG_AXDR18696_#_LH OG_AXDR18696_#_RH
		1800 x 750/ 900 x 600	OG_AXDR187596_#_LH OG_AXDR187596_#_RH
		1800 x 900/ 900 x 600	OG_AXDR18996_#_LH OG_AXDR18996_#_RH
		1800 x 600/ 1200 x 600	OG_AXDR186126_#_LH OG_AXDR186126_#_RH
		1800 x 750/ 1200 x 600	OG_AXDR1875126_#_LH OG_AXDR1875126_#_RH
		1800 x 900/ 1200 x 600	OG_AXDR189126_#_LH OG_AXDR189126_#_RH
		1800 x 600/ 900 x 600	OG_AXDR18696M_W_LH OG_AXDR18696M_W_RH
		1800 x 750/ 900 x 600	OG_AXDR187596M_W_LH OG_AXDR187596M_W_RH
		1800 x 900/ 900 x 600	OG_AXDR18996M_W_LH OG_AXDR18996M_W_RH
		1800 x 600/ 1200 x 600	OG_AXDR186126M_#_LH OG_AXDR186126M_#_RH
  AXDR1875126M_W_RH	Desk with Left or Right Hand Return Includes Melamine Modesty When ordering select Right Hand (RH) or Left Hand (LH) Return	1800 x 750/ 1200 x 600	OG_AXDR1875126M_#_LH OG_AXDR1875126M_#_RH
		1800 x 900/ 1200 x 600	OG_AXDR189126M_#_LH OG_AXDR189126M_#_RH
		1800 x 600/ 900 x 600	OG_AXDR18696M_W_LH OG_AXDR18696M_W_RH



Components list for AXDR18996_#_RH:

1 x OG_AXLEG890EKD_#
 .5 x OG_AXLEG590EKD_#
 1 x OG_AXRAIL169A_#
 1 x OG_AXRAIL109A_#
 1 x OG_PLRAILMOUNT_#
 2 x OG_AXTOPPLATE_B

Worktops - Melamine



= W (White) - Select top colour when ordering.



= NO (New Oak) - Select top colour when ordering.

Desk Frames - Powdercoat



White - standard.



Black - please replace the **AX** in the above codes with **AXB** when ordering.

Includes

Frame



Top(s)



Screens



Trays



Softwire
Mounting Plates



Softwire
Cable & Outlets



Axis

Workspaces - Desks | Single & Double Sided | No Screens



Product

Description

Worktop

Code



AX2SSD1875_W

2 User Workspace

2@ 1200 x 600	OG_AX2SSD126_#
2@ 1200 x 750	OG_AX2SSD1275_#
2@ 1500 x 600	OG_AX2SSD156_#
2@ 1500 x 750	OG_AX2SSD1575_#
2@ 1500 x 800	OG_AX2SSD158_#
2@ 1600 x 600	OG_AX2SSD166_#
2@ 1600 x 750	OG_AX2SSD1675_#
2@ 1600 x 800	OG_AX2SSD168_#
2@ 1800 x 600	OG_AX2SSD186_#
2@ 1800 x 750	OG_AX2SSD1875_#
2@ 1800 x 800	OG_AX2SSD188_#



AX3SSD1875_W

3 User Workspace

3@ 1200 x 600	OG_AX3SSD126_#
3@ 1200 x 750	OG_AX3SSD1275_#
3@ 1500 x 600	OG_AX3SSD156_#
3@ 1500 x 750	OG_AX3SSD1575_#
3@ 1500 x 800	OG_AX3SSD158_#
3@ 1600 x 600	OG_AX3SSD166_#
3@ 1600 x 750	OG_AX3SSD1675_#
3@ 1600 x 800	OG_AX3SSD168_#
3@ 1800 x 600	OG_AX3SSD186_#
3@ 1800 x 750	OG_AX3SSD1875_#
3@ 1800 x 800	OG_AX3SSD188_#



AX2DSD1675_NO

2 User Double Sided
Workspace

2@ 1200 x 600	OG_AX2DSD126_#
2@ 1200 x 750	OG_AX2DSD1275_#
2@ 1500 x 600	OG_AX2DSD156_#
2@ 1500 x 750	OG_AX2DSD1575_#
2@ 1500 x 800	OG_AX2DSD158_#
2@ 1600 x 600	OG_AX2DSD166_#
2@ 1600 x 750	OG_AX2DSD1675_#
2@ 1600 x 800	OG_AX2DSD168_#
2@ 1800 x 600	OG_AX2DSD186_#
2@ 1800 x 750	OG_AX2DSD1875_#
2@ 1800 x 800	OG_AX2DSD188_#

**Axis**

Workspaces - Desks | Single & Double Sided | No Screens

Product	Description	Worktop	Code
 AX4DSD1875_NO	4 User Double Sided Workspace	4@ 1200 x 600	OG_AX4DSD126_#
		4@ 1200 x 750	OG_AX4DSD1275_#
		4@ 1500 x 600	OG_AX4DSD156_#
		4@ 1500 x 750	OG_AX4DSD1575_#
		4@ 1500 x 800	OG_AX4DSD158_#
		4@ 1600 x 600	OG_AX4DSD166_#
		4@ 1600 x 750	OG_AX4DSD1675_#
		4@ 1600 x 800	OG_AX4DSD168_#
		4@ 1800 x 600	OG_AX4DSD186_#
		4@ 1800 x 750	OG_AX4DSD1875_#
 AX6DSD1875_W	6 User Double Sided Workspace	4@ 1800 x 800	OG_AX4DSD188_#
		6@ 1200 x 600	OG_AX6DSD126_#
		6@ 1200 x 750	OG_AX6DSD1275_#
		6@ 1500 x 600	OG_AX6DSD156_#
		6@ 1500 x 750	OG_AX6DSD1575_#
		6@ 1500 x 800	OG_AX6DSD158_#
		6@ 1600 x 600	OG_AX6DSD166_#
		6@ 1600 x 750	OG_AX6DSD1675_#
		6@ 1600 x 800	OG_AX6DSD168_#
		6@ 1800 x 600	OG_AX6DSD186_#
 AX2SWU181875_NO	2 User 90° Workspace	6@ 1800 x 750	OG_AX6DSD1875_#
		6@ 1800 x 800	OG_AX6DSD188_#
		2@ 1800 x 1800 x 600	OG_AX2SWU18186_#
		2@ 1800 x 1800 x 750	OG_AX2SWU181875_#

Worktops - Melamine# = **W (White)** - Select top colour when ordering.# = **NO (New Oak)** - Select top colour when ordering.**Desk Frames - Powdercoat****White** - standard.**Black** - please replace the **AX** in the above codes with **AXB** when ordering.**Includes**

Frame



Top(s)



Screens



Trays

Softwire
Mounting PlatesSoftwire
Cable & Outlets

Axis

Workspaces - Desks | Single Sided | Screens - Studio50



Product	Description	Worktop	Code
 AXBSD1875_S50_W_W	Single Workspace	1200 x 600	OG_AXSD126_S50_#_##
		1200 x 750	OG_AXSD1275_S50_#_##
		1500 x 600	OG_AXSD156_S50_#_##
		1500 x 750	OG_AXSD1575_S50_#_##
		1800 x 600	OG_AXSD186_S50_#_##
		1800 x 750	OG_AXSD1875_S50_#_##
 AX2SSD1875_S50_W_W	2 User Workspace	2@ 1200 x 600	OG_AX2SSD126_S50_#_##
		2@ 1200 x 750	OG_AX2SSD1275_S50_#_##
		2@ 1500 x 600	OG_AX2SSD156_S50_#_##
		2@ 1500 x 750	OG_AX2SSD1575_S50_#_##
		2@ 1800 x 600	OG_AX2SSD186_S50_#_##
		2@ 1800 x 750	OG_AX2SSD1875_S50_#_##
 AX3SSD186_S50_W_NO	3 User Workspace	3@ 1200 x 600	OG_AX3SSD126_S50_#_##
		3@ 1200 x 750	OG_AX3SSD1275_S50_#_##
		3@ 1500 x 600	OG_AX3SSD156_S50_#_##
		3@ 1500 x 750	OG_AX3SSD1575_S50_#_##
		3@ 1800 x 600	OG_AX3SSD186_S50_#_##
		3@ 1800 x 750	OG_AX3SSD1875_S50_#_##

Worktops - Melamine

W

White - standard.

NO

New Oak - add **_NO** to the end of your code when ordering

Desk Frames - Powdercoat

W

White - standard.

B

Black - please replace the **AX** in the above codes with **AXB** when ordering.

Includes

Frame



Top(s)



Screens



Trays

Software
Mounting PlatesSoftware
Cable & Outlets



Axis

Workspaces - Desks | Double Sided | Screens - Studio50

Product	Description	Worktop	Code
	2 User Shared Workspace	2 @ 1200 x 600	OG_S(AX)2126_#_##
		2 @ 1200 x 750	OG_S(AX)21275_#_##
		2 @ 1500 x 600	OG_S(AX)2156_#_##
		2 @ 1500 x 750	OG_S(AX)21575_#_##
		2 @ 1800 x 600	OG_S(AX)2186_#_##
		2 @ 1800 x 750	OG_S(AX)21875_#_##
	4 User Shared Workspace	4 @ 1200 x 600	OG_S(AX)4126_#_##
		4 @ 1200 x 750	OG_S(AX)41275_#_##
		4 @ 1500 x 600	OG_S(AX)4156_#_##
		4 @ 1500 x 750	OG_S(AX)41575_#_##
		4 @ 1800 x 600	OG_S(AX)4186_#_##
		4 @ 1800 x 750	OG_S(AX)41875_#_##
	6 User Shared Workspace	6 @ 1200 x 600	OG_S(AX)6126_#_##
		6 @ 1200 x 750	OG_S(AX)61275_#_##
		6 @ 1500 x 600	OG_S(AX)6156_#_##
		6 @ 1500 x 750	OG_S(AX)61575_#_##
		6 @ 1800 x 600	OG_S(AX)6186_#_##
		6 @ 1800 x 750	OG_S(AX)61875_#_##

Studio50 Screens Please specify your chosen fabric colour when ordering.

= Breathe



= Splice



Worktops - Melamine



White - standard.

New Oak - add **_NO** to the end of your code when ordering

Desk Frames - Powdercoat



White - standard.

Black - please replace the **AX** in the above codes with **AXB** when ordering.

Includes

Frame



Top(s)



Screens



Trays

Softwire
Mounting PlatesSoftwire
Cable & Outlets

Axis

Select by Component

Select by Component

Select your product by components from the following pages using the key below for colours and finishes.

1. Select your frame components and colour

2. Select your worktop size and colour

3. Select your cable management

4. Select your screen type and finish

5. Select your softwire components




= In-stock




= Made to Order


Workspaces



Single Sided



Double Sided



Corners

Worktops - Melamine



= **W (White)** - Select top colour when ordering.



= **NO (New Oak)** - Select top colour when ordering.

Desk/Studio50 Frames - Powdercoat



= **W (White)** - Select frame colour when ordering.



= **B (Black)** - Select frame colour when ordering.

22 mm Fabric (White Edge Only) or 50 mm Studio Screens (White or Black Edge)

= Breathe





= Splice



Slide-on Return Screens

= AcoustiQ Panel





Components List for AX4DSD1875_LG

1. **1 x AX18053_BRLG** Top Mount Screen 1800 x 525 - Breathe Lime Green
2. **1 x AX_KP510_W** Screen Joining Pole & Top Cap 525H - White
3. **1 x OPCBSCBR_M_W** Axis System Middle Leg Screen Bracket - White
4. **2 x OPCBSCBR_E_W** Axis System End Leg Screen Bracket - White
5. **4 x AXDATA_A_W** Axis Above Desk Power & Data Plate - White
6. **4 x AXD1875_W** Axis Straight Desk Top W1800 x D750 x H25 mm - White
7. **1 x AXLEG162EKD_W** Axis End Leg Set 1620W KD - White
8. **1 x AXLEG132IKD_W** Inset Shared Leg Set 1320W KD - White
9. **4 x AXRAIL169A_W** Axis Rail 1690 - White
10. **2 x AXDTRAY180_W** Double Sided Tray 1680 - White
11. **1 x 530021** Ceiling Start (2700 Umbilical + 3500 Lead + 4GPO + 4 Data Bezels)
12. **3 x 530024** Desk Kit (2000 Lead + 4GPO + 4 Data Bezels)

Axis

Select by Component | Single Sided Workspaces









Product	Description		Code	Lead Time	
	End Legs <i>Black/White</i>	590 mm	OG_AXLEG590EKD_#	Packed in pairs	
		740 mm	OG_AXLEG740EKD_#		
		890 mm	OG_AXLEG890EKD_#		
	Shared Legs <i>Black/White</i>	590 mm	OG_AXLEG590SKD_#	Packed in singles	
		740 mm	OG_AXLEG740SKD_#		
	Desk Rails <i>Black/White</i>	490 mm (600)	OG_AXRAIL49A_#	Packed in singles	
		640 mm (750)	OG_AXRAIL64A_#		
		790 mm (900)	OG_AXRAIL79A_#		
		1090 mm (1200)	OG_AXRAIL109A_#		
		1390 mm (1500)	OG_AXRAIL139A_#		
		1490 mm (1600)	OG_AXRAIL149A_#		
		1690 mm (1800)	OG_AXRAIL169A_#		
		1990 mm (2100)	OG_AXRAIL199A_#		
		2290 mm (2400)	OG_AXRAIL229A_#		
		adj (1200 - 1800)	OG_AXEXTRAIL109_#		
		adj (1800 - 2400)	OG_AXEXTRAIL169_#		
	Modesties <i>Melamine/Metal</i>	White/New Oak	OG_AXM15_#	Packed in singles	
		White/New Oak	OG_AXM18_#		
		White (metal)	OG_AXMMOD18_W		
		Black (metal)	OG_AXMMOD18_B		
	Trays <i>White Only</i>	1080 mm (1200)	OG_AXCTT11_W	Packed in singles	
		1380 mm (1500)	OG_AXCTT14_W		
		1680 mm (1800)	OG_AXCTT17_W		
		1080 mm (1200)	OG_AXCTS11_W		
		1380 mm (1500)	OG_AXCTS14_W		
		1680 mm (1800)	OG_AXCTS17_W		
	Cable Clutch		OG_CABCLUTCH_W	Set of 5	
	Basket	1 x 950 mm	OG_ELBSKT12_W		
		1 x 1250 mm	OG_ELBSKT15_W		
		2 x 750 mm	OG_ELBSKT18_W		

Product	Description		Code		
	Worktops Standard <i>White/New Oak</i>	1200 x 600	OG_AXD126_#	Packed in singles	
		1200 x 750	OG_AXD1275_#		
		1500 x 600	OG_AXD156_#		
		1500 x 750	OG_AXD1575_#		
		1600 x 600	OG_AXD166_#		
		1600 x 750	OG_AXD1675_#		
		1800 x 600	OG_AXD186_#		
		1800 x 750	OG_AXD1875_#		
		1800 x 900	OG_AXD189_#		
		2100 x 900	OG_AXD219_#		
	Worktops Scallop <i>White/New Oak</i>	1500 x 800	OG_AXD1580S_#	Packed in singles	
		1600 x 800	OG_AXD1680S_#		
		1800 x 800	OG_AXD1880S_#		

**Axis**

Select by Component | Single Sided Workspaces

Product	Description			Code	Lead Time
	10mm AcoustiQ	300mm high	1200	OG_AQ_COS_11203_#	Packed to order Cut to Order (10 days)
			1500	OG_AQ_COS_11503_#	
1600			OG_AQ_COS_11603_#		
400mm high		1800	OG_AQ_COS_11803_#		
		1200	OG_AQ_COS_11204_#		
		1500	OG_AQ_COS_11504_#		
	1600	OG_AQ_COS_11604_#			
1800	OG_AQ_COS_11804_#				
	20mm AcoustiQ	300mm high	1200	OG_AQ_COS_21203_#	Packed to order Cut to Order (10 days)
			1500	OG_AQ_COS_21503_#	
			1600	OG_AQ_COS_21603_#	
			1800	OG_AQ_COS_21803_#	
		400mm high	1200	OG_AQ_COS_21204_#	
			1500	OG_AQ_COS_21504_#	
			1600	OG_AQ_COS_21604_#	
			1800	OG_AQ_COS_21804_#	
		500mm high	1200	OG_AQ_COS_21205_#	
			1500	OG_AQ_COS_21505_#	
			1600	OG_AQ_COS_21605_#	
			1800	OG_AQ_COS_21805_#	
	Brackets		OG_ESCRCLAMPISS_B OG_ESCRCLAMPISS_W	Packed in singles	
	Brush Covers 55 mm <i>for 22 mm Screens</i>	1185 mm (1200)	OG_AXBRUSH1185	10 Per box	
1485 mm (1500)		OG_AXBRUSH1485			
1785 mm (1800)		OG_AXBRUSH1785			
	Studio50 Hung Screens <i>White or Black Trim</i>	1200 mm	OG_STU50912_#_##	Packed per project	
		1500 mm	OG_STU50915_#_##		
		1600 mm	OG_STU50916_#_##		
		1800 mm	OG_STU50918_#_##		
		Panel Finish	OG_STU50PFIN9_#		
		Brackets	OG_STU50DFC_#		
	Studio50 Return Screens <i>White or Black Trim</i>	650 mm	OG_STU50606_#_##	Packed per project	
		800 mm	OG_STU50608_#_##		
		Panel Finish	OG_STU50PFIN6_#		
	Slide-on Return Screens	OG_AQ_SOS_20803_#		Price per screen (10 Per box)	
		Data Plates <i>White Only</i>	4GPO	Above	OG_AXDATA_A_#
Below	OG_AXDATA_B_#				
Studio	OG_AXSTUDATA_A_#				
2GPO	OG_AXDATA2_A_#				
	Softwire Standard Kits <i>White Only</i>	Ceiling Start + 4GPO	OG_530021	1 Per carton	
		Wall Start + 4GPO	OG_530023		
		Desk Kit 4GPO	OG_530024		

Axis

Select by Component | Double Sided Workspaces









Product	Description		Code	Lead Time	
	End Legs <i>Black/White</i>	1320 mm	OG_AXLEG132EKD_#	Packed in pairs	
		1620 mm	OG_AXLEG162EKD_#		
	Shared Legs <i>Black/White</i>	1320 mm	OG_AXLEG132SKD_#	Packed in singles	
		1620 mm	OG_AXLEG162SKD_#		
		1320 mm inset	OG_AXLEG132IKD_#		
	Desk Rails <i>Black/White</i>	490 mm (600)	OG_AXRAIL49A_#	Packed in singles	
		640 mm (750)	OG_AXRAIL64A_#		
		790 mm (900)	OG_AXRAIL79A_#		
		1090 mm (1200)	OG_AXRAIL109A_#		
		1390 mm (1500)	OG_AXRAIL139A_#		
		1490 mm (1600)	OG_AXRAIL149A_#		
		1690 mm (1800)	OG_AXRAIL169A_#		
		1990 mm (2100)	OG_AXRAIL199A_#		
		2290 mm (2400)	OG_AXRAIL229A_#		
		adj (1200 - 1800)	OG_AXEXTRAIL109_#		
	Trays <i>White Only</i>	1080 mm (1200)	OG_AXDTRAY120_W	2 Per box	
		1380 mm (1500)	OG_AXDTRAY150_W		
		1680 mm (1800)	OG_AXDTRAY180_W		
	Cable Clutch		OG_CABCLUTCH_W	Set of 5	

Product	Description		Code		
	Worktops Standard <i>White/New Oak</i>	1200 x 600	OG_AXD126_#	Packed in singles	
		1200 x 750	OG_AXD1275_#		
		1500 x 600	OG_AXD156_#		
		1500 x 750	OG_AXD1575_#		
		1600 x 600	OG_AXD166_#		
		1600 x 750	OG_AXD1675_#		
		1800 x 600	OG_AXD186_#		
		1800 x 750	OG_AXD1875_#		
	Worktops Scallop <i>White/New Oak</i>	1500 x 800	OG_AXD1580S_#	Packed in singles	
		1600 x 800	OG_AXD1680S_#		
		1800 x 800	OG_AXD1880S_#		

**Axis**


Select by Component | Double Sided Workspaces

Product	Description		Code		Lead Time
       	20mm AcoustiQ	300mm high	1200	OG_AQ21203_#	Packed to order  Cut to Order (10 days)
			1500	OG_AQ21503_#	
			1600	OG_AQ21603_#	
			1800	OG_AQ21803_#	
		400mm high	1200	OG_AQ21204_#	
			1500	OG_AQ21504_#	
			1600	OG_AQ21604_#	
			1800	OG_AQ21804_#	
		500mm high	1200	OG_AQ21205_#	
			1500	OG_AQ21505_#	
			1600	OG_AQ21605_#	
			1800	OG_AQ21805_#	
	Brackets			OG_AQSSBRAC_AX77_#	Packed in singles 
				OG_AQSSBRAC_AX27_#	
				OG_AQSSBRAC_PL27_#	
	Brush Covers 55 mm <i>for 22 mm Screens</i>	1185 mm		OG_AXBRUSH1185	10 Per box 
		1485 mm		OG_AXBRUSH1485	
		1785 mm		OG_AXBRUSH1785	
	Studio50 Deskmount Screens <i>White or Black Frame</i>	1200 mm		OG_STU50612_#_BR##	Packed per project 
		1500 mm		OG_STU50615_#_BR##	
		1600 mm		OG_STU50616_#_BR##	
		1800 mm		OG_STU50618_#_BR##	
		Panel Finish		OG_STU50PFIN6_#	
		Brackets		OG_AXS50BKT_#	
	Studio50 Return Screens <i>White or Black Frame</i>	650 mm		OG_STU50606_#_BR##	Packed per project 
		800 mm		OG_STU50608_#_BR##	
		Panel Finish		OG_STU50PFIN6_#	
	Brush Covers 40 mm <i>for 50 mm Screens</i>	1185 mm		OG_STBRUSH12	10 Per box 
1485 mm		OG_STBRUSH15			
1785 mm		OG_STBRUSH18			
Slide-on Return Screens		OG_AQ_SOS_20803_#		Price per screen (10 Per box) 	
Data Plates <i>White Only</i>	4GPO	Above	OG_AXDATA_A_#	10 Per box 	
		Below	OG_AXDATA_B_#		
		Studio	OG_AXSTUDATA_A_#		
	2GPO		OG_AX2DATA_A_#		
	Softwire Standard Kits <i>White Only</i>	Ceiling Start + 4GPO			OG_530021
Wall Start + 4GPO		OG_530023			
Desk Kit 4GPO		OG_530024			

Axis

Select by Component | Corners



Product	Description		Code		Lead Time	
	Custom Desk Legs <i>Box of 4</i>		OG_AXLEGESETKD_W		Box of 4 (excl. side rails)	
	Single End Legs	590 mm	OG_AXLEG590EKD_#		Packed in pairs	
		740 mm	OG_AXLEG740EKD_#			
		890 mm	OG_AXLEG890EKD_#			
	Single Shared Legs <i>Black/White</i>	590 mm	OG_AXLEG590SKD_#		Packed in singles	
		740 mm	OG_AXLEG740SKD_#			
	Double End Legs <i>Black/White</i>	1320 mm	OG_AXLEG132EKD_#		Packed in pairs	
		1620 mm	OG_AXLEG162EKD_#			
	Double Shared Legs <i>Black/White</i>	1320 mm	OG_AXLEG132SKD_#		Packed in singles	
		1620 mm	OG_AXLEG162SKD_#			
		1320 mm inset	OG_AXLEG132IKD_#			
120 Degree Legs <i>Black/White</i>	Single	Single	OG_AX1LEG120_#	Packed in singles		
	Combo Legs	2 way	OG_AX2LEG120_#			
		3 way	OG_AX3LEG120KD_#			
90 Degree Legs <i>Black/White</i>	Single	1 way	OG_AX1LEG90KD_#	Packed in singles		
			OG_AX1LEG904KD_#	Box of four		
	Combo Legs	2 way	OG_AX2LEG90KD_#	Packed in singles		
		4 way	OG_AX4LEG90KD_#			
Additional Brackets	Axis Stop End Bracket Black/White Powdercoat		OG_PLRAILMOUNT_#	Packed in singles		
	Desk Rails <i>Black/White</i>	490 mm (600)	OG_AXRAIL49A_#		Packed in singles	
		640 mm (750)	OG_AXRAIL64A_#			
		790 mm (900)	OG_AXRAIL79A_#			
		1090 mm (1200)	OG_AXRAIL109A_#			
		1390 mm (1500)	OG_AXRAIL139A_#			
		1490 mm (1600)	OG_AXRAIL149A_#			
		1690 mm (1800)	OG_AXRAIL169A_#			
		1990 mm (2100)	OG_AXRAIL199A_#			
		2290 mm (2400)	OG_AXRAIL229A_#			
		adj (1200 - 1800)	OG_AXEXTRAIL109_#			
		adj (1800 - 2400)	OG_AXEXTRAIL169_#			

**Let's
collaborate.**





*A sturdy solution to
handle any job.*

Axis Trestle Benching



Specifications	202
2 User workstations	204
4 User workstations	204
6 User workstations	205
Select by Component	206

Trestle Bench

Product Specifications

Frames

50 x 50 mm square legs
50 x 25 mm rails

80 mm height adjustment in each foot

Arctic white or black powdercoat finish

Multiple rail positions on each frame

Worktop height 720 mm

Worktops

Melamine – 25 mm E0 grade substrate finished in studio white or new oak with matching 2 mm PVC edge

Frame Details



Worktops - Melamine

W **White** - Select top colour when ordering.

NO **# = NO (New Oak)** - Select top colour when ordering.


Desk Frames - Powdercoat

W **White** - standard.

B **Black** - please replace the **AX** in the above codes with **AXB** when ordering.

Trestle Bench

Product Specifications



Components List

1. **4 x OG_AXD158S_W** Axis straight worktop with scallop 1500mm x 800mm x 25mm - White
2. **1 x OG_TRESLEG149EKD_B** Trestle End leg set - 1490mm
3. **1 x OG_TRESLEG149SKD_B** Trestle Shared leg - 1490mm
4. **2 x OG_AXBOTRAIL139_B** Axis Bottom Rail - 1390mm
5. **4 x OG_AXRAIL139A_B** Axis Rail - 1390mm

Axis Trestle Bench

Multiple User Workspace



Product	Description	Worktop	Code
 OG_TRES2DSB1575_B_W	2 User Double Sided Workspace	2@ 1200 x 750	OG_TRES2DSB1275_#_##
		2@ 1500 x 750	OG_TRES2DSB1575_#_##
		2@ 1500 x 800	OG_TRES2DSB158_#_##
		2@ 1600 x 750	OG_TRES2DSB1675_#_##
		2@ 1600 x 800	OG_TRES2DSB168_#_##
		2@ 1800 x 750	OG_TRES2DSB1875_#_##
		2@ 1800 x 800	OG_TRES2DSB188_#_##
		2@ 1800 x 900	OG_TRES2DSB189_#_##
		2@ 2100 x 900	OG_TRES2DSB219_#_##
 OG_TRES4DSB1575_W_NO	4 User Double Sided Workspace	4 @ 1200 x 750	OG_TRES4DSB1275_#_##
		4 @ 1500 x 750	OG_TRES4DSB1575_#_##
		4 @ 1500 x 800	OG_TRES4DSB158_#_##
		4 @ 1600 x 750	OG_TRES4DSB1675_#_##
		4 @ 1600 x 800	OG_TRES4DSB168_#_##
		4 @ 1800 x 750	OG_TRES4DSB1875_#_##
		4 @ 1800 x 800	OG_TRES4DSB188_#_##
		4 @ 1800 x 900	OG_TRES4DSB189_#_##
		4 @ 2100 x 900	OG_TRES4DSB219_#_##

Worktops - Melamine



= W (White) - Select top colour when ordering.



= NO (New Oak) - Select top colour when ordering.

Desk Frames - Powdercoat



= W (White) - Select frame colour when ordering.



= B (Black) - Select frame colour when ordering.

Includes

Frame



Top(s)



Screens



Baskets



Software
Mounting Plates



Software
Cable & Outlets





Axis Trestle Bench

Multiple User Workspace

Product	Description	Worktop	Code
 OG_TRES6DSB1575_B_W	6 User Double Sided Workspace	6 @ 1200 x 750	OG_TRES6DSB1275_#_##
		6 @ 1500 x 750	OG_TRES6DSB1575_#_##
		6 @ 1500 x 800	OG_TRES6DSB158_#_##
		6 @ 1600 x 750	OG_TRES6DSB1675_#_##
		6 @ 1600 x 800	OG_TRES6DSB168_#_##
		6 @ 1800 x 750	OG_TRES6DSB1875_#_##
		6 @ 1800 x 800	OG_TRES6DSB188_#_##
		6 @ 1800 x 900	OG_TRES6DSB189_#_##
		6 @ 2100 x 900	OG_TRES6DSB219_#_##

Worktops - Melamine



= W (White) - Select top colour when ordering.



= NO (New Oak) - Select top colour when ordering.

Desk Frames - Powdercoat



= W (White) - Select frame colour when ordering.



= B (Black) - Select frame colour when ordering.

Includes

Frame



Top(s)



Screens



Baskets



Softwire
Mounting Plates







Softwire
Cable & Outlets



Axis Trestle Bench

Select by Component | Multiple User Workspace



Product	Description		Code	Lead Time	
	End Legs <i>Black/White</i>	1490 mm	OG_TRESLEG149EKD_W	Packed in pairs	
		1490 mm	OG_TRESLEG149EKD_B		
	Shared Legs <i>Black/White</i>	1490 mm	OG_TRESLEG149SKD_W	Packed in singles	
		1490 mm	OG_TRESLEG149SKD_B		
	Desk Top Rails <i>Black/White</i>	1090 mm (1200)	OG_AXRAIL109A_#	Packed in singles	
		1390 mm (1500)	OG_AXRAIL139A_#		
		1490 mm (1600)	OG_AXRAIL149A_#		
		1690 mm (1800)	OG_AXRAIL169A_#		
		1990 mm (2100)	OG_AXRAIL199A_#		
		2290 mm (2400)	OG_AXRAIL229A_#		
	Bottom Rails <i>Black/White</i> <i>(No visible holes)</i>	1090 mm (1200)	OG_AXBOTRAIL109_#	Packed in singles	
		1390 mm (1500)	OG_AXBOTRAIL139_#		
		1490 mm (1600)	OG_AXBOTRAIL149_#		
		1690 mm (1800)	OG_AXBOTRAIL169_#		
		1990 mm (2100)	OG_AXBOTRAIL199_#		
		2290 mm (2400)	OG_AXBOTRAIL229_#		
	Studio50 Deskmount Screens <i>White or Black Frame</i> * Price Excludes Motion Felt	1200 mm	OG_STU50612_#_BR##	Packed per project	
		1500 mm	OG_STU50615_#_BR##		
		1600 mm	OG_STU50616_#_BR##		
		1800 mm	OG_STU50618_#_BR##		
		Panel Finish	OG_STU50PFIN6_#		
		Brackets	OG_AXS50BKT_#		
	Studio50 Return Screens <i>White or Black Frame</i>	650 mm	OG_STU50606_#_BR##	Packed per project	
		800 mm	OG_STU50608_#_BR##		
		Panel Finish	OG_STU50PFIN6_#		

**Axis Trestle Bench**

Select by Component | Multiple User Workspace

Product	Description	Code	
	1200 x 600	OG_AXD126_#	
	1200 x 750	OG_AXD1275_#	
	1500 x 600	OG_AXD156_#	
	1500 x 750	OG_AXD1575_#	
	Worktops Standard <i>White/New Oak</i>		Packed in singles
	1600 x 600	OG_AXD166_#	
	1600 x 750	OG_AXD1675_#	
	1800 x 600	OG_AXD186_#	
	1800 x 750	OG_AXD1875_#	
	1500 x 800	OG_AXD1580S_#	
	1600 x 800	OG_AXD1680S_#	Packed in singles
	1800 x 800	OG_AXD1880S_#	
	1 x 950 mm	OG_ELBSKT12_W	
	1 x 1250 mm	OG_ELBSKT15_W	2 per box
	2 x 750 mm	OG_ELBSKT18_W	
	Basket		
	Ceiling Start + 4GPO	OG_530021	
	Wall Start + 4GPO	OG_530023	1 Per carton
	Desk Kit 4GPO	OG_530024	
	Softwire Standard Kits <i>White Only</i>		



*Broaden your horizons and bring
your office to life.*

Axis Stretch



Specifications	210
2 User workstations	212
4 User workstations	212
6 User workstations	213

Axis Stretch

Product Specifications

Frames	Worktops	Features
50mm x 50mm Square legs	Melamine - 25 mm E1 grade substrate finished in studio white or new oak with matching 2 mm PVC edge	Flexible frame widths to accomodate custom worktop depths & variable thicknesses of screens
50mm x 25mm rails		
80 mm height adjustment in each foot		
Arctic White or Black powdercoat finish		

Frame Details




TABLE LEG CONFIGURATION	BEAM & RAIL OPTIONS
 END LEGS Suits overall 1200-1610 width OG_AXLEGADJEKD_# # = White (W), Black (B) Powdercoat	OG_AXRAIL109A# OG_AXRAIL139A# OG_AXRAIL149A# OG_AXRAIL169A# OG_AXRAIL199A# OG_AXRAIL229A# OG_AXEXTRAIL109_# OG_AXEXTRAIL169_#
 MID LEGS Suits overall 1200-1610 width OG_AXLEGADJSKD_W # = White (W), Black (B)	



Axis Stretch



Components List

1. 1 x OG_AXLEGADJEKD_B
2. 1 x OG_AXLEGADJSKD_B
3. 4 x OG_AXRAIL139A_B

Axis Stretch

Frames & Worktops



Product	Description	Worktop	Code
 OG_AXST2DSD1875_NO	2 User Double Sided Workspace	2@ 1200 x 600	OG_AXST2DSD126_#
		2@ 1200 x 750	OG_AXST2DSD1275_#
		2@ 1500 x 600	OG_AXST2DSD156_#
		2@ 1500 x 750	OG_AXST2DSD1575_#
		2@ 1500 x 800	OG_AXST2DSD158_#
		2@ 1600 x 600	OG_AXST2DSD166_#
		2@ 1600 x 750	OG_AXST2DSD1675_#
		2@ 1600 x 800	OG_AXST2DSD168_#
		2@ 1800 x 600	OG_AXST2DSD186_#
		2@ 1800 x 750	OG_AXST2DSD1875_#
 OG_AXST4DSD1875_NO	4 User Double Sided Workspace	2@ 1800 x 800	OG_AXST2DSD188_#
		4@ 1200 x 600	OG_AXST4DSD126_#
		4@ 1200 x 750	OG_AXST4DSD1275_#
		4@ 1500 x 600	OG_AXST4DSD156_#
		4@ 1500 x 750	OG_AXST4DSD1575_#
		4@ 1500 x 800	OG_AXST4DSD158_#
		4@ 1600 x 600	OG_AXST4DSD166_#
		4@ 1600 x 750	OG_AXST4DSD1675_#
		4@ 1600 x 800	OG_AXST4DSD168_#
		4@ 1800 x 600	OG_AXST4DSD186_#
		4@ 1800 x 750	OG_AXST4DSD1875_#
		4@ 1800 x 800	OG_AXST4DSD188_#



Axis Stretch Frames & Worktops

Product	Description	Worktop	Code
 OG_AXST6DSDI675_NO	6 User Double Sided Workspace	6@ 1200 x 600	OG_AXST6DSDI26_#
		6@ 1200 x 750	OG_AXST6DSDI275_#
		6@ 1500 x 600	OG_AXST6DSDI56_#
		6@ 1500 x 750	OG_AXST6DSDI575_#
		6@ 1500 x 800	OG_AXST6DSDI58_#
		6@ 1600 x 600	OG_AXST6DSDI66_#
		6@ 1600 x 750	OG_AXST6DSDI675_#
		6@ 1600 x 800	OG_AXST6DSDI68_#
		6@ 1800 x 600	OG_AXST6DSDI86_#
		6@ 1800 x 750	OG_AXST6DSDI875_#
		6@ 1800 x 800	OG_AXST6DSDI88_#

Worktops - Melamine



= **W (White)** - Select top colour when ordering.



= **NO (New Oak)** - Select top colour when ordering.

Desk Frames - Powdercoat



White - standard.



Black - please replace the **AX** in the above codes with **AXB** when ordering.

Includes

Frame



Top(s)



Screens



Trays



Softwire
Mounting Plates




Softwire
Cable & Outlets



Axis Stretch

Select by Component | Rails & Worktops



Product	Description		Code	
  	End Legs <i>Black/White</i>		OG_AXLEGADJEKD_#	Packed in pairs
	Shared Legs <i>Black/White</i>		OG_AXLEGADJSKD_#	Packed in singles
	Desk Rails <i>Black/White</i>	490 mm (600)	OG_AXRAIL49A_#	Packed in singles
		640 mm (750)	OG_AXRAIL64A_#	
		790 mm (900)	OG_AXRAIL79A_#	
		1090 mm (1200)	OG_AXRAIL109A_#	
		1390 mm (1500)	OG_AXRAIL139A_#	
		1490 mm (1600)	OG_AXRAIL149A_#	
		1690 mm (1800)	OG_AXRAIL169A_#	
		1990 mm (2100)	OG_AXRAIL199A_#	
		2290 mm (2400)	OG_AXRAIL229A_#	
		adj (1200 - 1800)	OG_AXEXTRAIL109_#	
 	Worktops Standard <i>White/New Oak</i>	1200 x 600	OG_AXDI26_#	Packed in singles
		1200 x 750	OG_AXDI275_#	
		1500 x 600	OG_AXDI56_#	
		1500 x 750	OG_AXDI575_#	
		1600 x 600	OG_AXDI66_#	
		1600 x 750	OG_AXDI675_#	
		1800 x 600	OG_AXDI86_#	
		1800 x 750	OG_AXDI875_#	
		1500 x 800	OG_AXDI580S_#	
		1600 x 800	OG_AXDI680S_#	
	Worktops Scallop <i>White/New Oak</i>	1800 x 800	OG_AXDI880S_#	Packed in singles





Workspaces with a vision.

Anvil Desking



Specifications	218
Single Desks & Workstations	220
Single & Double Sided Shared - No Screens	222
Single Sided - Screens - Studio50	224
Double Sided - Screens - Studio50	225
Select by Component	226

Frames

50 x 50 x 50 mm triangle frame with
50 x 25 mm rails

30 mm height adjustment in
each foot

Arctic white or black powdercoat
finish

Multiple rail positions on each frame

Worktop height 715 mm

Worktops

Melamine - 25 mm E1 grade
substrate finished in studio white or
new oak with matching 2 mm PVC
edge







90° two piece worktop with a join at
1200 mm along the left or right hand
side

90° & 120° worktops include cable
ports

Power & Data

Trays and plates are included with
all workstations priced with screens.
This includes:

- Solid metal segregated cable management trays
- Desktop level power & service mounting plates with cutouts (Cutouts fit Elsafe/CMS quad GPO & data bezels - excludes cable and software outlets)

Single & Double Sided Desks**90° Workstations****120° Workstations**

Studio50 Screens

50 mm thickness

Desktop Mounted500 mm above worktop (approx
1220 mm AFL) (can be modified)**Full Height**1200/1500/1800 mm standard height
options

Breathe or Splice fabric all over







Pinnable core

Screen to desktop brackets included

Powdercoat frame finished in white or
blackOption for ducting with power data
punch-outs to suit Elsafe/CMS cables/
Sockets/GPO's/Data bezels

Option for glazing upgrade


Made to order

Breathe**Splice****Motion Felt**
(Price on application)**Desk Hung Screens****Standard Bracket****Offset Bracket**For use when using
above desk power/
data &/or aligning
with back to back
settings.**Desk Mounted Screens****Return Screens** Split & Slide-on**Slide-on Return Screens**Only compatible with 750 mm
deep worktops and when inset
legs are used

Anvil

Workspaces - Single Desks & Workstations



Product	Description	Worktop	Code
 ANSD1875_NO	Single Workspace	1200 x 600	OG_ANSD126_#
		1200 x 750	OG_ANSD1275_#
		1500 x 600	OG_ANSD156_#
		1500 x 750	OG_ANSD1575_#
		1600 x 600	OG_ANSD166_#
		1600 x 750	OG_ANSD1675_#
		1800 x 600	OG_ANSD186_#
		1800 x 750	OG_ANSD1875_#
		1800 x 900	OG_ANSD189_#
		2100 x 900	OG_ANSD219_#
 ANBSD1875M_W	Single Workspace Includes Melamine Modesty	1500 x 600	OG_ANSD156M_#
		1500 x 750	OG_ANSD1575M_#
		1800 x 600	OG_ANSD186M_#
		1800 x 750	OG_ANSD1875M_#
		1800 x 900	OG_ANSD189M_#
  AN9W181875_W	Single 90° Workspace	1800 x 1800/600	OG_AN9W18186_#_LH
			OG_AN9W18186_#_RH
		1800 x 1800/750	OG_AN9W181875_#_LH
			OG_AN9W181875_#_RH
 ANB12W121275_W	Single 120° Workspace	1200 x 1200/600	OG_ANI2W12126_W
		1200 x 1200/750	OG_ANI2W121275_W




When ordering 90° workspace select Right Hand (RH) or Left Hand (LH) join

White Worktop Only



Anvil

Workspaces - Desk & Return

Product	Description	Worktop	Code
  ANBDR1875126_W_RH	Desk with Left or Right Hand Return <i>When ordering select Right Hand (RH) or Left Hand (LH) Return</i>	1800 x 600/ 900 x 600	OG_ANDR18696_W_LH OG_ANDR18696_W_RH
		1800 x 750/ 900 x 600	OG_ANDR187596_W_LH OG_ANDR187596_W_RH
		1800 x 900/ 900 x 600	OG_ANDR18996_W_LH OG_ANDR18996_W_RH
		1800 x 600/1200 x 600	OG_ANDR186126_#_LH OG_ANDR186126_#_RH
		1800 x 750/ 1200 x 600	OG_ANDR1875126_#_LH OG_ANDR1875126_#_RH
		1800 x 900/ 1200 x 600	OG_ANDR189126_#_LH OG_ANDR189126_#_RH
		1800 x 600/ 900 x 600	OG_ANDR18696M_W_LH OG_ANDR18696M_W_RH
		1800 x 750/ 900 x 600	OG_ANDR187596M_W_LH OG_ANDR187596M_W_RH
		1800 x 900/ 900 x 600	OG_ANDR18996M_W_LH OG_ANDR18996M_W_RH
		1800 x 600/ 1200 x 600	OG_ANDR186126M_#_LH OG_ANDR186126M_#_RH
  ANDR1875126M_W_LH	Desk with Left or Right Hand Return Includes Melamine Modesty <i>When ordering select Right Hand (RH) or Left Hand (LH) Return</i>	1800 x 750/ 1200 x 600	OG_ANDR1875126M_#_LH OG_ANDR1875126M_#_RH
		1800 x 900/ 1200 x 600	OG_ANDR189126M_#_LH OG_ANDR189126M_#_RH
		1800 x 600/ 900 x 600	OG_ANDR18696M_W_LH OG_ANDR18696M_W_RH
		1800 x 750/ 900 x 600	OG_ANDR187596M_W_LH OG_ANDR187596M_W_RH

Worktops - Melamine



= W (White) - Select top colour when ordering.



= NO (New Oak) - Select top colour when ordering.

Desk Frames - Powdercoat



White - standard.



Black - please replace the **AN** in the above codes with **ANB** when ordering.

Includes

Frame



Top(s)



Screens



Trays



Softwire
Mounting Plates



Softwire
Cable & Outlets



Anvil

Workspaces - Desks | Single & Double Sided | No Screens

**Product****Description****Worktop****Code****ANB2SSD1875_NO****2 User Workspace**

2@ 1200 x 600	OG_AN2SSD126_#
2@ 1200 x 750	OG_AN2SSD1275_#
2@ 1500 x 600	OG_AN2SSD156_#
2@ 1500 x 750	OG_AN2SSD1575_#
2@ 1500 x 800	OG_AN2SSD158_#
2@ 1600 x 600	OG_AN2SSD166_#
2@ 1600 x 750	OG_AN2SSD1675_#
2@ 1600 x 750	OG_AN2SSD168_#
2@ 1800 x 600	OG_AN2SSD186_#
2@ 1800 x 750	OG_AN2SSD1875_#
2@ 1800 x 800	OG_AN2SSD188_#

**AN3SSD1875_W****3 User Workspace**



3@ 1200 x 600	OG_AN3SSD126_#
3@ 1200 x 750	OG_AN3SSD1275_#
3@ 1500 x 600	OG_AN3SSD156_#
3@ 1500 x 750	OG_AN3SSD1575_#
3@ 1500 x 800	OG_AN3SSD158_#
3@ 1600 x 600	OG_AN3SSD166_#
3@ 1600 x 750	OG_AN3SSD1675_#
3@ 1600 x 800	OG_AN3SSD168_#
3@ 1800 x 600	OG_AN3SSD186_#
3@ 1800 x 750	OG_AN3SSD1875_#
3@ 1800 x 800	OG_AN3SSD188_#

**ANB2DSD1875_W****2 User Double Sided Workspace**

2@ 1200 x 600	OG_AN2DSD126_#
2@ 1200 x 750	OG_AN2DSD1275_#
2@ 1500 x 600	OG_AN2DSD156_#
2@ 1500 x 750	OG_AN2DSD1575_#
2@ 1500 x 800	OG_AN2DSD158_#
2@ 1600 x 600	OG_AN2DSD166_#
2@ 1600 x 750	OG_AN2DSD1675_#
2@ 1600 x 800	OG_AN2DSD168_#
2@ 1800 x 600	OG_AN2DSD186_#
2@ 1800 x 750	OG_AN2DSD1875_#
2@ 1800 x 800	OG_AN2DSD188_#

**Anvil**

Workspaces - Desks | Single & Double Sided | No Screens

Product	Description	Worktop	Code
 AN4DSD1875_NO	4 User Double Sided Workspace	4@ 1200 x 600	OG_AN4DSD126_#
		4@ 1200 x 750	OG_AN4DSD1275_#
		4@ 1500 x 600	OG_AN4DSD156_#
		4@ 1500 x 750	OG_AN4DSD1575_#
		4@ 1500 x 800	OG_AN4DSD158_#
		4@ 1600 x 600	OG_AN4DSD166_#
		4@ 1600 x 750	OG_AN4DSD1675_#
		4@ 1600 x 800	OG_AN4DSD168_#
		4@ 1800 x 600	OG_AN4DSD186_#
		4@ 1800 x 750	OG_AN4DSD1875_#
		4@ 1800 x 800	OG_AN4DSD188_#
 ANB6DSD1875_W	6 User Double Sided Workspace	6@ 1200 x 600	OG_AN6DSD126_#
		6@ 1200 x 750	OG_AN6DSD1275_#
		6@ 1500 x 600	OG_AN6DSD156_#
		6@ 1500 x 750	OG_AN6DSD1575_#
		6@ 1500 x 800	OG_AN6DSD158_#
		6@ 1600 x 600	OG_AN6DSD166_#
		6@ 1600 x 750	OG_AN6DSD1675_#
		6@ 1600 x 800	OG_AN6DSD168_#
		6@ 1800 x 600	OG_AN6DSD186_#
		6@ 1800 x 750	OG_AN6DSD1875_#
		6@ 1800 x 800	OG_AN6DSD188_#
 AN2SWU181875_W	2 User 90° Workspace	2@ 1800 x 1800 x 600	OG_AN2SWU18186_#
		2@ 1800 x 1800 x 750	OG_AN2SWU181875_#

Worktops - Melamine# = **W (White)** - Select top colour when ordering.# = **NO (New Oak)** - Select top colour when ordering.**Desk Frames - Powdercoat****White** - standard.**Black** - please replace the **AN** in the above codes with **ANB** when ordering.**Includes**

Frame



Top(s)



Screens



Trays

Softwire
Mounting PlatesSoftwire
Cable & Outlets

Anvil

Workspaces - Desks | Single Sided | Screens - Studio50



Product	Description	Worktop	Code
	Single Workspace	1200 x 600	OG_ANSD126_S50_#_##
		1200 x 750	OG_ANSD1275_S50_#_##
		1500 x 600	OG_ANSD156_S50_#_##
		1500 x 750	OG_ANSD1575_S50_#_##
		1800 x 600	OG_ANSD186_S50_#_##
		1800 x 750	OG_ANSD1875_S50_#_##
	2 User Workspace	2@ 1200 x 600	OG_AN2SSD126_S50_#_##
		2@ 1200 x 750	OG_AN2SSD1275_S50_#_##
		2@ 1500 x 600	OG_AN2SSD156_S50_#_##
		2@ 1500 x 750	OG_AN2SSD1575_S50_#_##
		2@ 1800 x 600	OG_AN2SSD186_S50_#_##
		2@ 1800 x 750	OG_AN2SSD1875_S50_#_##
	3 User Workspace	3@ 1200 x 600	OG_AN3SSD126_S50_#_##
		3@ 1200 x 750	OG_AN3SSD1275_S50_#_##
		3@ 1500 x 600	OG_AN3SSD156_S50_#_##
		3@ 1500 x 750	OG_AN3SSD1575_S50_#_##
		3@ 1800 x 600	OG_AN3SSD186_S50_#_##
		3@ 1800 x 750	OG_AN3SSD1875_S50_#_##

Worktops - Melamine

W

White - standard.

NO

New Oak - add **_NO** to the end of your code when ordering

Desk Frames - Powdercoat

W

White - standard.

B

Black - please replace the **AN** in the above codes with **ANB** when ordering.

Includes

Frame



Top(s)



Screens



Trays

Softwire
Mounting PlatesSoftwire
Cable & OutletsComseal
Cable Brushes

**Anvil**

Workspaces - Desks | Double Sided | Screens - Studio50

Product	Description	Worktop	Code
	2 User Shared Workspace	2 @ 1200 x 600	OG_S(AN)2126_#_##
		2 @ 1200 x 750	OG_S(AN)21275_#_##
		2 @ 1500 x 600	OG_S(AN)2156_#_##
		2 @ 1500 x 750	OG_S(AN)21575_#_##
		2 @ 1800 x 600	OG_S(AN)2186_#_##
		2 @ 1800 x 750	OG_S(AN)21875_#_##
	4 User Shared Workspace	4 @ 1200 x 600	OG_S(AN)4126_#_##
		4 @ 1200 x 750	OG_S(AN)41275_#_##
		4 @ 1500 x 600	OG_S(AN)4156_#_##
		4 @ 1500 x 750	OG_S(AN)41575_#_##
		4 @ 1800 x 600	OG_S(AN)4186_#_##
		4 @ 1800 x 750	OG_S(AN)41875_#_##
	6 User Shared Workspace	6 @ 1200 x 600	OG_S(AN)6126_#_##
		6 @ 1200 x 750	OG_S(AN)61275_#_##
		6 @ 1500 x 600	OG_S(AN)6156_#_##
		6 @ 1500 x 750	OG_S(AN)61575_#_##
		6 @ 1800 x 600	OG_S(AN)6186_#_##
		6 @ 1800 x 750	OG_S(AN)61875_#_##

Studio50 Screens Please specify your chosen fabric colour when ordering.

= Breathe



= Splice

**Worktops - Melamine****White** - standard.**New Oak** - add **_NO** to the end of your code when ordering**Desk Frames - Powdercoat****White** - standard.**Black** - please replace the **AN** in the above codes with **ANB** when ordering.**Includes**

Frame



Top(s)



Screens



Trays

Softwire
Mounting PlatesSoftwire
Cable & OutletsComseal
Cable Brushes

Select by Component

Select your product by components from the following pages using the key below for colours and finishes.

1. Select your frame components and colour

2. Select your worktop size and colour

3. Select your cable management

4. Select your screen type and finish

5. Select your softwire components




= In-stock




= Made to Order


Workspaces



Single Sided



Double Sided



Corners

Worktops - Melamine



= **W (White)** - Select top colour when ordering.



= **NO (New Oak)** - Select top colour when ordering.

Desk/Studio50 Frames - Powdercoat



= **W (White)** - Select frame colour when ordering.



= **B (Black)** - Select frame colour when ordering.

22 mm Fabric (White Edge Only) or 50 mm Studio Screens (White or Black Edge)

= Breathe





= Splice



Slide-on Return Screens

= AcoustiQ Panel








Components List AN4DSD1875_WS

1. **2 x AX18053TECH_S_W** Top Mount Screen 1800 x 525 - Smoke/White
2. **1 x AX_KP510_W** Screen Joining Pole & Top Cap 525H - White
3. **2 x ANVBRACKEND_W** Anvil Screen Bracket - White
4. **1 x OPCBSCBR_M_W** Axis System Middle Leg Screen Bracket - White
5. **4 x AXDATA_A_W** Axis Above Desk Power & Data Plate - White
6. **4 x AXD1875_W** Axis Straight Desk Top W1800 x D750 x H25 mm - White
7. **1 x ANVLEG162EKD_W** Anvil End Leg Set 1620W KD - White
8. **1 x AXLEG132IKD_W** Inset Shared Leg Set 1320W KD - White
9. **4 x AXRAIL169A_W** Axis Rail 1690 - White
10. **2 x AXDTRAY180_W** Double Sided Tray 1680 - White
11. **1 x 530021** Ceiling Start (2700 Umbilical + 3500 Lead + 4GPO + 4 Data Bezels)
12. **3 x 530024** Desk Kit (2000 Lead + 4GPO + 4 Data Bezels)

Anvil

Select by Component | Single Sided Workspaces









Product	Description	Code	Lead Time
      	End Legs <i>Black/White</i>	590 mm	OG_ANVLEG590EKD_#
		740 mm	OG_ANVLEG740EKD_#
		890 mm	OG_ANVLEG890EKD_#
	Shared Legs <i>Black/White</i>	590 mm	OG_AXLEG590SKD_#
		740 mm	OG_AXLEG740SKD_#
	Desk Rails <i>Black/White</i>	1090 mm (1200)	OG_AXRAIL109A_#
		1390 mm (1500)	OG_AXRAIL139A_#
		1490 mm (1600)	OG_AXRAIL149A_#
		1690 mm (1800)	OG_AXRAIL169A_#
		1990 mm (2100)	OG_AXRAIL199A_#
		2290 mm (2400)	OG_AXRAIL229A_#
		adj (1200 - 1800)	OG_AXEXTRAIL109_#
		adj (1800 - 2400)	OG_AXEXTRAIL169_#
	Modesties <i>Melamine/Metal</i>	White/New Oak	OG_AXM15_#
		White/New Oak	OG_AXM18_#
		White (metal)	OG_AXMMOD18_W
		Black (metal)	OG_AXMMOD18_B
	Trays <i>White Only</i>	1080 mm (1200)	OG_AXCTT11_W
		1380 mm (1500)	OG_AXCTT14_W
		1680 mm (1800)	OG_AXCTT17_W
		1080 mm (1200)	OG_AXCTS11_W
		1380 mm (1500)	OG_AXCTS14_W
		1680 mm (1800)	OG_AXCTS17_W
	Cable Clutch	OG_CABCLUTCH_W	Set of 5
	Basket	1200 mm (600 + 600)	OG_ELBSKT12_W
		1500 mm (600 + 900)	OG_ELBSKT15_W
		1800 mm (900 + 900)	OG_ELBSKT18_W

Product	Description	Code
 	Worktops Standard <i>White/New Oak</i>	1200 x 600
		1200 x 750
		1500 x 600
		1500 x 750
		1600 x 600
		1600 x 750
		1800 x 600
		1800 x 750
		1800 x 900
		2100 x 900
	Worktops Scallop <i>White/New Oak</i>	1500 x 800
		1600 x 800
		1800 x 800
		OG_AXD126_#
		OG_AXD1275_#
		OG_AXD156_#
		OG_AXD1575_#
		OG_AXD166_#
		OG_AXD1675_#
		OG_AXD186_#
		OG_AXD1875_#
		OG_AXD189_#
		OG_AXD219_#
		OG_AXD1580S_#
		OG_AXD1680S_#
		OG_AXD1880S_#

**Anvil**



Select by Component | Single Sided Workspaces


Product	Description			Code	Lead Time		
       	10mm AcoustiQ	300mm high	1200	OG_AQ_COS_11203_#	Packed to order	 Cut to Order (10 days)	
			1500	OG_AQ_COS_11503_#			
			1600	OG_AQ_COS_11603_#			
		400mm high	1800	OG_AQ_COS_11803_#			
			1200	OG_AQ_COS_11204_#			
			1500	OG_AQ_COS_11504_#			
	20mm AcoustiQ	300mm high	1600	OG_AQ_COS_11604_#	Packed to order	 Cut to Order (10 days)	
			1800	OG_AQ_COS_11804_#			
			400mm high	1200			OG_AQ_COS_21203_#
		1500		OG_AQ_COS_21503_#			
		1600		OG_AQ_COS_21603_#			
		500mm high	1800	OG_AQ_COS_21803_#			
			1200	OG_AQ_COS_21204_#			
			1500	OG_AQ_COS_21504_#			
			1600	OG_AQ_COS_21604_#			
		500mm high	1800	OG_AQ_COS_21804_#			
	1200		OG_AQ_COS_21205_#				
	1500		OG_AQ_COS_21505_#				
	1600		OG_AQ_COS_21605_#				
	Brackets			OG_ESCRCLAMPISS_B OG_ESCRCLAMPISS_W	Packed in singles		
		Brush Covers 55 mm for 22 mm Screens	1185 mm (1200)		OG_AXBRUSH1185	10 Per box	
	1485 mm (1500)			OG_AXBRUSH1485			
	1785 mm (1800)			OG_AXBRUSH1785			
	Studio50 Hung Screens White or Black Trim		1200 mm		OG_STU50912_#_##	Packed per project	
			1500 mm		OG_STU50915_#_##		
		1600 mm		OG_STU50916_#_##			
		1800 mm		OG_STU50918_#_##			
		Panel Finish		OG_STU50PFIN9_#			
		Brackets		OG_STU50DFC_#			
Studio50 Return Screens White or Black Trim		650 mm		OG_STU50606_#_##	Packed per project		
		800 mm		OG_STU50608_#_##			
		Panel Finish		OG_STU50PFIN6_#			
Slide-on Return Screens				OG_AQ_SOS_20803_#	Price per screen (10 Per box)		
	Data Plates White Only	4GPO	Above	OG_AXDATA_A_#	10 Per box		
Below			OG_AXDATA_B_#				
Studio			OG_AXSTUDATA_A_#				
Softwire Standard Kits White Only	2GPO			OG_AXDATA2_A_#	1 Per carton		
	Ceiling Start + 4GPO			OG_530021			
	Wall Start + 4GPO			OG_530023			
	Desk Kit 4GPO			OG_530024			

Anvil

Select by Component | Double Sided Workspaces









Product	Description		Code		Lead Time
	End Legs <i>Black/White</i>	1320 mm	ANVLEGI32EKD_#	Packed in pairs	
		1620 mm	ANVLEGI62EKD_#		
	Shared Legs <i>Black/White</i>	1320 mm	OG_AXLEGI32SKD_#	Packed in singles	
		1620 mm	OG_AXLEGI62SKD_#		
		1320 mm inset	OG_AXLEGI32IKD_#		
	Desk Rails <i>Black/White</i>	490 mm (600)	OG_AXRAIL49A_#	Packed in singles	
		640 mm (750)	OG_AXRAIL64A_#		
		790 mm (900)	OG_AXRAIL79A_#		
		1090 mm (1200)	OG_AXRAIL109A_#		
		1390 mm (1500)	OG_AXRAIL139A_#		
		1490 mm (1600)	OG_AXRAIL149A_#		
		1690 mm (1800)	OG_AXRAIL169A_#		
		1990 mm (2100)	OG_AXRAIL199A_#		
		2290 mm (2400)	OG_AXRAIL229A_#		
		adj (1200 - 1800)	OG_AXEXTRAIL109_#		
	Trays <i>White Only</i>	1080 mm (1200)	OG_AXDTRAY120_W	2 Per box	
		1380 mm (1500)	OG_AXDTRAY150_W		
		1680 mm (1800)	OG_AXDTRAY180_W		
	Cable Clutch		OG_CABCLUTCH_W	Set of 5	

Product	Description		Code	
	Worktops Standard <i>White/New Oak</i>	1200 x 600	OG_AXD126_#	Packed in singles
		1200 x 750	OG_AXD1275_#	
		1500 x 600	OG_AXD156_#	
		1500 x 750	OG_AXD1575_#	
		1600 x 600	OG_AXD166_#	
		1600 x 750	OG_AXD1675_#	
		1800 x 600	OG_AXD186_#	
		1800 x 750	OG_AXD1875_#	
		1800 x 900	OG_AXD189_#	
		2100 x 900	OG_AXD219_#	
	Worktops Scallop <i>White/New Oak</i>	1500 x 800	OG_AXD1580S_#	Packed in singles
		1600 x 800	OG_AXD1680S_#	
		1800 x 800	OG_AXD1880S_#	

**Anvil**






Select by Component | Double Sided Workspaces

Product	Description		Code		Lead Time
       	20mm AcoustiQ	300mm high	1200	OG_AQ_COS_21203_#	Packed to order  Cut to Order (10 days)
			1500	OG_AQ_COS_21503_#	
			1600	OG_AQ_COS_21603_#	
			1800	OG_AQ_COS_21803_#	
		400mm high	1200	OG_AQ_COS_21204_#	
			1500	OG_AQ_COS_21504_#	
			1600	OG_AQ_COS_21604_#	
			1800	OG_AQ_COS_21804_#	
		500mm high	1200	OG_AQ_COS_21205_#	
			1500	OG_AQ_COS_21505_#	
			1600	OG_AQ_COS_21605_#	
			1800	OG_AQ_COS_21805_#	
	Brackets			OG_AQSSBRAC_AX77_#	Packed in singles 
				OG_AQSSBRAC_AX27_#	
				OG_AQSSBRAC_PL27_#	
	Brush Covers 55 mm <i>for 22 mm Screens</i>	1185 mm	OG_AXBRUSH1185	10 Per box 	
		1485 mm	OG_AXBRUSH1485		
		1785 mm	OG_AXBRUSH1785		
	Studio50 Deskmount Screens <i>White or Black Frame</i>	1200 mm	OG_STU50612_#_BR##	Packed per project 	
		1500 mm	OG_STU50615_#_BR##		
		1600 mm	OG_STU50616_#_BR##		
		1800 mm	OG_STU50618_#_BR##		
		Panel Finish	OG_STU50PFIN6_#		
		Brackets	OG_AXS50BKT_#		
	Studio50 Return Screens <i>White or Black Frame</i>	650 mm	OG_STU50606_#_BR##	Packed per project 	
		800 mm	OG_STU50608_#_BR##		
		Panel Finish	OG_STU50PFIN6_#		
	Brush Covers 40 mm <i>for 50 mm Screens</i>	1185 mm	OG_STBRUSH12	10 Per box 	
1485 mm		OG_STBRUSH15			
1785 mm		OG_STBRUSH18			
Slide-on Return Screens			OG_AQ_SOS_20803_#	Price per screen (10 Per box) 	
	Data Plates <i>White Only</i>	4GPO	Above	OG_AXDATA_A_#	10 Per box 
Below			OG_AXDATA_B_#		
Studio			OG_AXSTUDATA_A_#		
Softwire Standard Kits <i>White Only</i>	2GPO	OG_AX2DATA_A_#		1 Per carton 	
	Ceiling Start + 4GPO	OG_530021			
	Wall Start + 4GPO	OG_530023			
	Desk Kit 4GPO	OG_530024			


Anvil

Select by Component | Corners



Product	Description			Code	Lead Time	
       	Single End Legs	590 mm	OG_ANVLEG590EKD_#	Packed in pairs		
		740 mm	OG_ANVLEG740EKD_#			
		890 mm	OG_ANVLEG890EKD_#			
	Single Shared Legs <i>Black/White</i>	590 mm	OG_AXLEG590SKD_#	Packed in singles		
		740 mm	OG_AXLEG740SKD_#			
	Double End Legs <i>Black/White</i>	1320 mm	OG_ANVLEG132EKD_#	Packed in pairs		
		1620 mm	OG_ANVLEG162EKD_#			
	Double Shared Legs <i>Black/White</i>	1320 mm	OG_AXLEG132SKD_#	Packed in singles		
		1620 mm	OG_AXLEG162SKD_#			
		1320 mm inset	OG_AXLEG132IKD_#			
	120 Degree Legs <i>Black/White</i>	Single	1 way	OG_AX1LEG120_#	Packed in singles	
		Combo Legs	2 way	OG_AX2LEG120_#		
			3 way	OG_AX3LEG120KD_#		
	90 Degree Legs <i>Black/White</i>	Single	1 way	OG_AX1LEG90KD_#	Packed in singles	
				OG_AX1LEG904KD_#	Box of four	
		Combo Legs	2 way	OG_AX2LEG90KD_#	Packed in singles	
			4 way	OG_AX4LEG90KD_#		
	Additional Brackets	Plantation Return Bracket		OG_PLRAILMOUNT_#	Packed in singles	
	Desk Rails <i>Black/White</i>		1090 mm (1200)	OG_AXRAIL109A_#	Packed in singles	
			1390 mm (1500)	OG_AXRAIL139A_#		
			1490 mm (1600)	OG_AXRAIL149A_#		
			1690 mm (1800)	OG_AXRAIL169A_#		
			1990 mm (2100)	OG_AXRAIL199A_#		
			2290 mm (2400)	OG_AXRAIL229A_#		
			adj (1200 - 1800)	OG_AXEXTRAIL109_#		
			adj (1800 - 2400)	OG_AXEXTRAIL169_#		

**We understand
what good
design can do.**





Stu

Beautifully engineered, highly sophisticated functionality.

Modulus Desking



Specifications	236
Single Desks & Workstations	238
Single & Double Sided - Scallop Top	239

Modulus

Product Specifications

Frames

Black powdercoated posts and rails, polished alloy feet, collars and connectors

Levelling glides

Worktop height 720 mm


Worktops

Melamine - 25 mm E1 grade substrate finished in studio white or new oak with matching 2 mm PVC edge


90° two piece worktop with a join at 1200 mm along the left or right hand side

90° worktops include cable ports


Single Desks





90° Workstations



When ordering select Right Hand (RH) or Left Hand (LH) join



Shared Desks




TOP SHAPE	TOP SIZE	TABLE LEG CONFIGURATION		BEAM & RAIL OPTIONS	
  OR 	600 – 900 mm LENGTH		690 mm Fixed Leg Set AU_FWMOD_06END_B <i>Add 1 upper beam to fit the length of your table top (Table top length 2400 mm max)</i>	UPPER BEAMS One Beam Per Span Single Post Two Beams Per Span Twin Post <u>AU_FWTOPRAIL850_B</u> <u>AU_FWTOPRAIL1100_B</u> <u>AU_FWTOPRAIL1300_B</u> <u>AU_FWTOPRAIL1600_B</u> <u>AU_FWTOPRAIL1900_B</u> <u>AU_FWTOPRAIL2200_B</u> Is your table top longer? Use a combination of beams to suit LOWER BEAMS (TWIN POST FRAMES ONLY) <u>AU_FWBOTRAIL1100_B</u> <u>AU_FWBOTRAIL1300_B</u> <u>AU_FWBOTRAIL1600_B</u> <u>AU_FWBOTRAIL1900_B</u> <u>AU_FWBOTRAIL2200_B</u> WIDTH KITS (PER LEG – TWIN POST FRAMES ONLY) <u>AU_FW1200SET_B</u> (1200 – 1300 mm wide) <u>AU_FW1400SET_B</u> (1400 – 1500 mm wide) <u>AU_FW1600SET_B</u> (1600 – 1900 mm wide) <u>AU_FW1800SET_B</u> (1800 – 2000 mm wide)	
	900 – 1100 mm LENGTH	700 mm DEPTH			690 mm Return Leg Single AU_FWMOD_06MID_B <i>Add 1 upper beam to fit the length of your table top</i>
		600 mm DEPTH			460 mm Return Leg Single AU_FWMOD_05MID_B <i>Add 1 upper beam to fit the length of your table top</i>
1200 – 1900 mm LENGTH	 Twin Post Legs with Collar End Leg Pair AU_FWMOD_04END_B (Desk) Centre Leg AU_FWMOD_04MID_B <i>Add 2 upper and 1 lower beams to fit the length of your table top (each section). Add width kit to suit width of your table. (Table top can be an infinite length)</i>				

Modulus

Workspaces | Single



Product	Description	Worktop	Code
 MD1875C_NO	Single Sided Workspace	1500 x 750	OG_MDI575C_#
		1500 x 800	OG_MDI58C_#
		1800 x 750	OG_MDI875C_#
		1800 x 800	OG_MDI88C_#
		1800 x 900	OG_MDI89C_#
		2100 x 900	OG_MD219C_#
 MW181875C_W	90° Workspace	1800 x 1800/750	OG_MW181875C_#
 	Desk & Left or Right Hand Return	1800 x 600/900 x 600	OG_MDR18696_#_LH OG_MDR18696_#_RH
		1800 x 750/900 x 600	OG_MDR18796_#_LH OG_MDR18796_#_RH
		1800 x 800/900 x 600	OG_MDR18896_#_LH OG_MDR18896_#_RH
		1800 x 900/900 x 600	OG_MDR18996_#_LH OG_MDR18996_#_RH
		2100 x 900/900 x 600	OG_MDR21996_#_LH OG_MDR21996_#_RH
		1800 x 600/1200 x 600	OG_MDR186126_#_LH OG_MDR186126_#_RH
		1800 x 750/1200 x 600	OG_MDR187126_#_LH OG_MDR187126_#_RH
		1800 x 800/1200 x 600	OG_MDR188126_#_LH OG_MDR188126_#_RH
		1800 x 900/1200 x 600	OG_MDR189126_#_LH OG_MDR189126_#_RH
		2100 x 900/1200 x 600	OG_MDR219126_#_LH OG_MDR219126_#_RH

When ordering select
Right Hand (RH) or
Left Hand (LH) Return

Modulus Workspace shown with AcoustiQ Panel modesty
see end of Modulus section for options

Worktops - Melamine

W

= W (White) - Select top colour when ordering.

NO

= NO (New Oak) - Select top colour when ordering.

Includes

Frame

Top(s)

Screens

Trays

Software
Mounting PlatesSoftware
Cable & Outlets

**Modulus**

Workspaces | Shared Single & Double Sided | Scallop Top

Product	Description	Worktop	Code
 MSSD21875C_W	2 User Single Sided Workspace	2@ 1500 x 750	OG_MSSD21575C_#
	<i>Cantilever Leg</i>	2@ 1800 x 750	OG_MSSD21875C_#
 MDSD21875C_NO	2 User Double Sided Workspace	2@ 1500 x 750	OG_MDSD21575C_#
	<i>Twin Collar Straight Leg</i>	2@ 1800 x 750	OG_MDSD21875C_#
 MDSD41875C_W	4 User Double Sided Workspace	4@ 1500 x 750	OG_MDSD41575C_#
	<i>Twin Collar Straight Leg</i>	4@ 1800 x 750	OG_MDSD41875C_#
 MSSD2188C_NO	2 User Single Sided Workspace	2@ 1500 x 800	OG_MSSD2158C_#
	<i>Scallop Top & Cantilever Leg</i>	2@ 1800 x 800	OG_MSSD2188C_#
 MDSD2188C_W	2 User Double Sided Workspace	2@ 1500 x 800	OG_MDSD2158C_#
	<i>Scallop Top & Twin Collar Straight Leg</i>	2@ 1800 x 800	OG_MDSD2188C_#
 MDSD4188C_NO	4 User Double Sided Workspace	4@ 1500 x 800	OG_MDSD4158C_#
	<i>Scallop Top & Twin Collar Straight Leg</i>	4@ 1800 x 800	OG_MDSD4188C_#

Worktops - Melamine

= W (White) - Select top colour when ordering.



= NO (New Oak) - Select top colour when ordering.

Includes

Frame



Top(s)



Screens



Trays

Softwire
Mounting PlatesSoftwire
Cable & Outlets



Purposeful settings where teams can gather and discuss.

EkoSystem

Desking



Specifications	242
Single Desks & Workstations	243
Shared Desks	244

EkoSystem

Product Specifications

Frames

Melamine – 18 mm E1 grade substrate finished in studio white or charcoal with matching 2 mm PVC edge

Worktop height 715 mm

Worktops

Melamine – 25 mm E1 grade substrate finished in studio white or new oak with matching 2 mm PVC edge

90° two piece worktop with a join at 1200 mm along the left or right hand side

Power & Data

Cable ports on all single desks & workstations



Shared desks use Anvil style cable management

Features


Fast assembly system

BIFMA tested fittings


Single Desks



90° Workstations



Double Sided Desks



For screens and accessories see Anvil Select by Component

**EkoSystem**


Workspaces – Single Desks & Workstations | White or New Oak/Charcoal

Product	Description	Worktop	Code
	Managers Desk	1800 x 900	OG_EKSD189_W
		1800 x 750	OG_EKSD1875_W
		1500 x 750	OG_EKSD1575_W
		1200 x 600	OG_EKSD126_W
	Fixed Return	900 x 600	OG_EKDR96_W
	Workstations	1500 x 1500 x 600	OG_EKW15156_W
		1800 x 1800 x 600	OG_EKW18186_W
		1800 x 1800 x 750	OG_EKW181875_W
	Managers Desk	1800 x 900	OG_EKSD189_NOC
		1800 x 750	OG_EKSD1875_NOC
		1500 x 750	OG_EKSD1575_NOC
		1200 x 600	OG_EKSD126_NOC
	Fixed Return	900 x 600	OG_EKDR96_NOC
	Workstations	1500 x 1500 x 600	OG_EKW15156_NOC
		1800 x 1800 x 600	OG_EKW18186_NOC
		1800 x 1800 x 750	OG_EKW181875_NOC

EkoSystem

Workspaces - Shared Desks | White



Product	Description	Worktop	Code
	2 User Double Sided Workspace *#	2@ 1200 x 600	EK2DSD126_W
		2@ 1200 x 750	EK2DSD1275_W
		2@ 1500 x 600	EK2DSD156_W
		2@ 1500 x 750	EK2DSD1575_W
		2@ 1500 x 800	EK2DSD158_W
		2@ 1600 x 600	EK2DSD166_W
		2@ 1600 x 750	EK2DSD1675_W
		2@ 1600 x 800	EK2DSD168_W
		2@ 1800 x 600	EK2DSD186_W
		2@ 1800 x 750	EK2DSD1875_W
		2@ 1800 x 800	EK2DSD188_W
	4 User Double Sided Workspace *#	4@ 1200 x 600	EK4DSD126_W
		4@ 1200 x 750	EK4DSD1275_W
		4@ 1500 x 600	EK4DSD156_W
		4@ 1500 x 750	EK4DSD1575_W
		4@ 1500 x 800	EK4DSD158_W
		4@ 1600 x 600	EK4DSD166_W
		4@ 1600 x 750	EK4DSD1675_W
		4@ 1600 x 800	EK4DSD168_W
		4@ 1800 x 600	EK4DSD186_W
		4@ 1800 x 750	EK4DSD1875_W
		4@ 1800 x 800	EK4DSD188_W

*See screens section for screen options

#See components section for component options

**EkoSystem**

Workspaces – Shared Desks | New Oak/Charcoal

Product	Description	Worktop	Code
	2 User Double Sided Workspace *#	2@ 1200 x 600	EK2DSD126_NOC
		2@ 1200 x 750	EK2DSD1275_NOC
		2@ 1500 x 600	EK2DSD156_NOC
		2@ 1500 x 750	EK2DSD1575_NOC
		2@ 1500 x 800	EK2DSD158_NOC
		2@ 1600 x 600	EK2DSD166_NOC
		2@ 1600 x 750	EK2DSD1675_NOC
		2@ 1600 x 800	EK2DSD168_NOC
		2@ 1800 x 600	EK2DSD186_NOC
		2@ 1800 x 750	EK2DSD1875_NOC
	4 User Double Sided Workspace *#	2@ 1800 x 800	EK2DSD188_NOC
		4@ 1200 x 600	EK4DSD126_NOC
		4@ 1200 x 750	EK4DSD1275_NOC
		4@ 1500 x 600	EK4DSD156_NOC
		4@ 1500 x 750	EK4DSD1575_NOC
		4@ 1500 x 800	EK4DSD158_NOC
		4@ 1600 x 600	EK4DSD166_NOC
		4@ 1600 x 750	EK4DSD1675_NOC
		4@ 1600 x 800	EK4DSD168_NOC
		4@ 1800 x 600	EK4DSD186_NOC
		4@ 1800 x 750	EK4DSD1875_NOC
		4@ 1800 x 800	EK4DSD188_NOC

*See screens section for screen options

#See components section for component options



*Creating spaces within
spaces to improve focus.*

Studio50 Screens



Specifications	248
Desk Mounted	249
Transom Guide	250
Select by Component	252



Studio50
Screens are
Australian
Made.

Studio50

Product Specifications

Studio50 Screens

50 mm thickness

Desktop Mounted

500 mm above worktop (approx 1220 mm AFL) (can be modified)

Full Height

1200/1500/1800 mm standard height options

Breathe or Splice fabric all over

Pinnable core

Screen to desktop brackets included


Powdercoat frame finished in white or black

Option for ducting with power data punch-outs to suit Elsafe/CMS cables/Sockets/GPO's/Data bezels


Option for glazing upgrade

Made to order



Breathe



Splice




Motion Felt (Price on application)



C.O.M

Price on Application



Studio50 Cable Management Panel




Studio50 data punch-out locations



Studio50 Black Frame



Studio50 White Frame



Pinnable Core



Shown: 900 mm high Studio Screen Deskmounted



Studio50 Screens are Australian Made.



Studio50
Screens are
Australian
Made.

Studio50 Deskmount Screens

Product	Description	Screen (H)	Code
	Studio Screen Return Panel 600-900 mm Wide <i>with end seals, pinnable core and standard mounting brackets (fixes to spine screen). Upholstered in Breathe or Splice Fabric</i>	495 mm	OG_STU50DM605_#_##
			OG_STU50DM7505_#_##
			OG_STU50DM805_#_##
	Studio Screen Deskmounted Panel 900 mm Wide <i>with end seals, pinnable core and standard deskmount brackets. Upholstered in Breathe or Splice Fabric</i>	600 mm	OG_STU50DM906_#_##
		900 mm	OG_STU50DM909_#_##
		1200 mm	OG_STU50DM912_#_##
	Studio Screen Deskmounted Panel 1200 mm Wide <i>with end seals, pinnable core and standard deskmount brackets. Upholstered in Breathe or Splice Fabric</i>	600 mm	OG_STU50DM1206_#_##
		900 mm	OG_STU50DM1209_#_##
		1200 mm	OG_STU50DM1212_#_##
	Studio Screen Deskmounted Panel 1500 mm Wide <i>with end seals, pinnable core and standard deskmount brackets. Upholstered in Breathe or Splice Fabric</i>	600 mm	OG_STU50DM1506_#_##
		900 mm	OG_STU50DM1509_#_##
		1200 mm	OG_STU50DM1512_#_##
	Studio Screen Deskmounted Panel 1600 mm Wide <i>with end seals, pinnable core and standard deskmount brackets. Upholstered in Breathe or Splice Fabric</i>	600 mm	OG_STU50DM1606_#_##
		900 mm	OG_STU50DM1609_#_##
		1200 mm	OG_STU50DM1612_#_##
	Studio Screen Deskmounted Panel 1800 mm Wide <i>with end seals, pinnable core and standard deskmount brackets. Upholstered in Breathe or Splice Fabric</i>	600 mm	OG_STU50DM1806_#_##
		900 mm	OG_STU50DM1809_#_##
		1200 mm	OG_STU50DM1812_#_##

Studio50 Frames - Powdercoat



= W (White) - Select frame colour when ordering.



= B (Black) - Select frame colour when ordering.

Studio50 Screens Please specify your chosen fabric colour when ordering.

= Breathe




= Splice



Size


The requirement of a transom is dictated by the maximum width of screen core.



General Rules

Transom required

If both screen dimensions are larger than 1200 mm (eg 1800h x 1500w)




Transom not required

If screen height is 1200 mm or less (eg 1200h x 1800w)




Notes

The maximum width of a single screen is 2000 mm, any screen larger than 2000 mm width will need to be split into 2 screens.




Cable Management has the same effect as a transom.



By adding transoms, you are able to have multiple colour options on your screen.



We recommend running a transom on all adjoining screens at the same height to achieve a uniform aesthetic.




Transom required

Transom not required


Our recommendation

Our standard recommended transom heights:

1200mm
(Standard transom height)720mm
(Fixed desk height)

Fabric

Breathe

Horizontal
(Max screen height 1500mm without transom)

Splice



Directionless

Motion Felt



Directionless



Studio50
Screens are
Australian
Made.



*Simply the best office partition
system in the world.*

Studio50

Select by Component

Select by Component

Select your product by components from the following pages using the key below for colours and finishes.

1. Select your panels and posts

2. Select your upgrades and finishes

3. Select your worktop size, legs and hardware

4. Select your cable management

5. Select your screen accessories




= In-stock




= Made to Order


Workspaces



Single Sided



Double Sided



Corners

Worktops - Melamine



= **W (White)** - Select top colour when ordering.



= **NO (New Oak)** - Select top colour when ordering.

Desk/Studio50 Frames - Powdercoat



= **W (White)** - Select frame colour when ordering.



= **B (Black)** - Select frame colour when ordering.

50 mm Studio Screens (White or Black Edge)

= Breathe




= Splice




Slide-on Return Screens

= AcoustiQ Panel



Studio50

Select by Component



Studio50
Screens are
Australian
Made.

Components List

1. **2 x AXD1575_W** Axis Straight Desk Top W1800 x D750 x H25 - White
2. **1 x STU501215_W_BB** Studio Screen 1500w - Breathe Baby Blue
3. **2 x STU5012075_W_BB** Studio Screen 750w - Breathe Baby Blue
4. **1 x STU509P3P1200_W** Studio Post - White
5. **3 x STU5PFIN12_W** Studio Panel Finish - White
6. **3 x STUSWB60_W** 60mm Small Worktop Bracket - White
7. **2 x AXSTFRAIL128_W** Axis Stiffener Rail 1280mm - White
8. **2 x AXLEGMT1KD_W** Axis Meeting Table Leg Set 1 - White




Studio50

Select by Component



Studio50
Screens are
Australian
Made.



Product	Description	Code	Lead Time
	Studio Floor Mount Panels <i>Panel finishes and brackets not included</i>	600 mm high	OG_STU50606_#_##
		900 mm high	OG_STU50906_#_##
		1200 mm high	OG_STU501206_#_##
		1500 mm high	OG_STU501506_#_##
		1600 mm high	OG_STU501606_#_##
		1800 mm high	OG_STU501806_#_##
		600 mm high	OG_STU50675_#_##
		900 mm high	OG_STU50975_#_##
		1200 mm high	OG_STU501275_#_##
		1500 mm high	OG_STU501575_#_##
		1800 mm high	OG_STU501875_#_##
		600 mm high	OG_STU50609_#_##
		900 mm high	OG_STU50909_#_##
		1200 mm high	OG_STU501209_#_##
		1500 mm high	OG_STU501509_#_##
		1800 mm high	OG_STU501809_#_##
		600 mm high	OG_STU50612_#_##
		900 mm high	OG_STU50912_#_##
		1200 mm high	OG_STU501212_#_##
		1500 mm high	OG_STU501512_#_##
		1800 mm high	OG_STU501812_#_##
		600 mm high	OG_STU50615_#_##
		900 mm high	OG_STU50915_#_##
		1200 mm high	OG_STU501215_#_##
		1500 mm high	OG_STU501515_#_##
		1800 mm high	OG_STU501815_#_##
   	90 Degree Posts <i>Black/White</i>	900 mm high	OG_STU5091P900_#
		1200 mm high	OG_STU5091P1200_#
		1500 mm high	OG_STU5091P1500_#
		1800 mm high	OG_STU5091P1800_#
		900 mm high	OG_STU5092P900_#
		1200 mm high	OG_STU5092P1200_#
		1500 mm high	OG_STU5092P1500_#
		1800 mm high	OG_STU5092P1800_#
		900 mm high	OG_STU5093P900_#
		1200 mm high	OG_STU5093P1200_#
		1500 mm high	OG_STU5093P1500_#
		1800 mm high	OG_STU5093P1800_#
		900 mm high	OG_STU5094P900_#
		1200 mm high	OG_STU5094P1200_#
		1500 mm high	OG_STU5094P1500_#
		1800 mm high	OG_STU5094P1800_#

Packed
per job



Packed
per job











*Total panels on project is more than 50. Variations in panel size accepted.



Studio50
Screens are
Australian
Made.

Studio50

Select by Component

Product	Description		Code	Lead Time	
	120 Degree Post	3 Way Post	900 mm high	OG_STU50I23P900_#	Packed per job 
			1200 mm high	OG_STU50I23P1200_#	
			1500 mm high	OG_STU50I23P1500_#	
			1800 mm high	OG_STU50I23P1800_#	
     	Upgrade	Glazing (300 mm High)	900 mm wide	OG_STU50GLZ90W_UP	Packed per job 
			1200 mm wide	OG_STU50GLZ12#_UP	
			1500 mm wide	OG_STU50GLZ15#_UP	
			1800 mm wide	OG_STU50GLZ18#_UP	
	CM		1200 mm wide	OG_STU50CM12#_UP	
			1500 mm wide	OG_STU50CM15#_UP	
			1600 mm wide	OG_STU50CM16#_UP	
			1800 mm wide	OG_STU50CM18#_UP	
	Finishing	Panel Link		OG_STU50RCP_#	Packed per job 
		Wall Start	600 mm high	OG_STU50WS600_#	
			900 mm high	OG_STU50WS900_#	
			1200 mm high	OG_STU50WS1200_#	
			1500 mm high	OG_STU50WS1500_#	
		Panel Finish	1800 mm high	OG_STU50WS1800_#	
			600mm high	OG_STU50PFIN6_#	
			900mm high	OG_STU50PFIN9_#	
			1200mm high	OG_STU50PFIN12_#	
		Power Pole	1500mm high	OG_STU50PFIN15_#	
			1800mm high	OG_STU50PFIN18_#	
	Feet	Flat Fixed 400 x 40		OG_STU50FSF40_#	Pairs 
		Mobile		OG_STU50FSF60C_#	
   	Worktop Mounting Hardware	Stiffening Rails	1280 mm	OG_AXSTFRAIL128_#	Singles 
			1580 mm	OG_AXSTFRAIL158_#	
		Brackets		OG_STU50DFC_W	Pairs 
				OG_STU50DFC_B	
		Brackets	60 mm	OG_STUSWB60_#	Packed in pairs 
			150 mm	OG_STUSWB150_#	



*Complement any office with
seamless integration.*

Agile Screens



Studio50	259
Radius18	260



*Inspire a more collaborative
working office environment.*



Agile

Screens | Studio50

Product	Description	Screen Width	Code
	Studio Screen for Single Sided Desk <i>Includes desk hung screen brackets, see select by components for cable trays</i>	1200 wide (1250 mm AFL)	AGHS12STU_#_##
		1500 wide (1250 mm AFL)	AGHS15STU_#_##
		1600 wide (1250 mm AFL)	AGHS16STU_#_##
		1800 wide (1250 mm AFL)	AGHS18STU_#_##
	Studio Screen Including Ducting for Single Sided Desk <i>Includes desk hung screen brackets, see select by components for cable trays</i>	1200 wide (1250 mm AFL)	AGHS12STUCD_#_##
		1500 wide (1250 mm AFL)	AGHS15STUCD_#_##
		1600 wide (1250 mm AFL)	AGHS16STUCD_#_##
		1800 wide (1250 mm AFL)	AGHS18STUCD_#_##
	Studio Return Screen Single Sided Desk	750-800 w x 1250 h	See Studio Select by Components
	Studio Screen for Double Sided Desks	1200 wide (1250 mm AFL)	AGCS12STU_#_##
		1500 wide (1250 mm AFL)	AGCS15STU_#_##
		1600 wide (1250 mm AFL)	AGCS16STU_#_##
		1800 wide (1250 mm AFL)	AGCS18STU_#_##
	Studio Screen Including Ducting Double Sided Desks	1200 wide (1250 mm AFL)	AGCS12STUCD_#_##
		1500 wide (1250 mm AFL)	AGCS15STUCD_#_##
		1600 wide (1250 mm AFL)	AGCS16STUCD_#_##
		1800 wide (1250 mm AFL)	AGCS18STUCD_#_##
	Studio Return Screen Double Sided Desks	750-800 w x 1250 h	See Studio Select by Components

Studio50 Frames - Powdercoat

W

= W (White) - Select frame colour when ordering.

B

= B (Black) - Select frame colour when ordering.

Studio50 Screens

= Breathe

N ST RB SB BB FG LG P R TR BRO BUO B SG AG C

= Splice

GR CH BK BL YL GN OR RD LO FS SL SC

Agile
Radius18



Radius18 Screen

40mm radius on all corners

Available in Splice/ Motion Felt/
Breathe Fabrics

Radius18 Screen Desk Capabilities

Agile DSD - mount of crossrail



Agile+ DSD - mount of crossrail

Agile+ Shared Workstation - mount of crossrail

Plantation Desking - clamp off worktop

Trestle DSD - clamp off worktop

Modulus Desking - clamp off worktop

Product	Description	Screen Width	Code
 770 mm	Radius18 Screen for Agile Desks 1200 mm AFL	1190 wide	AGR181277_##
		1490 wide	AGR181577_##
		1590 wide	AGR181677_##
		1790 wide	AGR181877_##
	Brackets to suit R18 Single Sided Agile Desk	SSD Brackets	OG_AGSSDBRAC_#
	Brackets to suit R18 Double Sided Agile Desk	150 mm 2 pairs required Priced as 2x pairs for DSD	OG_STUSWB150_#
		Agile dropper rail 2 rails required Priced as 2x pcs for DSD	OG_AGDROPPERRAIL_#

Radius18 Screens

= Breathe



= Splice





*The power to adjust the limits
of your imagination.*



*Personal space combined with
functionality and safety.*

Hung Screens




SSD - Studio50	264
SSD - Radius18	265
SSD - Axis 22mm White Frame	266
AcoustiQ 20mm	267
AcoustiQ 10mm	268

Hung Screens

SSD - Studio50








Product	Description	Screen (W)	Code
	Hung Screens SSD - Studio50 400mm high (300mm above worktop) with end seals, pinnable core and standard mounting brackets (fixes to spine screen). Upholstered in Breathe or Splice Fabric	1190 mm	OG_STU50412_#_##
		1490 mm	OG_STU50415_#_##
		1590 mm	OG_STU50416_#_##
		1790 mm	OG_STU50418_#_##
	Hung Screens SSD - Studio50 500mm high (400mm above worktop) with end seals, pinnable core and standard mounting brackets (fixes to spine screen). Upholstered in Breathe or Splice Fabric	1190 mm	OG_STU50512_#_##
		1490 mm	OG_STU50515_#_##
		1590 mm	OG_STU50516_#_##
		1790 mm	OG_STU50518_#_##
	Hung Screens SSD - Studio50 600mm high (500mm above worktop) with end seals, pinnable core and standard mounting brackets (fixes to spine screen). Upholstered in Breathe or Splice Fabric	1190 mm	OG_STU50612_#_##
		1490 mm	OG_STU50615_#_##
		1590 mm	OG_STU50616_#_##
		1790 mm	OG_STU50618_#_##
	Hung Screens SSD - Studio50 700mm high (500mm above worktop) with end seals, pinnable core and standard mounting brackets (fixes to spine screen). Upholstered in Breathe or Splice Fabric	1190 mm	OG_STU50712_#_##
		1490 mm	OG_STU50715_#_##
		1590 mm	OG_STU50716_#_##
		1790 mm	OG_STU50718_#_##
	Hung Screens SSD - Studio50 800mm high (500mm above worktop) with end seals, pinnable core and standard mounting brackets (fixes to spine screen). Upholstered in Breathe or Splice Fabric	1190 mm	OG_STU50812_#_##
		1490 mm	OG_STU50815_#_##
		1590 mm	OG_STU50816_#_##
		1790 mm	OG_STU50818_#_##


Product	Description	Code
	Brackets 2 required per screen Packed in pairs	OG_STU50DFC_#
	Panel Finishes 2 per screen	OG_STU50PFIN6_#
	Link Parts 1 per join	OG_STU50PFIN9_#
		OG_STU50PLINK_#



Hung Screens


SSD – Radius18



Product	Description	Screen (W)	Code
	Hung Screens SSD – Radius18 400mm high (300mm above worktop)	1190 mm	OG_R18124_##
		1490 mm	OG_R18154_##
		1590 mm	OG_R18164_##
		1790 mm	OG_R18184_##
	Hung Screens SSD – Radius18 500mm high (400mm above worktop)	1190 mm	OG_R18125_##
		1490 mm	OG_R18155_##
		1590 mm	OG_R18165_##
		1790 mm	OG_R18185_##
	Hung Screens SSD – Radius18 600mm high (500mm above worktop)	1190 mm	OG_R18126_##
		1490 mm	OG_R18156_##
		1590 mm	OG_R18166_##
		1790 mm	OG_R18186_##
	Hung Screens SSD – Radius18 700mm high (500mm above worktop)	1190 mm	OG_R18127_##
		1490 mm	OG_R18157_##
		1590 mm	OG_R18167_##
		1790 mm	OG_R18187_##
	Hung Screens SSD – Radius18 800mm high (500mm above worktop)	1190 mm	OG_R18128_##
		1490 mm	OG_R18158_##
		1590 mm	OG_R18168_##
		1790 mm	OG_R18188_##

Product	Description	Code
	27mm (10mm offset – for 25mm worktops)	OG_AX27SCR900_W
	Brackets 2 required per screen Packed in pairs	
	77mm (10mm offset – for 25mm worktops + rail)	OG_AX77SCR900B_W

Hung Screens
SSD - Axis 22mm White Frame




Product	Description	Screen (W)	Code
	Hung SSD Axis 22mm white frame <i>900mm high (500mm above worktop)</i>	1190 mm	OG_AX12090_#
		1490 mm	OG_AX15090_#
		1790 mm	OG_AX18090_#

Product	Description	Code
 	Brackets <i>2 required per screen</i> <i>Packed in pairs</i>	27mm (10mm offset - for 25mm worktops) OG_OPCBSCBR_M_W
		77mm (10mm offset - for 25mm worktops + rail) OG_AX77SCR900B_W



Hung Screens

AcoustiQ 20mm

Product	Description	Screen (W)	Code
	Hung Screens - AcoustiQ 20mm (fits to underside of worktop - needs 20mm clear under worktop) 400mm high (100 - 300mm above worktop)	1190	OG_AQ_DHS_21204_#
		1490	OG_AQ_DHS_21504_#
		1590	OG_AQ_DHS_21604_#
		1790	OG_AQ_DHS_21804_#
	Hung Screens - AcoustiQ 20mm (fits to underside of worktop - needs 20mm clear under worktop) 500mm high (200 - 300mm above worktop)	1190	OG_AQ_DHS_21205_#
		1490	OG_AQ_DHS_21505_#
		1590	OG_AQ_DHS_21605_#
		1790	OG_AQ_DHS_21805_#
	Hung Screens - AcoustiQ 20mm (fits to underside of worktop - needs 20mm clear under worktop) 600mm high (300mm above worktop)	1190	OG_AQ_DHS_21206_#
		1490	OG_AQ_DHS_21506_#
		1590	OG_AQ_DHS_21606_#
		1790	OG_AQ_DHS_21806_#
Product	Description	Code	
	Brackets Allow 4 per screen Packet of 4 brackets	Screws to underside of worktop OG_EPDBRACK4_B	

Hung Screens

AcoustiQ 10mm




Product	Description	Screen (W)	Code
	Hung Screens - AcoustiQ 10mm (fits to underside of worktop - needs 20mm clear under worktop) 400mm high (100 - 300mm above worktop)	1190 mm	OG_AQ_DHS_11204_#
		1490 mm	OG_AQ_DHS_11504_#
		1590 mm	OG_AQ_DHS_11604_#
		1790 mm	OG_AQ_DHS_11804_#
	Hung Screens - AcoustiQ 10mm (fits to underside of worktop - needs 20mm clear under worktop) 500mm high (200 - 300mm above worktop)	1190 mm	OG_AQ_DHS_11205_#
		1490 mm	OG_AQ_DHS_11505_#
		1590 mm	OG_AQ_DHS_11605_#
		1790 mm	OG_AQ_DHS_11805_#
	Hung Screens - AcoustiQ 10mm (fits to underside of worktop - needs 20mm clear under worktop) 600mm high (300mm above worktop)	1190 mm	OG_AQ_DHS_11206_#
		1490 mm	OG_AQ_DHS_11506_#
		1590 mm	OG_AQ_DHS_11606_#
		1790 mm	OG_AQ_DHS_11806_#

Product	Description	Code
	Brackets Allow 4 per screen Packet of 4 brackets	Screws to underside of worktop OG_EPDBRACK4_B



Wrap Screens

AcoustiQ 10mm

Product	Description	Screen (W)	Code
	Wrap Screens – AcoustiQ 10mm (fits to underside of worktop – needs 20mm clear under worktop) <i>400mm high (100 – 300mm above worktop)</i>	1190 x 600mm	OG_AQW_112604_#
		1490 x 600mm	OG_AQW_115604_#
		1590 x 600mm	OG_AQW_116604_#
		1790 x 600mm	OG_AQW_118604_#
	Wrap Screens – AcoustiQ 10mm (fits to underside of worktop – needs 20mm clear under worktop) <i>500mm high (200 – 300mm above worktop)</i>	1190 x 600mm	OG_AQW_112605_#
		1490 x 600mm	OG_AQW_115605_#
		1590 x 600mm	OG_AQW_116605_#
		1790 x 600mm	OG_AQW_118605_#
	Wrap Screens – AcoustiQ 10mm (fits to underside of worktop – needs 20mm clear under worktop) <i>600mm high (300 – 400mm above worktop)</i>	1190 x 600mm	OG_AQW_112606_#
		1490 x 600mm	OG_AQW_115606_#
		1590 x 600mm	OG_AQW_116606_#
		1790 x 600mm	OG_AQW_118606_#
Product	Description	Code	
	Brackets <i>Allow 4 per screen</i> <i>Packet of 4 brackets</i>	Screws to underside of worktop OG_EPDBRACK4_B	



*A well designed product will always
make life easier.*

Spine Screens





Axis/Anvil/Trestle/Cosmic/Plantation DSD - Studio50	272
Axis/Anvil/Trestle/Cosmic/Plantation DSD - Radius18	273
Axis/Anvil - Axis 22mm	274
AcoustiQ 20mm	275

Spine Screens

Axis/Anvil/Trestle/Cosmic/Plantation – DSD – Studio50




Product	Description	Screen (W)	Code
	Spine Screens – Axis/Anvil DSD – Studio50 <i>300mm high</i>	1200 mm	OG_STU501203_#_##
		1500 mm	OG_STU501503_#_##
		1600 mm	OG_STU501603_#_##
		1800 mm	OG_STU501803_#_##
	Spine Screens – Axis/Anvil DSD – Studio50 <i>400mm high</i>	1200 mm	OG_STU501204_#_##
		1500 mm	OG_STU501504_#_##
		1600 mm	OG_STU501604_#_##
		1800 mm	OG_STU501804_#_##
	Spine Screens – Axis/Anvil DSD – Studio50 <i>500mm high</i>	1200 mm	OG_STU501205_#_##
		1500 mm	OG_STU501505_#_##
		1600 mm	OG_STU501605_#_##
		1800 mm	OG_STU501805_#_##
	Cable Management Duct	1200 mm	OG_STU50CM12#_UP
		1500 mm	OG_STU50CM15#_UP
		1600 mm	OG_STU50CM16#_UP
		1800 mm	OG_STU50CM18#_UP

Product	Description	Code
	Brackets <i>2 required per screen</i> <i>Packed in pairs</i>	OG_AXS50BKT_#
	Panel Finishes <i>2 per screen</i>	OG_STU50PFIN6_#
	Link Parts <i>1 per join</i>	OG_STU50RCP_#




Spine Screens


Trestle/Cosmic/Plantation - DSD - Radius18

Product	Description	Screen (W)	Code
	Spine Screens - Trestle/Cosmic/Plantation - DSD - Radius 18 <i>300mm high</i>	1190 mm	OG_R18123_##
		1490 mm	OG_R18153_##
		1590 mm	OG_R18163_##
		1790 mm	OG_R18183_##
	Spine Screens - Trestle/Cosmic/Plantation - DSD - Radius 18 <i>400mm high</i>	1190 mm	OG_R18124_##
		1490 mm	OG_R18154_##
		1590 mm	OG_R18164_##
		1790 mm	OG_R18184_##
	Spine Screens - Trestle/Cosmic/Plantation - DSD - Radius 18 <i>500mm high (500mm above worktop)</i>	1190 mm	OG_R18125_##
		1490 mm	OG_R18155_##
		1590 mm	OG_R18165_##
		1790 mm	OG_R18185_##
Product	Description	Code	
	Brackets <i>2 required per screen</i> <i>Packed in pairs</i>	Fixed to underside of worktops OG_OPCBSCBR_M_W	

Spine Screens
Axis/Anvil - Axis 22mm






Product	Description	Screen (W)	Code
	Spine Screens Axis/Anvil - Axis 22mm <i>525mm high (500mm above worktop)</i>	1190 mm	OG_AXI2053_#
		1490 mm	OG_AXI5053_#
		1790 mm	OG_AXI8053_#


Product	Description	Code
 	For Anvil End frames	OG_ANVBRACKEND_#
	End Brackets <i>2 required per screen</i> <i>Packed in pairs</i>	For Anvil End frames with full depth (800mm) tops OG_OPBREND1_W
	For Axis End frames	OG_OPCBSCBR_E_W
	Middle Brackets <i>1 required per join in screens</i>	Bracket for all DSD frame types OG_OPCBSCBR_M_W
		Screen join for all DSD frame types OG_AXKP510_W



Spine Screens

AcoustiQ 20mm

Product	Description	Screen (W)	Code
	Spine Screens - AcoustiQ 20mm (fits to all fixed height DSD ranges) <i>400mm high</i>	1190 mm	OG_AQ_COS_21204_#
		1490 mm	OG_AQ_COS_21504_#
		1590 mm	OG_AQ_COS_21604_#
		1790 mm	OG_AQ_COS_21804_#
	Spine Screens - AcoustiQ 20mm (fits to all fixed height DSD ranges) <i>500mm high</i>	1190 mm	OG_AQ_COS_21205_#
		1490 mm	OG_AQ_COS_21505_#
		1590 mm	OG_AQ_COS_21605_#
		1790 mm	OG_AQ_COS_21805_#
	Spine Screens - AcoustiQ 20mm (fits to all fixed height DSD ranges) <i>600mm high</i>	1190 mm	OG_AQ_COS_21206_#
		1490 mm	OG_AQ_COS_21506_#
		1590 mm	OG_AQ_COS_21606_#
		1790 mm	OG_AQ_COS_21806_#

Product	Description	Code
	Hand Fit - fits Axis with rails in normal location	OG_AQSSBRAC_AX77_#
	Hand Fit - fits Axis with rails in inset location	OG_AQSSBRAC_AX27_#
	Hand Fit -fits with 25mm tops set 20mm apart	OG_AQSSBRAC_PL27_#



Quick Clamp Screens



AcoustiQ 10mm	278
AcoustiQ 20mm	279

Quick Clamp Screens
AcoustiQ 10mm



Product	Description	Screen (W)	Code
	Quick Clamp Screens – AcoustiQ 10mm (clamps to worktop – SSD/DSD/ Top Mount) <i>300mm high (2 brackets per screen)</i>	1190 mm	OG_AQ_COS_11203_#
		1490 mm	OG_AQ_COS_11503_#
		1590 mm	OG_AQ_COS_11603_#
		1790 mm	OG_AQ_COS_11803_#
	Quick Clamp Screens – AcoustiQ 10mm (clamps to worktop – SSD/DSD/ Top Mount) <i>400mm high (3 brackets per screen)</i>	1190 mm	OG_AQ_COS_11204_#
		1490 mm	OG_AQ_COS_11504_#
		1590 mm	OG_AQ_COS_11604_#
		1790 mm	OG_AQ_COS_11804_#
	Quick Clamp Screens – AcoustiQ 10mm (clamps to worktop – SSD/DSD/ Top Mount) <i>Cityscapes (3 brackets per screen)</i>	1190 mm	OG_AQ_COS_112_###_#
		1490 mm	OG_AQ_COS_115_###_#
		1590 mm	OG_AQ_COS_116_###_#
		1790 mm	OG_AQ_COS_118_###_#




	Sydney	Manhattan	Brisbane	Meadow
Cityscapes Codes:	## = SYD	## = MAN	## = BRI	###=MEA


Product	Description	Code
	Single sided	OG_ESCRCLAMPISS_#
	Double sided	OG_ESCRCLAMPIDS_#
	Top Mount	OG_ESCRCLAMPIT_#



Quick Clamp Screens

AcoustiQ 20mm

Product	Description	Screen (W)	Code
	Quick Clamp Screens – AcoustiQ 20mm (clamps to worktop – SSD/DSD/Top Mount) <i>300mm high (2 brackets per screen)</i>	1190 mm	OG_AQ_COS_21204_#
		1490 mm	OG_AQ_COS_21504_#
		1590 mm	OG_AQ_COS_21604_#
		1790 mm	OG_AQ_COS_21804_#
	Quick Clamp Screens – AcoustiQ 20mm (clamps to worktop – SSD/DSD/Top Mount) <i>400mm high (3 brackets per screen)</i>	1190 mm	OG_AQ_COS_21205_#
		1490 mm	OG_AQ_COS_21505_#
		1590 mm	OG_AQ_COS_21605_#
		1790 mm	OG_AQ_COS_21805_#
	Quick Clamp Screens – AcoustiQ 20mm (clamps to worktop – SSD/DSD/Top Mount) <i>500mm high (3 brackets per screen)</i>	1190 mm	OG_AQ_COS_21206_#
		1490 mm	OG_AQ_COS_21506_#
		1590 mm	OG_AQ_COS_21606_#
		1790 mm	OG_AQ_COS_21806_#

Product	Description	Code
	Single sided	OG_ESCRCLAMP1SS_#
	Double sided	OG_ESCRCLAMP1DS_#
	Top Mount	OG_ESCRCLAMP1T_#



Slide-on Screens



AcoustiQ 20mm

282

Slide-on Screens
AcoustiQ 20mm



Product	Description	Screen (W)	Code
	Slide-on Screens - AcoustiQ 20mm 300mm high	600mm	OG_AQ2SLS0603_#
		800mm	OG_AQ2SLS0803_#
	Slide-on Screens - AcoustiQ 20mm 400mm high	600mm	OG_AQ2SLS0604_#
		800mm	OG_AQ2SLS0804_#
	Slide-on Screens - AcoustiQ 20mm 500mm high	600mm	OG_AQ2SLS0605_#
		800mm	OG_AQ2SLS0805_#



*A faster way to a
better workspace.*



*Delivering incredible
flexibility and collaboration
for any workspace.*

MotionOffice



Specifications	286
Individual	290
Collaborative	293
Flexible	303
Accessories & Upgrades	305
Power & Data	306
Pixel Cutout Locations	307
Dimensions	308

MotionOffice

Product Specifications

Warranty

Frame: 10 years

Fabric: Motion Felt 5 years

Delivery Times

Stock Items: Finishes/combinations shown in this pricelist - 14-16 weeks

Custom Projects: Non-standard components or non-standard upholstery - 14-16 weeks

Assembly


Assembly is required for the majority of MotionOffice products and is not included in the product price.

Custom Items

30% deposit is required on custom orders (*a custom order is any order with fabric other than the stock finishes shown on these pages*). All custom orders must go

through the MotionOffice Configurator at motionoffice.com or any custom items not shown in this document or on the configurator must go through a sign off process. The above delivery times maybe subject to change based on fabric & order information and international holidays. Some custom fabrics according to manufacturers specifications may be unsuitable. Please check with your MotionOffice sales representative when placing your order.

Acoustics




14-16 weeks lead time with all Motion Felt colours

Standard wall materials absorb 3%, MotionOffice has been tested and absorbs 76% of sound waves!

Imagine standing in the middle of a room with all concrete surfaces and one open window, and you blow a loud whistle. The sound that hits the open window passes right through. The sound that hits the concrete surfaces in the room begin to reflect back. The NRC (Noise Reduction Coefficient) of the open window would be 1.00 which is the absence of sound reflection. The NRC of concrete is .03, indicating that 97% of the noise that hits the concrete surfaces will reflect back off the surface. The NRC value of a surface simply denotes its ability to absorb vs reflect sound. The higher the NRC value, the stronger the sound absorption and the lower the sound reflection in the room.

MotionOffice panels have an NRC rating of 0.76 which means that 76% of the sound wave entering into the material will be captured and converted. MotionOffice dramatically contributes to reduction of noise bleed in open plan environments!

Acoustics




14-16 weeks lead time with all Motion Felt colours

[CLICK HERE TO RETURN TO SEARCH](#)

MotionOffice

Product Specifications

Motion Felt Motion Felt can be used to upholster all MotionOffice products.



Motion Felt is a wool blend textile with a soft hand and contemporary colour-ways that will add a subtle, elegant distinction to larger, upholstered furniture items. Motion Felt is yarn dyed and has been milled to give it a direction-less felted appearance. The milling process also increases the inherent durability and water repellent properties, which along with the natural flame resistant properties of wool, makes this fabric very suitable for heavy commercial use.

Technical Specifications

Type:	Upholstery
Composition:	50% Wool 50% Polyester
Weight:	750g/lin.m
Roll Width:	150cm
Repeat:	None
Abrasion:	100,000 rubs (Martindale)
Pilling:	4-5, BS EN ISO 12945-2:2000
Light Fastness:	4-5, BS EN ISO 105-B02
Flammability:	BS EN 1021.1 (cigarette) BS EN 1021.2 (match) CAL TB 117-2013
Colour Matching:	Batch to batch variations in colour may occur within commercial tolerances

Maintenance & Cleaning

Wool is naturally anti-static and water repellent making it less likely to attract dirt and absorb spillages. It is important to keep the fabric clean as this will extend the life of the fabric and preserve its fire retardant properties. Frequent (weekly) vacuuming on low suction is advised to remove dust and loose soiling. Under normal commercial use we recommend cleaning 1-3 times yearly by a professional dry cleaning service. It is important to protect the fabric from direct and refracted sunlight as this will ensure that the fabric retains its original colour.

Spot Cleaning

Soiling should be acted on immediately to prevent lasting damage to the fabric. We always recommend testing stain removal detergents and solvents on an inconspicuous area first.

- Immediately absorb any liquids with an absorbent cloth.
- Scrape off any solidified material with a spoon.
- Remove loose material with a vacuum cleaner on low power.
- Wipe clean with a damp cloth using pH-neutral upholstery shampoo (follow directions on packaging). Do not scrub or use a stiff brush.
- Use clean water without any cleaning product for the final clean.
- Do not use dish washing or laundry detergents. Do not use detergents, bleach, ammonia or soap intended for hard surfaces.
- Dry with a clean white cloth using a circular dabbing motion to avoid edge marks. Use of hair dryer may also help avoid edge marks.
- Allow to dry thoroughly before reusing.

This is intended as a guide only. We recommend consultation with a fabric care professional.

Environmental


As a caring, corporate citizen, we support the responsible stewardship of the earth, its inhabitants and its resources. Our fabrics are designed and made to last, and in their manufacture, use and disposal, embody the environmental principles of Reduce, Reuse & Recycle. Fire retardants are bromide free. Dyes are free from heavy metals.

14-16 weeks lead time with all Motion Felt colours

MotionOffice

Product Specifications


Worktops Lacquered White - 25 mm E1 grade substrate finished in white melamine Solid Beech - 25 mm with shark-nose edge Expo and Arc worktops available in studio white or new oak melamine only	Table Frames Black powdercoat steel frames	Cable Management Scalloped worktops for cable management Pre-drilled service locations in front of seats
---	---	--



Lacquered White




Shark-nose Edge




Solid Beech




Shark-nose Edge




Cable Scallop - Wave



Cable Scallop - Zip




Cable Scallop - Shell




Cable Scallop - Team

Expo and Arc Worktops - Melamine



Studio White



New Oak

Wave
Individual

motionoffice®

Product	Description	Worksurface	Code
	Motion Wave 2 <i>Includes 2x Motion Wave Worktops</i>	Lacquered White	OG_MWAV2CLST_LW
		Solid Beech	OG_MWAV2CLST_BE
	Motion Wave 4 <i>Includes 4x Motion Wave Worktops</i>	Lacquered White	OG_MWAV4CLST_LW
		Solid Beech	OG_MWAV4CLST_BE
	Motion Wave 6 <i>Includes 6x Motion Wave Worktops</i>	Lacquered White	OG_MWAV6CLST_LW
		Solid Beech	OG_MWAV6CLST_BE

14-16 weeks lead time with all Motion Felt colours

motionoffice®

Zip
Individual

Product	Description	Worksurface	Code
	Motion Zip 1 <i>Includes 1x Motion Zip Worktop</i>	Lacquered White	OG_MZIP1CLST_LW
		Solid Beech	OG_MZIP1CLST_BE
	Motion Zip 2 <i>Includes 2x Motion Zip Worktops</i>	Lacquered White	OG_MZIP2CLST_LW
		Solid Beech	OG_MZIP2CLST_BE
	Motion Zip 3 <i>Includes 3x Motion Zip Worktops</i>	Lacquered White	OG_MZIP3CLST_LW
		Solid Beech	OG_MZIP3CLST_BE
	Motion Zip 4 <i>Includes 4x Motion Zip Worktops</i>	Lacquered White	OG_MZIP4CLST_LW
		Solid Beech	OG_MZIP4CLST_BE
	Motion Zip 5 <i>Includes 5x Motion Zip Worktops</i>	Lacquered White	OG_MZIP5CLST_LW
		Solid Beech	OG_MZIP5CLST_BE
	Motion Zip 6 <i>Includes 6x Motion Zip Worktops</i>	Lacquered White	OG_MZIP6CLST_LW
		Solid Beech	OG_MZIP6CLST_BE
	Upgrade Motion Wedge <i>Use with Zip and Shell</i> <i>*Additional Price</i>		OG_MLPW7_CLST

14-16 weeks lead time with all Motion Felt colours

[CLICK HERE TO RETURN TO SEARCH](#)

Shell and Link

Individual

motionoffice®

Product	Description	Worksurface	Code
	Motion Shell 1 <i>Includes Motion Shell Worktop</i>	Lacquered White	OG_MSHEL1CLST_LW
		Solid Beech	OG_MSHEL1CLST_BE
	Motion Shell 2 <i>Includes 2x Motion Shell Worktops</i>	Lacquered White	OG_MSHEL2CLST_LW
		Solid Beech	OG_MSHEL2CLST_BE
	Upgrade Motion Wedge <i>Use with Zip and Shell</i>		OG_MLPW7_CLST

Product	Description	Worksurface	Code
	Motion Link Freestanding Phone Booth <i>Includes Motion Link Worktop</i>	Lacquered White	OG_MLKFSCCLST_LW
		Solid Beech	OG_MLKFSCCLST_BE
	Motion Link Wall Mounted Phone Booth <i>Includes Motion Link Worktop</i>	Lacquered White	OG_MLKWMCLST_LW
		Solid Beech	OG_MLKWMCLST_BE

14-16 weeks lead time with all Motion Felt colours




motionoffice®**Team & Meeting**
Collaborative

Product	Description	Worksurface	Code
	Motion Team <i>Includes 2x Motion Team Worktops</i>	Lacquered White	OG_MTM4CLST_LW
		Solid Beech	OG_MTM4CLST_BE
	Motion Meeting <i>Includes Motion Meeting Table Pre-drilled service locations in front of seats</i>	Lacquered White	OG_MCPMT4CLST_LW
		Solid Beech	OG_MCPMT4CLST_BE

Backrest Covers: Please specify your chosen colour at time of original order.
Additional charges will apply for fabric covers ordered after original supply.
See code and colour options page.

Grandstand
Collaborative

motionoffice®

Product	Description	Code
	Motion Grandstand 2 Tier Charcoal/Stone Pre-drilled service locations in front of seats	OG_MGRAND2T_CLST
	Motion Grandstand 2 Tier Stone/Charcoal Pre-drilled service locations in front of seats	OG_MGRAND2T_STCL
	Motion Grandstand 3 Tier Charcoal/Stone Pre-drilled service locations in front of seats	OG_MGRAND3T_CLST
	Motion Grandstand 3 Tier Stone/Charcoal Pre-drilled service locations in front of seats	OG_MGRAND3T_STCL



Motion Grandstand
Example 1



2 x Motion Grandstand 2 Tier
2 x Motion Grandstand 3 Tier

CODE : MGRAND4EX1_CLST

14-16 weeks lead time with all Motion Felt colours

motionoffice®

Grandstand
Collaborative

Product	Description	Code
	Motion Grandstand 90° 2 Tier <i>Charcoal/Stone</i>	OG_MGRAND902T_CLST
	Motion Grandstand 90° 2 Tier <i>Stone/Charcoal</i>	OG_MGRAND902T_STCL
	Motion Grandstand 90° 3 Tier <i>Charcoal/Stone</i>	OG_MGRAND903T_CLST
	Motion Grandstand 90° 3 Tier <i>Stone/Charcoal</i>	OG_MGRAND903T_STCL

**Motion Grandstand
Example 2**

2 x Motion Grandstand 2 Tier
1 x Motion Grandstand 3 Tier
1 x Motion Grandstand 90° 2 Tier



CODE : MGRAND4EX2_CLST

Ring & Expo

Collaborative

motionoffice®

Product	Description	Code
	Motion Ring - High <i>Includes 2000 mm walls</i> <i>Excludes Motion Round Table</i>	OG_MRING20_CLST
	Motion Ring - Mid <i>Includes 1400 mm walls</i> <i>Excludes Free Chair and Motion Coffee Table</i>	OG_MRING14_CLST
	Motion Ring - Low <i>Includes 1100 mm walls</i> <i>Excludes Motion Otto's and Motion Coffee Table</i>	OG_MRING11_CLST

Product	Description	Code
	Motion Expo <i>Large</i>	OG_MEXPO6CLST
	Motion Expo <i>Medium</i>	OG_MEXPO5CLST
	Motion Expo <i>Small</i>	OG_MEXPO4CLST

14-16 weeks lead time with all Motion Felt colours

motionoffice®**Arc**
Collaborative

Product	Description	Code
	Motion Arc 2 2 x Motion Loop - Curved 60° Outer Back	OG_MARC2_CLST
	Motion Arc 3 3 x Motion Loop - Curved 60° Outer Back	OG_MARC3_CLST
	Motion Arc 4 4 x Motion Loop - Curved 60° Outer Back	OG_MARC4_CLST
	Motion Arc 5 5 x Motion Loop - Curved 60° Outer Back Excludes Motion Round Table	OG_MARC5_CLST
	Motion Arc 3 - Low 3 x Motion Loop - Curved 60° Outer Back 1100 mm walls	OG_MARC3W11_CLST
	Motion Arc 3 - Mid 3 x Motion Loop - Curved 60° Outer Back 1400 mm walls	OG_MARC3W14_CLST
	Motion Arc 3 - High 3 x Motion Loop - Curved 60° Outer Back 2000 mm walls	OG_MARC3W20_CLST
	Motion Arc 4 - Low 4 x Motion Loop - Curved 60° Outer Back 1100 mm walls	OG_MARC4W11_CLST
	Motion Arc 4 - Mid 4 x Motion Loop - Curved 60° Outer Back 1400 mm walls	OG_MARC4W14_CLST

14-16 weeks lead time with all Motion Felt colours

[CLICK HERE TO RETURN TO SEARCH](#)

Arc
Collaborative

motionoffice®

Product	Description	Code
	Motion Arc 4 - High 4 x Motion Loop - Curved 60° Outer Back 2000 mm walls	OG_MARC4W20_CLST
	Motion Arc 5 - Low 5 x Motion Loop - Curved 60° Outer Back 1100 mm walls	OG_MARC5W11_CLST
	Motion Arc 5 - Mid 5 x Motion Loop - Curved 60° Outer Back 1400 mm walls	OG_MARC5W14_CLST
	Motion Arc 5 - High 5 x Motion Loop - Curved 60° Outer Back 2000 mm walls	OG_MARC5W20_CLST

14-16 weeks lead time with all Motion Felt colours



Disc
Collaborative

motionoffice®

Product	Description	Tops	Code
	Motion Disc 6 6 x Motion Loop Curved 60° Inner Back		OG_MDISC6_CLST
	Motion Disc 3 3 x Motion Loop Curved 60° Inner Back		OG_MDISC3_CLST
	Motion Disc Centre Infill Includes top and legs	Lacquered White	OG_MDISCTOP_LW
		Solid Beech	OG_MDISCTOP_BE

14-16 weeks lead time with all Motion Felt colours

Product	Description	Code
	Motion Wing 1 <i>Pre-drilled service locations in front of seats</i>	OG_MWNG1_CLST
	Motion Wing 2 <i>Pre-drilled service locations in front of seats</i>	OG_MWNG2_CLST
	Motion Fin 1 <i>Pre-drilled service locations in front of seats</i>	OG_MFIN1_CLST
	Motion Fin 2 <i>Pre-drilled service locations in front of seats</i>	OG_MFIN2_CLST
	Motion Cape 1 <i>Pre-drilled service locations in front of seats</i>	OG_MCAP1_CLST
	Motion Cape 2 <i>Pre-drilled service locations in front of seats</i>	OG_MCAP2_CLST
	Motion Canopy 2 <i>Pre-drilled service locations in front of seats</i>	OG_MCANOPY2_CLST

Backrest Covers: Please specify your chosen colour at time of original order.
Additional charges will apply for fabric covers ordered after original supply.
For code and colour options see following page.

Backrest Cover

Collaborative

motionoffice®

Product	Description	Size	Code
	Motion Backrest Cover Ash Grey <i>Suitable for Wing 1, Fin 1 and Cape 1</i>	650 mm	OG_MBKCOV06_AS
		1400 mm	OG_MBKCOV14_AS
	Motion Backrest Cover Stone Grey <i>Suitable for Wing 1, Fin 1 and Cape 1</i>	650 mm	OG_MBKCOV06_ST
		1400 mm	OG_MBKCOV14_ST
	Motion Backrest Cover Charcoal Grey <i>Suitable for Wing 1, Fin 1 and Cape 1</i>	650 mm	OG_MBKCOV06_CL
		1400 mm	OG_MBKCOV14_CL
	Motion Backrest Cover Deep Blue <i>Suitable for Wing 1, Fin 1 and Cape 1</i>	650 mm	OG_MBKCOV06_DB
		1400 mm	OG_MBKCOV14_DB
	Motion Backrest Cover Ice Blue <i>Suitable for Wing 1, Fin 1 and Cape 1</i>	650 mm	OG_MBKCOV06_IC
		1400 mm	OG_MBKCOV14_IC
	Motion Backrest Cover Emerald Green <i>Suitable for Wing 1, Fin 1 and Cape 1</i>	650 mm	OG_MBKCOV06_EM
		1400 mm	OG_MBKCOV14_EM
	Motion Backrest Cover Bumblebee Yellow <i>Suitable for Wing 1, Fin 1 and Cape 1</i>	650 mm	OG_MBKCOV06_BB
		1400 mm	OG_MBKCOV14_BB
	Motion Backrest Cover Avocado Green <i>Suitable for Wing 1, Fin 1 and Cape 1</i>	650 mm	OG_MBKCOV06_AV
		1400 mm	OG_MBKCOV14_AV
	Motion Backrest Cover Sunset Orange <i>Suitable for Wing 1, Fin 1 and Cape 1</i>	650 mm	OG_MBKCOV06_SO
		1400 mm	OG_MBKCOV14_SO
	Motion Backrest Cover Chilli Red <i>Suitable for Wing 1, Fin 1 and Cape 1</i>	650 mm	OG_MBKCOV06_CR
		1400 mm	OG_MBKCOV14_CR

**Backrest Covers: Please specify your chosen colour at time of original order.
Additional charges will apply for fabric covers ordered after original supply.**

14-16 weeks lead time with all Motion Felt colours

motionoffice®

Loop
Flexible

Product	Description	Code
	Motion Loop – Straight <i>Pre-drilled service locations in front of seats</i>	OG_MLPS7_ST
	Motion Loop – Curved 60° <i>Pre-drilled service locations in front of seats</i>	OG_MLPC60_ST
	Motion Loop – Straight <i>with Backrest</i> <i>Pre-drilled service locations in front of seats</i>	OG_MLPS7B_CLST
	Motion Loop – Curved 60° <i>Backrest Outside</i> <i>Pre-drilled service locations in front of seats</i>	OG_MLPC60BO_CLST
	Motion Loop – Curved 60° <i>Backrest Inside</i> <i>Pre-drilled service locations in front of seats</i>	OG_MLPC60BI_CLST
	Motion Loop – Curved 90° <i>Backrest Outside</i> <i>Pre-drilled service locations in front of seats</i>	OG_MLPC90BO_CLST
	Motion Office Ottoman Link Pair <i>Packed in pairs</i>	OG_MOTLINK

**Motion Loop
Example 1**

1 x Motion Loop Straight
 1 x Motion Loop Straight Back
 2 x Motion Loop Curved 60° Outer Back
 1 x Motion Loop Curved 60° Inner Back

CODE : MLOOPEX1_CLST

Tables


Flexible

motionoffice®

Product	Description	Tops	Code	Lead Time
	Motion Coffee Table Straight Black Frame 400 mm high	Solid Beech	OG_MST75B_BE	
	Motion Coffee Table Curved Black Frame 400 mm high	Lacquered White	OG_M60TB_LW	
		Solid Beech	OG_M60TB_BE	
	Motion Tablet Table Black Frame 710 mm high	Lacquered White	OG_MTABTB_LW	
		Solid Beech	OG_MTABTB_BE	
	Motion Round Table Sit Height Black Frame 730 mm high / Ø1050 mm	Lacquered White	OG_MRT73B_LW	
		Solid Beech	OG_MRT73B_BE	
	Motion Round Table Stand Height Black Frame 1050 mm high / Ø1050 mm	Lacquered White	OG_MRT105B_LW	
		Solid Beech	OG_MRT105B_BE	
	Motion Coffee Table Straight Worktop	Lacquered White	OG_MLPSTOP_LW	
		Solid Beech	OG_MLPSTOP_BE	
	Motion Coffee Table Curved Worktop	Lacquered White	OG_MLP60TOP_LW	
		Solid Beech	OG_MLP60TOP_BE	
	Motion Tablet Worktop	Lacquered White	OG_MTABTOP_LW	
		Solid Beech	OG_MTABTOP_BE	
	Motion Round Table Worktop	Lacquered White	OG_MLP10RTOP_LW	
		Solid Beech	OG_MLP10RTOP_BE	

14-16 weeks lead time with all Motion Felt colours

motionoffice[®]**Accessories & Fabric**
Upgrades

Product	Description	Type	Code	Lead Time
	Plant Holder Black Powdercoat	Accessories	OG_MPLANT_B	
	Magazine Holder Black Powdercoat	Accessories	OG_MMAG_B	
	Monitor Bracket Black Powdercoat	Accessories	OG_MMBRAC_B	
	Bag/Coat Hook Pack of 3 Black Powdercoat	Accessories	OG_MHOOK_B	
	Name Plate Black Powdercoat	Accessories	OG_MNAME_B	
	Motion Felt Per metre	Fabric	OG_MFROLL_##	

Fabric

= Motion Felt




14-16 weeks lead time with all Motion Felt colours

[CLICK HERE TO RETURN TO SEARCH](#)

Power & Data
Upgrades



Product	Description	Type	Code	Lead Time
	Pixel Black - 1500mm Lead (see following page for pixel cutout locations)	Power & Data	OG_PIXEL	
	Motion Panel Cable Port 30 x 88mm Charcoal (Suitable for Wave, Zip and Shell)	Power & Data	OG_MOCPORT	


14-16 weeks lead time with all Motion Felt colours

motionoffice®

Pixels Cutout Locations

Power & Data

Base 650mm



Wing 1




Fin 1



Cape 1

Base 1400mm



Wing 2



Fin 2



Cape 2




Canopy



Meeting

Grandstand




Grandstand 2 Tier



Grandstand 3 Tier

Loop



Straight



60°



Straight



60° Outer




60° Inner



90° Outer

Wedge



Wedge


14-16 weeks lead time with all Motion Felt colours

[CLICK HERE TO RETURN TO SEARCH](#)


Dimensions
Specs

motionoffice®


Motion Wave




Motion Zip






Motion Shell 1



Motion Shell 2



14-16 weeks lead time with all Motion Felt colours

motionoffice®**Dimensions**
Specs**Motion Wedge****Motion Team****Motion Meeting**




14-16 weeks lead time with all Motion Felt colours

[CLICK HERE TO RETURN TO SEARCH](#)




Dimensions
Specs

motionoffice®



Motion Fin



Motion Cape






Motion Canopy






14-16 weeks lead time with all Motion Felt colours




Motion Link Freestanding



Motion Link Wall Mounted










Motion Wing





Dimensions
Specs

motionoffice®





Motion Grandstand



Motion Grandstand Example 1




Motion Arc



14-16 weeks lead time with all Motion Felt colours

Motion Ring






Motion Loop



Straight

60°






Motion Loop with Backrest





Straight

60° Outer




60° Inner

90° Outer



Motion Loop Example 1




Dimensions
Specs

motionoffice®


Motion Disc




Motion Otto




Motion Coffee Table Straight




Motion Coffee Table Curved



Motion Tablet Table



Motion Round Table



14-16 weeks lead time with all Motion Felt colours

Workspaces that inspire.





*A workplace should be as
diverse as its workforce.*

Qzone



Qzone

318

Qzone
Axis Phonebooth



Description	Code	Lead Time
Phonebooth Standard Grey AcoustiQ Panel Sides 1100 (w) x 1100 (d) x 2215 (h) mm	PBOOTH1_NO	
	PBOOTH1_W	



Description	Code	Lead Time
Stool Inside Button Stool		

Stool Fabric Please specify your chosen fabric colour when ordering.

= Splice

- GR
- CH
- BK
- BL
- YL
- GN
- OR
- RD
- LO
- FS
- SL
- SC



*Create a space of calm
within a space of vibrancy.*

A white, capsule-shaped office pod with a large glass window and a silver handle, set against a light-colored, textured wall. A large green plant is in the foreground on the left, and a black rectangular object is on the wall to the right. The floor is a light-colored, textured material.

*When silence is golden
and privacy is paramount,
the SpacePod offers the
perfect escape from the
noisy office floor*

SpacePod



SpacePod

322

SpacePod
Phonebooth



Product	Description	Code	Lead Time
	Single Spacepod White <i>with Stool to suit</i>	OG_SPACEPOD1_W	
	2 Person Spacepod White <i>with Sofas to suit</i>	OG_SPACEPOD2_W	
	4 Person Spacepod <i>Shell Only</i>	OG_SPACEPOD4_W	



SpacePod Colour Options


Standard Colours - In Stock



Colour Options - Exterior colour options




Colour Options - Frame and table



Colour Options - Sofa Upholstery



Colour Options - Interior - PET acoustic felt



Custom colours have lead time - contact an AcoustiQ representative for details



Bring it all together with quality accessories & components.


Components



Worktops	326
Brackets	326
Desk Mount Accessories	329
Rails	329
Cable Management	332
Softwiring	333
Workshop Jobs	334

Worktops
Desks & Workstations





Product	Description	Dimensions	Code
	Standard Worktop <i>White/New Oak</i>	1200 x 600	OG_AXDI26_W OG_AXDI26_NO_T
		1200 x 750	OG_AXDI275_W OG_AXDI275_NO_T
		1500 x 600	OG_AXDI56_W OG_AXDI56_NO_T
		1500 x 750	OG_AXDI575_W OG_AXDI575_NO_T
		1600 x 600	OG_AXDI66_W OG_AXDI66_NO_T
		1600 x 750	OG_AXDI675_W OG_AXDI675_NO_T
		1800 x 600	OG_AXDI86_W OG_AXDI86_NO_T
		1800 x 750	OG_AXDI875_W OG_AXDI875_NO_T
	Scalloped Worktop <i>White/New Oak</i> <i>Ideal For Back to Back Anvil and Axis</i>	1500 x 800	OG_AXDI580S_W OG_AXDI580S_NO_T
		1600 x 800	OG_AXDI680S_W OG_AXDI680S_NO_T
		1800 x 800	OG_AXDI880S_W OG_AXDI880S_NO_T
	Table Top <i>White Only</i>	600 x 600	OG_AXT066_W
		900 x 600	OG_AXD0906_W
		900 x 900	OG_AXTOP900_W
	Table Top <i>White/New Oak</i>	Ø 600	OG_AXT60R_W OG_AXT60R_NO_T
		Ø 900	OG_AXT900R_W OG_AXT900R_NO_T
		Ø 1050	OG_AXT105R_W OG_AXT105R_NO_T
		Ø 1200	OG_AXT120R_W OG_AXT12R_NO_T
		1800 x 900	OG_AXD189_W OG_AXT189_NO_T
		1800 x 1200	OG_AXT1812_W OG_AXT1812_NO_T
		2100 x 900	OG_AXD219_W OG_AXD219_NO_T
		2400 x 1200	OG_AXT2412_W OG_AXT2412_NO_T
			



Worktops

Desks & Workstations

Product	Description	Dimensions	Code
	90° Workstation Worktop White/New Oak Please note 750 mm worktop is split for packaging: Large Part Box A Small Part Box B	1800 x 1800/600 RH	OG_AX9W18186_WR
			OG_AX9W18186_NO_TRH
		1800 x 1800/600 LH	OG_AX9W18186_WL
			OG_AX9W18186_NO_TLH
		1800 x 1800/750 RH	OG_AX90W181875_WRA
			OG_AX90W181875_WRB
			OG_AX90W181875_TRHA
			OG_AX90W181875_TRHB
			OG_AX90W181875_WLA
			OG_AX90W181875_WLB
		1800 x 1800/750 LH	OG_AX90W181875_NO_TLHA
			OG_AX90W181875_NO_TLHB

Product	Description	Dimensions	Code
	120° Workstation Worktop White Only	1200 x 1200/600	OG_AX12W12126_W
		1200 x 1200/750	OG_AX12W121275_W_T

Product	Description	Dimensions	Code
	Solid Beech Table Top	Ø 1050	OG_MLP10RTOP_BE
		1000 x 1060	OG_MCMTOP_BE

Worktops - Melamine






= W (White) - Select top colour when ordering.



= NO (New Oak) - Select top colour when ordering.

Components
Brackets




Product	Description	Code
	Worktop Joining Plate <i>Plate for under worktop joins 200 x 60 x 2 mm General purpose - Pairs</i>	OG_AXTOPPLATE_W
	General Purpose Bracket <i>White - Singles 30 x 30 mm</i>	OG_AXBKT_W
	Anvil Screen Spacer <i>Spacer to suit middle screen bracket when used with Anvil legs - Singles</i>	OG_AXPBRACK_W
	Axis/Anvil Screen Bracket <i>Fits 25 mm top + 50 mm rail - Singles</i>	OG_AX77SCR900B_W
	Axis/Anvil Screen Bracket Offset <i>Desk mount screen bracket Offsets screen Fits 25 mm top + 50 mm rail - Singles</i>	OG_AX77SCR955B_W-1
	Aero Hung Screen Bracket <i>To fit 25 mm top - Singles</i>	OG_AX27SCR900_W



Components



Brackets

Product	Description	Code
	Aero Hung Screen Bracket Offset Desk mount screen bracket Offsets screen Fits 25 mm top - Singles	OG_AX27SCR955_W
	AcoustiQ Panel Screen Double Sided Clamp White - Each	OG_ESCRCLAMPIDS_W
	AcoustiQ Panel Screen Single Sided Clamp White - Each	OG_ESCRCLAMPSS_W
	AcoustiQ Panel Screen Top Fix Clamp White - Each	OG_ESCRCLAMPT_W
	Wrap Screen Bracket Set of 4, Black only Packet of 4 brackets	OG_EPDBRACK4_B
	Flip Table Link Black	OG_HOOKCONNECT

Components

Desk Mount Accessories & Rails





Product	Description	Code
	Axis System Shelf Brackets To fit 25mm top + 50mm rail - Singles 243 mm from worktop Available in black or white	OG_AX77SHELFBR_#
	Aero System Shelf Brackets To fit 25mm top - Singles 185 mm from worktop to underside Available in black or white	OG_AX27SHELFBR_#
	Axis System Master Key	OG_AXKEY
	Axis System Master Key for Barrel Removal	OG_AXKEYB
	Axis System Keyed alike Barrel and Key	Mobile OG_AXBARRELM
		Cupboard OG_AXBARRELC
	Axis Stiffener Rail Comes with fixings White powdercoat	1280 x 25 x 25 mm OG_AXSTFRAIL128_W
		1580 x 25 x 25 mm OG_AXSTFRAIL158_W



Components




Desk Mount Accessories & Rails

Product	Description	Code
	Studio50 Screen Height Adjustable Shelf Brackets	OG_STU50SH6_#_F
	Axis/Studio50 Hung Shelf Brackets <i>Fixed (L/R pair)</i>	OG_AXSHELFEND_W
	Axis Screen Hung Shelf Brackets <i>Pair</i>	OG_AXSHS6_W
	Axis Shelf Hoops – Each <i>'U' shape metal hoops for AXDSH6_W shelf only</i>	OG_UHOOP
	Studio50 Hung Screen DFC Bracket	OG_STU50DFC_#

Components

Cable Management



Product	Description		Code
	Double Sided Cable Tray Powdercoated Arctic White	1080 mm	OG_AXDTRAY120_W
		1380 mm	OG_AXDTRAY150_W
		1680 mm	OG_AXDTRAY180_W
	Cable Dump Tray with Top Lip Fixing Powdercoated Arctic White. Solid power/data segregation.	1080 mm	OG_AXCTT11_W
		1380 mm	OG_AXCTT14_W
		1680 mm	OG_AXCTT17_W
	Cable Dump Tray with Side Fixing Powdercoated Arctic White. Solid power/data segregation.	1080 mm	OG_AXCTS11_W
		1380 mm	OG_AXCTS14_W
		1680 mm	OG_AXCTS17_W
	Axis/Anvil Comseal Cable Tidy Brushes 55 mm - Black	55 x 1185 mm	OG_AXBRUSH1185
		55 x 1485 mm	OG_AXBRUSH1485
		55 x 1785 mm	OG_AXBRUSH1785
	Studio50 Cable Tidy Brushes 40 mm - Black	40 x 1185 mm	OG_STU50BRUSH12
		40 x 1485 mm	OG_STU50BRUSH15
		40 x 1785 mm	OG_STU50BRUSH18



Components

Softwiring

Range	Code	Description	Packing
OLG Kits	OG_530024	ELSW-IDSK - Single Desk Kit (2000mm + Quad GPO + 2 data blanks)	each
		Agile upgrade kit (2000mm + splitter + 2 data blanks for prodigy)	each
	OG_530025	ELSW-I0DSK - Single Desk Kit - Set of 10	each
	OG_530023	ELSW-WS - Wall Starter to Desk Kit (wall starter + 2500mm + Quad GPO + 2 data blanks)	each
	OG_530027	Floor to Ceiling Kit- no umbilical (ceiling starter + 3500mm + Quad GPO + 2 data blanks) for use with studio post	each
	OG_530022	ELSW-CDUMB - Ceiling to Desk Starter Kit (umbilical + ceiling starter + 3500mm + Quad GPO + 2 data blanks)	each
	OG_530021	ELSW-FCUMB - Floor to Ceiling Starter Kit (umbilical + ceiling starter + 3500mm + Quad GPO + 2 data blanks)	each
Baskets	OG_294800	Prodigy Basket 750mm, White	each
	OG_294801	Prodigy Basket 950mm, White	each
	OG_294802	Prodigy Basket 1250mm, White	each
	OG_294803	Prodigy Basket 1550mm, White	each
	OG_294810	Prodigy Basket 750mm, Black	each
	OG_294811	Prodigy Basket 950mm, Black	each
	OG_294812	Prodigy Basket 1250mm, Black	each
	OG_294813	Prodigy Basket 1550mm, Black	each
Above desk parts	OG_973002	Pixel 1x GPO, 1x TUF - White/Silver, 2000mm lead with 3 pin plug	each
	OG_910010	Pegasus clamp on with 2 x GPO/1 x TUF, 800mm j coupler	each
	OG_913101	Quicksilver clamp on with 2 x GPO/1 x TUF, 800mm j coupler, White	each
	OG_913360	Quicksilver clamp on with 2 x GPO/1 x TUF, 800mm j coupler, Black	each
Starters	OG_150620	ceiling starter, Black	each
	OG_150630	Wall Starter, Black	each
	OG_150631	Wall Starter, White	each
	OG_344000	3 pin plug with thermal overload, black, 2000mm	each
Interconnecting cables & joiners	OG_250004	cable to cable locking clip	each
	OG_150601	one in/three out splitter block, white	each
	OG_150004	interconnecting lead 1000mm, white	each
	OG_150006	interconnecting lead 1500mm, white	each
	OG_150008	interconnecting lead 2000mm, white	each
	OG_150020	interconnecting lead 5000mm, white	each
Boardroom Table boxes	OG_916005	Axxess Silver 2GPO/1TUF/5DATA - excl leads/umbilical (cutout size 221mm x 138.5mm)	each
	OG_916002	Axxess Silver 4GPO/1TUF/2DATA - excl leads/umbilical (cutout size 284mm x 138.5mm)	each

Workshop Jobs



	Base Charge AUD\$	Lead Time
Assembly		
Balance Chair <i>minimum of 8 chairs</i>	N/A	
Game Chair <i>minimum of 8 chairs</i>	N/A	
Urban Chair <i>minimum of 8 chairs</i>	N/A	
Luna Chair <i>minimum of 8 chairs</i>	N/A	
Motion Sync <i>minimum of 8 chairs</i>	N/A	
Balance Visitor <i>minimum of 8 chairs</i>	N/A	
Cutting		
Axis Rail	60	
Modulus Rail	60	
Agile Rail (Rail and Drivebar)	60	
Modulus Pole Heights	200	

Colour Guide

Fabric Colours

Motion Felt



Splice



Colour Guide

Fabric Colours

Breathe




Eurotex PU



Colour Guide

Worktop Colours



White




New Oak




Solid Beech
with shark-nose edge

Powdercoat Colours

Various powdercoat finishes have been applied depending on use situation (Matt/ Gloss/ Ripple finish/ Sand finish) Ask your account specialist for details.



Black



White

Colour Guide

AcoustiQ Panel Colours – 10mm/20mm/30mm



W

White



MG

Marble Grey



PM

Pacific Marble



SGR

Slate Grey



GRY

Grey



CG

Charcoal Grey



BLK

Black



LB

Light Beige



DB

Dark Beige



N

Natural



DN

Dark Natural



BR

Brown



PK

Pink



CP

Coral Pink



RP

Royal Pink



PB

Pacific Blue



SB

Sky Blue



CB

Cobalt Blue

Colour Guide

AcoustiQ Panel Colours – 10mm/20mm/30mm



Blue




Dark Blue



Purple



Dark Purple



Yellow



Jaisalma Yellow



Banana Green



Moss Banana
Green



Green




Dark Green




Peacock Green



Dark Peacock
Green



Orange




Red



Dark Red



Maroon



Dark Maroon

Notes

Need it digital?

Visit our website which features imagery and specification sheets of the entire OLG range.

myolg.online (trading platform)

olgoffice.com (images and product detail)

myolgpricelist.online (online pricebook)





360°

Enter Our Virtual Showroom

*Get the OLG Virtual Showroom experience.
Contact your account manager to discuss further.*



myolg.online/vrshowroom



*Take control
of your floor
plans with
officedesigner*

Register NOW
officedesigner.net



Fast Supply **Office Solutions**

OLG

How can we be of help?
02 8188 2732

info@olgooffice.com

myolg.online
olgooffice.com
officedesigner.net
motionoffice.com
officefitoutcalculator.com.au
myolgpricelist.online
acoustiq.com.au

