

RECEPTIONS

Make a great first impression with the OLG reception range.



AXIS RECEPTION



Showing Axis 90° Reception and 1250mm Tambour Storage with planter box

STANDARD FEATURES

- 18 mm White melamine on E0 grade substrate with matching PVC edge
- Flush-joined construction detailing
- All reception options require free-standing worksurfaces
- Aluminium beading detail on front
- Straight or 90° options

AXIS STANDARD SIZES

Straight:

1842w x 300d mm
(fits 1800w mm desk)

2400w x 300d mm
(fits 2350w mm desk)

90° Corner:


1842w x 300d mm
(fits 1800w mm desk)

2400w x 300d mm
(fits 2350w mm desk)

Height:

without pop-top 1130 mm

with pop-top 1200 mm



10 YEAR GUARANTEE

RECEPTION EXAMPLES



Axis Straight Reception with Pop-top



Axis Straight Reception without Pop-top



Axis Corner Reception with Pop-top



Axis Corner Reception without Pop-top

ANVIL RECEPTION



Anvil Reception - Desk
supplied separately

STANDARD FEATURES


- 18 mm White melamine on E0 grade substrate with matching PVC edge
- Flush-joined construction detailing
- All reception options require free-standing worksurfaces
- Silver, centre feature panel
- Concealed telescopic chassis adjusts to suit worktop size (extends from 1800 - 2400mm)

ANVIL STANDARD SIZES

Minimum closed, external:
1846w x 943d mm
(fits 1800w mm desk)

Maximum open, external:
2446 x 943 mm
(fits 2400w mm desk)

Height: 1200 mm



10 YEAR
GUARANTEE

RECEPTION EXAMPLES



Anvil Straight Reception