

OLG



Rover Range (50-ROMCZ-1609)


Assembly Instructions

Components List



Assembly Instructions


STEP 1:



Preparation for panel D, V, Y1, X and Z

- 1. Insert cam bolts C1 and dowel pins D1 into panels X,Y1,D,X and Z as illustrated above.
- 2. Locate the trim ring on lock and set aside. Insert cylinder of lock L through hole in Y1 and secure with S4 screws. Add trim ring to lock on outside of Y1.

STEP 2:




Preparation for panel A, G, Y2, V1, V2, V3 and V4

- 1. Insert cam bolts C1 and dowel pins D1 into panels A,G and Y2 as illustrated above.
- 2. Fix hinge stands G1 to panels V1 and V4 with screws S1 as illustrated above.
- 3. Fix hinge stands G2 to panels V2 and V3 with screws S1 as illustrated above.


Assembly Instructions

STEP 3:



1. Install the aluminum piece and A, G panel together with bolts B2 as illustrated above.

STEP 4:




Panel X, Y, A, G, Y1 and Y2 assembly

1. Insert cam bolts C1 and dowel pins D1 on panel A, G into cams on panel X, Z, Y1, Y2, and tighten in a clockwise direction as illustrated above.

Assembly Instructions


STEP 5:



Panel D assembly

1. Insert cam bolts C1 and dowel pins D1 on panel D into cams on panel X, Z, A, G, Y1, Y2 and tighten in a clockwise direction as illustrated above.

STEP 6:




Panel G assembly

1. Insert cam bolts C1 and dowel pins D1 on panel G into cams on panel X, Z, A, G, Y1, Y2 and tighten in a clockwise direction as illustrated above.


Assembly Instructions

STEP 7:




- 1. Install the aluminum piece and X, Z, A, G panel together with screw S1 as illustrated above.
- 2. Install the aluminum piece and X, Z panel together with screw as illustrated above.






Assembly Instructions

STEP 9:



- 1. Insert Fix Bolt B1 on panel A, X, Z into cams on eva and tighten in a clockwise direction as illustrated above.
- 2. Install the aluminum piece and G panel together with Screw S1 as illustrated above.






1. Install castors T1 and T2 using screws B3.

Assembly Instructions


STEP 11:



Moveable shelf E assembly

- 1. Insert threaded dowel pins P1 into panels X, D and Z as illustrated above.
- 2. Put the four panels E on the top of threaded dowel pins Pl as illustrated above.

Assembly Instructions



Assembly Instructions

Complete:



Remove all QC and panel labels and wipe clean using a damp cloth and general household cleaner.



Sydney 02 8188 2732 **Melbourne** 03 9111 0315 **Brisbane** 07 3733 1923 **Adelaide** 08 7111 0810 **Perth** 08 9468 2707

info@olgoffice.com

myolg.online | olgoffice.com | officedesigner.net | motionoffice.com